

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Paul A. Keane Agent for Endura S.p.A. c/o Paul Keane & Associates P.O. Box 65436 Tucson, AZ 85728

JUL 24 2009

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request General Label Change (Additional Container Size)

EPA Reg. No. 47932-1

Application Dated June 22, 2009

Dear Mr. Keane:

The Agency is in receipt of your 06/22/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

	oleting form.				Form App	proved. OM	IB No. 2070- <u>006</u> 0. <i>[</i>
United St	ates			Doc:-	tration	OPP Ident	ifier Number
Environmental Pro		:v	ي ا	Regis	tration		ł
401 M Stree				Amer	ndment	Noti	fication
Washington, DC	•			Other	.	1400	alion
	Application fo	r Pesticide	Secti			<u> </u>	
Company/Product Number	Application to	2. EPA Pro			3 P	roposed Cla	ssification
EPA Reg. No. 4793	32-1		hard G		0.11	p	
Company/ Product (Name)		PM#				Mana	Restricted
Piperonyl Butoxide Techr	ical Grade		10			None	
5. Name and Address of Applicant (Include ZIF	Code)						FIFRA Section
Endura S.p.A.				oduct is	similar or id	lentical in	composition and
c/o Paul A. Keane & Associates		labeling to:	•				
P.O. Box 65436		EPA Reg.	No		NOTIF	ICATIO	NI I
Tucson, AZ 85728		EPA Keg.	NU			. JAI 101	<u> </u>
☐ Check if this is a new a	ddress	Product Na	ame		JUL 2	4 2009	
	S	ection – II				···	
Amendment – Explain below.		☐ Final p	rinted lah	els in resn	onse to Agen	icy letter dat	ted
Resubmission in response to Agency lette	dated.	-	o" Applic	•		,	
Notification – Explain below.	ualeu	<u> </u>					
			- Explain	below.			
Explanation: Use additional page(s) if ne	cessary. (For Section	l and Section II.)					
Submit natification of a	dditional aanta!-		unde/2	4E E \	nor DD N	otico 00 4	ا ۱۸
Submit notification of a	aditional contain	ier size (475 poi	unas/2	15.5 Kg)	per PK No	otice 98-1	10.
This notification is consistent with the pro-	visions of PR Notic	ce 98-10 and FPA	regula	tions at 4	10 CER 152	46 and n	o other changes
have been made to the labeling or the co							
Sec. 1001 to willfully make any false state							
of PR Notice 98-10 and 40 CFR 152.46	tnis product may d	e in violation of F	IFRA ai	nd I mav	be subject	to enforce	ement action and l
of PR Notice 98-10 and 40 CFR 152.46 penalties under sections 12 and 14 of FIF.		e in violation of F	IFRA aı	nd I may	be subject	to enforce	ment action and
		e in violation of F	IFRA aı	nd I may	be subject	to enforce	ment action and
penalties under sections 12 and 14 of FIF	₹ <i>A.</i>	e in violation of F	IFRA aı	nd I may	be subject	to enforce	ement action and
penalties under sections 12 and 14 of FIF 1. Material This Product Will Be Packaged II	₹ <i>A.</i>	ection III		nd I may			ment action and
penalties under sections 12 and 14 of FIF 1. Material This Product Will Be Packaged II Child Resistant Packaging Unit Packaging	₹ <i>A.</i>	ection III Water Soluble Pack		nd I may	2. Type of C		ment action and
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes*	₹ <i>A.</i>	Water Soluble Pack		nd I may	2. Type of C	Container	ment action and
Denalties under sections 12 and 14 of FIF. Material This Product Will Be Packaged In Child Resistant Packaging Yes* No No	S.:	Water Soluble Pack Yes No	kaging		2. Type of 0 Metal Plastic	Container	ment action and
1. Material This Product Will Be Packaged In Child Resistant Packaging	RA. Si	Water Soluble Pack Yes No If "Yes"	kaging No. 1	Per	2. Type of C Metal Plastic Glass	Container	ment action and
Denalties under sections 12 and 14 of FIF. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No	RA. Si	Water Soluble Pack Yes No	kaging No. 1		2. Type of 0 Metal Plastic	Container	ment action and
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* Yes No No If "Yes"	RA. Si	Water Soluble Pack Yes No If "Yes" Packaging Wt.	kaging No. 1	Per tainer	2. Type of C Metal Plastic Glass Paper	Container Specify):	
Denalties under sections 12 and 14 of FIF. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No	No. Per Container 4. Size(s) Retail 441 lbs (200	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container Kg), 463 lbs (2	No. Conf	Per tainer 5. Lo	2. Type of C Metal Plastic Glass Paper Other (8	Container Specify):	
Denalties under sections 12 and 14 of FIF. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No	No. Per Container 4. Size(s) Retail 441 lbs (200	Water Soluble Pack Yes No If "Yes" Packaging Wt.	No. Conf	Per tainer 5. Lo	2. Type of C Metal Plastic Glass Paper Other (S	Container Specify): Del Directions	s
1. Material This Product Will Be Packaged In Child Resistant Packaging	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container 0 kg), 463 lbs (2 ds (215.5 kg) or	No. Conf	Per tainer	2. Type of C Metal Plastic Glass Paper Other (s	Container Specify): Del Directions	s
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* Yes No No *Certification must be submitted If "Yes" Unit Packaging Will Will Will Will Will Will Will Wil	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container 0 kg), 463 lbs (2 ds (215.5 kg) or	No. Conf	Per tainer 5. Lo	2. Type of C Metal Plastic Glass Paper Other (S	Container Specify): Del Directions	s
1. Material This Product Will Be Packaged In Child Resistant Packaging	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Page	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container 0 kg), 463 lbs (2 ds (215.5 kg) or nograph per glued	No. Conf	Per tainer	2. Type of C Metal Plastic Glass Paper Other (S	Container Specify): Del Directions	s
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No *Certification must be submitted If "Yes" Unit Packaging Will Describe Submitted Information Label Container 6. Manner in Which Label is Affixed to Product	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Pag	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV	No. Conf 10 kg), Bulk	Per tainer 5. Lo	2. Type of O Metal Plastic Glass Paper Other (see a continuo of Label On Labeling A	Specify): bel Directions	s ng Product
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No *Certification must be submitted If "Yes" Unit Packaging Unit Packaging Unit Packaging Work Submitted If "Yes" Unit Packaging Work Submitted Information Label Container 6. Manner in Which Label is Affixed to Product Information Inf	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Page S below for identificate	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV	No. Conf 10 kg), Bulk	Per tainer 5. Lo enciled ther	2. Type of O Metal Plastic Glass Paper Other (second of Label) On Labeling A	Specify):	s ng Product is application).
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No *Certification must be submitted If "Yes" Unit Packaging Will Describe Submitted Information Label Container 6. Manner in Which Label is Affixed to Product	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Pag	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV	No. Conf 10 kg), Bulk	Per tainer 5. Lo enciled ther	2. Type of C Metal Plastic Glass Paper Other (s) Ocation of Lab On Labeling A	Specify):	s ng Product is application).
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No No *Certification must be submitted Information 1. Label Container 1. Contact Point (Complete items directly Name	No. Per t. No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Pap S below for identificat	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV	No. Conf 10 kg), Bulk	Per tainer 5. Lo enciled ther	2. Type of O Metal Plastic Glass Paper Other (S On Labeling A eccessary, to whone No. (Inc.	Specify):	s ng Product is application). Code)
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No *Certification must be submitted If "Yes" Unit Packaging Unit Packaging Unit Packaging Work Submitted If "Yes" Unit Packaging Work Submitted Information Label Container 6. Manner in Which Label is Affixed to Product Information Inf	No. Per t. Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Par S below for identificat Title Aut	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV tion of individual to	No. Conf 10 kg), Bulk	Per tainer 5. Lo enciled ther	2. Type of O Metal Plastic Glass Paper Other (S On Labeling A eccessary, to whone No. (Inc.	Specify): Del Direction: Accompanyi process thiclude Area C 20) 577-51 e2100@a	s ng Product is application). Code)
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No No Secretification must be submitted Unit Packaging Unit Packaging Unit Packaging Unit Packaging Unit Packaging Work Certification must Unit Packaging Work Packagin	No. Per t. Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Par Below for identificat Title Autt Certification	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV tion of individual to thorized Agent	No. Conf 10 kg), Bulk Ste	Per tainer 5. Lo enciled ther	2. Type of C Metal Plastic Glass Paper Other (S Cocation of Lab Con Labeling A Decessary, to Cochone No. (Inc. (52 PKean	Specify):	is application). Code) 165 iol.com Application
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Par Selow for identificate Title Autt Certification made on this for	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container 0 kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV tion of individual to thorized Agent rm and all attace	No. Cont 10 kg), Bulk Ste Deconte	Per tainer 5. Lo enciled ther Telepose thereto	2. Type of O Metal Plastic Glass Paper Other (S cation of Lab On Labeling A eccessary, to chone No. (Inc. (52 PKean are true,	Specify):	is application). Code) 165 ol.com Application
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No *Certification must be submitted If "Yes" Unit Packaging Will Teach again the Submitted If "Yes" Unit Packaging Will Teach again the Submitted Information Label Container 6. Manner in Which Label is Affixed to Product Teach again the Paul A. Keane Paul A. Keane I certify that the statements I have accurate and complete. I acknowledged.	No. Per Container 4. Size(s) Retail 441 Ibs (200 475 pound Lith Par Below for identificate Title Aut Certification made on this for the that any knowing	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV tion of individual to thorized Agent orm and all attacengly false or misl	No. Cont 10 kg), Bulk Ste Deconte	Per tainer 5. Lo enciled ther Telepose thereto	2. Type of O Metal Plastic Glass Paper Other (S cation of Lab On Labeling A eccessary, to chone No. (Inc. (52 PKean are true,	Specify):	is application). Code) 165 iol.com Application
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No	No. Per Container 4. Size(s) Retail 441 Ibs (200 475 pound Lith Par Below for identificate Title Aut Certification made on this for the that any knowing	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV tion of individual to thorized Agent m and all attace ngly false or misleable law.	No. Cont 10 kg), Bulk Ste Deconte	Per tainer 5. Lo enciled ther Telepose thereto	2. Type of O Metal Plastic Glass Paper Other (S cation of Lab On Labeling A eccessary, to chone No. (Inc. (52 PKean are true,	Specify):	is application). Code) 165 iol.com Application
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No *Certification must be submitted If "Yes" Unit Packaging Unit Packaging World	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Par Selow for identificate Title Auti Certification made on this for the that any knowing both under applice	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or regraph per glued Section - IV Sion of individual to chorized Agent mand all attack ingly false or mislicable law.	No. Cont 10 kg), Bulk Ste Deconta	Per tainer 5. Lo enciled ther Telepos thereto statements	2. Type of O Metal Plastic Glass Paper Other (S cation of Lab On Labeling A eccessary, to chone No. (Inc. (52 PKean are true,	Specify):	is application). Code) 165 iol.com Application
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No If "Yes" Unit Packaging Uni	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Pap Selow for identificate Title Aut Certification made on this for the that any knowing both under applice 3. Title	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV tion of individual to thorized Agent mrm and all attace ngly false or mislicable law. e Author	No. Cont 10 kg), Bulk Ste Deconta	Per tainer 5. Lo enciled ther Telepos thereto statements	2. Type of O Metal Plastic Glass Paper Other (S cation of Lab On Labeling A eccessary, to chone No. (Inc. (52 PKean are true,	Specify):	is application). Code) 165 iol.com Application
1. Material This Product Will Be Packaged In Child Resistant Packaging Unit Packaging Yes* No No *Certification must be submitted If "Yes" Unit Packaging Unit Packaging World	No. Per Container 4. Size(s) Retail 441 lbs (200 475 pound Lith Par Selow for identificate Title Auti Certification made on this for the that any knowing both under applice	Water Soluble Pack Yes No If "Yes" Packaging Wt. Container O kg), 463 lbs (2 ds (215.5 kg) or nograph per glued Section - IV tion of individual to thorized Agent mrm and all attace ngly false or mislicable law. e Author	No. Cont 10 kg), Bulk Ste Deconta	Per tainer 5. Lo enciled ther Telepos thereto statements	2. Type of O Metal Plastic Glass Paper Other (S cation of Lab On Labeling A eccessary, to chone No. (Inc. (52 PKean are true,	Specify):	is application). Code) 165 iol.com Application

Paul A. Keane & Associates

P.O. Box 65436 (520) 760-0723 phone

Tucson, AZ 85728 (520) 760-0752 fax

FedEx FTN 8675 7521 2069

June 22, 2009

Ms. Linda Arrington
Document Processing Desk – *NOTIF*Office of Pesticide Programs – *7504P*U.S. Environmental Protection Agency
One Potomac Yard, Room S-4900
2777 South Crystal Drive
Arlington, VA 22202

Dear Ms. Arrington:

Subject: Endura S.p.A.

Piperonyl Butoxide Technical Grade

EPA Reg. No. 47932-1

On behalf of *Endura S.p.A.*, Paul A. Keane & Associates is submitting the attached documents as a notification of additional container size per PR Notice 98-10. Paul A. Keane & Associates will act as sole agent in this endeavor.

Attached are the following:

- 1. Application for Pesticide: Other (Notification)
- 2. One draft label illustrating the addition
- 3. Two market labels

The purpose of this notification (identified on the label) is to add an additional container size of 475 pounds (215.5 kg).

Please contact me at (520) 760-0723 or PKeane2100@aol.com if you have any questions or require additional information.

Sincerely,

Paul A. Keane, Authorized Agent

Attachments

cc: Endura

Piperonyl Butoxide Technical Grade

Only for Formulating Use

*Piperonyl Butoxide Technical 100% *Equivalent to min. 90% (butylcarbityl) (6-propylpiperonyl)

ether and 10% related compounds.

Keep Out of Reach of Children CAUTION

See side panel for additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used only for the formulation of insecticides. Technical information on the use of this product is available from Endura. Formulators using this product are responsible for obtaining EPA registration of their formulated products. Mix well in drum before sampling and use.

Storage & Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage & Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, fuller's earth, etc. and dispose of with chemical waste.

Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

EPA Reg. No. 47932-1

EPA Est. No. 47932-ITA-2

Net Contents:

☐ 441 pounds (200 kg) ☐ 463 pounds (210 kg) ☐ 475 pounds (215.5 kg) ☐ Bulk

Maria y Carron De La Carron Maria de Carro de Ca

{Endura logo}

Endura S.p.A.

Viale Pietramellara, 5 40121 Bologna (Italy) Tel. +39-051-5281711

PRECAUTIONARY STATEMENTS

Hazards to Humans CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Thoroughly wash with soap and water after handling.

NOTIFICATION

JUL 2 4 2009

First Aid

If Swallowed	 Immediately call a poison control center or doctor for treatment advice. Have the person sip a glass of water if able to swallow.
	1 ' ' Y
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If on Skin or	Take off contaminated clothing.
Clothing	Immediately rinse skin with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing
	eye.
	Call a poison control center or doctor for treatment advice.
Have the produ	ct container or label with you when calling a poison control center or doctor or going for
treatment. [You	may also call 1-800-{appropriate number} for emergency medical treatment information.]

{Note: The first aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

Environmental Hazards

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical & Chemical Hazards

Do not use or store near heat or open flame.

Warranty Statement

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from it misuse as such, or in combination with other materials.

Batch	No.:	
-------	------	--

l	J	Denotes	aiterna	te/opt	ionai	languag	е

NOTIFICATION

JUL 2 4 2009

^{ } Denotes language that does not appear on the market labeling

PIPERONYL BUTOXIDE TECHNICAL GRADE

Only for Formulating Use

Active Ingredient:

Keep Out of Reach of Children CAUTION

See side panel for additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used only for the formulation of insecticides. Technical information on the use of this product is available from Endura. Formulators using this product are responsible for obtaining EPA registration of their formulated products. Mix well in drum before sampling and use.

Storage & Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage & Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, fuller's earth, etc. and dispose of with chemical waste.

Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

EPA Reg. No. 47932-1

EPA Est. No. 47932-ITA-2

Net Contents: ☐ 463 pounds (210 kg) ☐ Bulk ☐ 441 pounds (200 kg) ☐ 475 pounds (215.5 kg)



Endura S.p.A. Viale Pietramellara, 5 40121 Bologna (Italy) Tel.: +39-051-5281711

PRECAUTIONARY STATEMENTS Hazards to Humans CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Thoroughly wash with soap and water after handling.

First Aid

If Swallowed: - Immediately call a poison control center or doctor for treatment advice.

- Have the person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: - Take off contaminated clothing.

- Immediately rinse skin with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If in Eyes: - Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Environmental Hazards

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical & Chemical Hazards

Do not use or store near heat or open flame.

Warranty Statement

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Batch	No.	
Dalli	INU	

Rev2-09