

DELTA SA- WOOD PRESERVATIVE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS **WARNING**

Harmful if swallowed, inhaled or absorbed through the skin. Contact with skin can cause irritation.
Do not get in eyes, on skin or on clothing. Do not use treated wood where it will contact food, feed, potable water, dairy animals, or livestock.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Pesticide spray, mixture or rinse that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in a approved landfill or bury in a safe place.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures.

INGREDIENT STATEMENT

ACTIVE INGREDIENT

Salicylanilide [o-hydroxy-
benzanilide]..... 1.00%

INERT INGREDIENTS 99.00%
100.00%

READ THIS LABEL BEFORE USING PRODUCT

WARNING

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, immediately flush with large quantity of water for at least 15 minutes and get medical attention. IF ON SKIN, flush with water, remove and wash contaminated clothing before reuse.

IF SWALLOWED, do not induce vomiting. CALL A DOCTOR.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg. No.

EPA Est. No.

DELTA RESEARCH COMPANY

SENATOBIA, MISS 38668

Net Contents _____ Gallons

DELTA SA1 WOOD PRESERVATIVE

Protects against the natural enemies of wood - moisture, fungal rot, and mildew. This product will protect, seal, and beautify all the natural wood surfaces around your home. Retards warping, swelling, shrinking, and checking. This product is toxic to living plants; however, once the solvent has evaporated, under normal conditions twenty-four hours after treatment, the treated wood can be used around or in direct contact with living plants.

WHERE TO USE

Recommended for use on millwork, siding, plywood, decks, outdoor furniture, structural lumber, fences, trellises, shingles, and other wood not in soil contact. An ideal first coat prior to topcoating with paint or varnish. May be used as a water-repellent finish over a stain coating.

APPLICATION

For proper penetration, wood must be clean and dry. Apply by brush, roller, spray or dipping. If immersion is impractical apply a second liberal coat within one hour of the first coat.

COVERAGE

Approximately 100-300 square feet per gallon, depending upon method of application and porosity of wood being treated.

CLEAN-UP

Clean equipment promptly with mineral spirits.

ACCEPTED
WITH COMMENTS
in EPA Letter Dated:

DEC 7 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

48106-1


48106-1

- 2 -

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby 
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure