100.00%

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

**NARNING** - Causes substantial but emporary eye injury. Harmful if swalowed, absorbed through the skin or nhaled. May cause skin sensitization eactions in certain individuals. Avoid contact with the skin, eyes, or clothing. Avoid breathing vapors. Protective clothing, including goggles, should be worn. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### **ENVIRONMENTAL HAZARDS**

"This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not allow rinsate from cleaning of equipment or disposed material to enter surface or ground water."

#### DIMECTIONS FOR USE

Rise violation of Federal Law to use this product in a manna: inconsictant/with its kebeling.

#### STORAGE AND DISPOSAL.

STORAGE: Store at temperatures below 110°F, in original container and in a locked storage area. In case of a leak or spill absorb on clay for transport to approved waste disposal facility.

#### PRESERVATIVE WOOD

### INGREDIENT STATEMENT

#### **ACTIVE INGREDIENTS**

Copper as elemental Potassium dimethyldithiccarbamate.	10.00%
INERT INGREDIENTS	85.00%

\*From copper-monoethanolamine complex

READ THIS LABEL BEFORE USING FRODUCT

### KEEP OUT OF REACH OF CHILDREN

## WARNING

#### STATEMENT OF PRACTICAL TREATMENT

"IF IN EYES, flush with plenty of water. Call a physician, IF ON SKIN, wash with plenty of soap and water. Get medical attention. IF SWALLOWED. call a physician or Poison Control Center, Drink 1 or 2 glasses of water and induce vomiting by touching the back of Inroat with finger. Do not induce vomiting or give anything by mouth to an unconscious person."

> EPA Reg. No. 48106-4 EPA Est. No.

# DELTA RESEARCH COMPANY

48 Obšenatoula, Miss 30658

BEST AVAILABLE COP

### DIRECTIONS

To protect from decay, mildew, termites, and powder post beetles treat wood as follows.

For wood above ground with low decay exposure, such as exterior siding with a roof overhand, dilute one part of Delta C-11: with nineteen parts of water and apply using two brush coats, a spray, or a three minute dip.

For wood above ground with moderate to high decay exposure, such as fencing pickets or wooden shakes, dilute one part of Delta C-11 with nine parts of water and apply using two brush coats, a spray, or a three minute dip.

For wood in ground contact exposures. such as fence posts, dilute one part of Delta C-12 with four parts of water and apply by soaking for 24 hours or longer. by hot-cold bath, or by vacuum processes!

Green or dry wood may be treated. Pigments or dyes may be added to the treating solution to provide a desired appearance to treated surfaces.

Treat wood outdoors and use treated wood only for exterior applications. Do not use treated wood where there may be extended periods of skin contact or contact with food or feed.

CONTAINER DISPOSAL: Triple rinse (or equivalent) metal container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary land fill, or by other procedures approved by state and local authorities.

PESTICIDE DISPOSAL - Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.