

Hydrox

HYDROXIDE GERMICIDE AND DISINFECTANT

ACTIVE INGREDIENTS

n-Alkyl dimethyl benzyl ammonium chloride	50%C14, 30% C16, 5%C12, 5%C18)	2.25%
n-Alkyl dimethyl ethylbenzyl ammonium chloride	(68%C12, 32%C14)	2.25%
inert ingredient		95.50%
TOTAL		100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



EPA Reg No 48181-1
EPA Est No 48181-JL-1

NET CONTENTS: 16 fl.oz (437ml)

Manufactured by
Hydrox Chemical Company
170 Kelly Street
Elk Grove Village, IL 60007

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

DISINFECTION: To be used in salons, beauty and barber shops to disinfect inanimate hard nonporous surfaces such as brushes, combs, scissors, clipper blades, razors, and other shop tools and instruments, shampoo bowls, sinks, dryers, chairs and countertops.

Barber Tools: Dilution 4 ounces per gallon of water
All barber tools/instruments must be thoroughly precleaned before immersion for 10 minutes or as required by local authorities. Change solution daily or when visibly dirty. Rinse and dry tools after disinfecting.

General Use: Dilution 2 ounces per gallon of water
Apply solution with cloth, wipe, or sponge so as to wet surfaces thoroughly. Allow to remain wet for 10 minutes. Either rinse or let air dry. For heavily soiled areas, a precleaning step is required. Prepare a fresh solution for each use.

ACCEPTED
1991
EPA Reg. No. 48181-1
EPA Est. No. 48181-JL-1

HAZARDS TO HUMANS AND DOMESTIC ANIMALS Precautionary Statement

DANGER

KEEP OUT OF REACH OF CHILDREN: Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or clothes. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eye contacts, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not reuse empty container (bottle). Wrap container and put in trash.