

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA office for guidance.


STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Do not store on side. Avoid creating or impacting of side walls.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Precautionary Statement

BEST AVAILABLE COPY



HYDROCID^E
GERMICIDE AND
DISINFECTANT

ACTIVE INGREDIENTS:	
n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18)	100.00%
dimethyl benzyl ammonium chloride	2.25%
n-Alkyl (68%C12, 32%C14)	2.25%
dimethyl ethylbenzyl ammonium chloride	95.50%
inert ingredient	100.00%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



AUG 22 1994
EPA Reg. No. 48181-1

EPA Reg. No. 48181-1
EPA Est. No. 48181-IL-1

NET CONTENTS: 16 fl.oz (437ml)

Manufactured by
Hydrox Laboratories
925-B Tollgate Road
Elgin, IL 60123

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION: To be used in salons, beauty and barber shops to disinfect inanimate hard nonporous surfaces such as brushes, combs, scissors, clipper blades, razors, and other shop tools and instruments; shampoo bowls, sinks, dryers, chairs and countertops.

Barber Tools: Dilution 4 ounces per gallon of water
All barber tools/instruments must be thoroughly precleaned before immersion for 10 minutes or as required by local authorities. Change solution daily or when visibly dirty. Rinse and dry tools after disinfecting.

General Use: Dilution 2 ounces per gallon of water
Apply solution with cloth, wipe, or sponge so as to wet surfaces thoroughly. Allow to remain wet for 10 minutes. Either rinse or let air dry. For heavily soiled areas, a precleaning step is required. Prepare a fresh solution for each use.

This product is effective against the following: HIV-1 (Aids virus), Pseudomonas aeruginosa, Salmonella cholerausuis, Staphylococcus aureus

*KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACE/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces, objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (AIDS virus)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 FOUND ON SURFACES/OBJECTS SOILED WITH BLOOD/ BODY FLUIDS:
PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings
CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant
DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal
CONTACT TIME: Leave surfaces wet for 10 minutes.