

48211-5

107

**CENTER PANEL
(LONZA FORMULATION 70-12)**

PERFORM

Highly Concentrated Germicide Based on a Unique Blend of Quaternaries with Organic Soil Load Tolerance

Disinfectant-Cleaner-Sanitizer-Fungicide

Mildewstat-Virucide*-Deodorizer

for Hospitals, Institutional and Industrial Use

Active Ingredients

Octyl decyl dimethyl ammonium chloride 3.750%

Dioctyl dimethyl ammonium chloride 1.500%

Didecyl dimethyl ammonium chloride 2.250%

Alkyl (C14, 50%; C12, 40%; C16, 10%)


dimethyl benzyl ammonium chloride 5.000%

Inert Ingredients 87.500%

Total..... 100.000%

EPA Reg. No. 48211-5

EPA Est. No. 48211-MO-01



KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents

INTERCON CHEMICAL CO. 3647 BELL AVE ST. LOUIS, MO 63108

(LEFT PANEL)

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. This disinfectant is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

When used as directed, this product will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and will inhibit the growth of mold and mildew and their odors when used as directed.

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store container on its side.
- Avoid creasing or impacting of container side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle). Wrap container and put in trash.



RIGHT PANEL

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is a proven one-step cleaner-disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil.


Apply this disinfectant to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, bathtubs, toilet bowls, urinals, fixtures, tile, hampers, porcelain and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTION - to disinfect hard, non-porous surfaces, add 1/2 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, this disinfectant is also virucidal and fungicidal.

SANITIZING-To sanitize porous or non-porous, non-food contact surfaces, add 1/4 oz. per gallon of water.

At a 1/2 oz. per gallon use-level, the broad spectrum activity of this disinfectant has been evaluated in the presence of 5% serum and found to be effective against the following by the AOAC Use-Dilution test.

- Pseudomonas aeruginosa
- Staphylococcus aureus
- Salmonella choleraesuis
- Escherichia coli
- Klebsiella pneumoniae -
- Enterobacter aerogenes
- Salmonella schottmuelleri
- Streptococcus faecalis
- Shigella dysenteriae
- Brevibacterium ammoniagenes
- Pseudomonas cepacia



AOAC Fungicidal Test

This disinfectant is effective against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise areas, etc.

Mildewstatic Performance. At 1/2 oz./gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance -

*At 1/2 oz. per gallon use-level, this disinfectant was evaluated in the presence of 5% serum and found to be effective against the following viruses on inanimate hard non-porous environmental surfaces:

HIV-1 (AIDS virus)
Influenza A2
Herpes Simplex Types 1 and 2
Vaccinia

SANITIZING-NON-FOOD CONTACT Surfaces (such as floors, walls, tables, etc.). At 1/2 oz. per 2 gallon use-level, 30 sec. contact time, this product is an effective sanitizing agent in waters of up to 600 ppm hardness against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and non-porous environmental surfaces.

***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.-

CONTACT TIME: Leave surface wet for 10 minutes with 1 oz. per gallon use-solution.

CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PELIGRO:

SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

