

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuff, and domestic water supplies.

ENVIRONMENTAL HAZARDS

This concentrate is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on this label.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- DO NOT STORE CONTAINER ON ITS SIDE.
- AVOID CREASING OR IMPACTING OF CONTAINER SIDE WALLS.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.

(If container is 1 gallon or less, use this container disposal statement: Do not reuse empty container. Rinse thoroughly before discarding in trash.)

WARRANTY STATEMENT

NOTICE: Seller warrants that the product conform to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under normal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

READ DIRECTIONS CAREFULLY BEFORE USING THIS PRODUCT. KEEP OUT OF CHILDREN'S REACH.

STOMP-OUT 98

ACCEPTED
APR 10 1986
Under the Federal Insecticide, Fungicide, and Rodenticide Act
as registered with the EPA
EPA Reg. No. 48211-7

LIQUID WEED KILLER
Contains DRIFT REDUCER

ACTIVE INGREDIENTS
Mixed Aliphatic Hydrocarbons
2,4-Dichlorophenoxyacetic Acid, isooctyl ester*
Promacil (5-Bromo-3-sec-butyl-6-methyluracil)

92.67%
1.09%
.98%

INERT INGREDIENTS

Total

*2, 4-Dichlorophenoxyacetic acid equivalent 0.70%

E.P.A. REG NO. 48211-7

E.P.A. EST. NO.

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink a large amount of milk or water. Do not vomit because of aspiration hazard. CALL A PHYSICIAN IMMEDIATELY.

IF IN EYES: Flush with plenty of water. See a physician immediately.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

INTERCON CHEMICAL COMPANY

3647 BELL AVENUE

ST. LOUIS, MISSOURI

INTERCON INTERCON INTERCON INTERCON INTERCON INTERCON INTERCON INTERCON INTERCON INTERCON

STOMP-OUT 98

LIQUID WEED KILLER

Contains DRIFT REDUCER

APR 10 1986
The Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 48211-7

ACTIVE INGREDIENTS

Mixed Aliphatic Hydrocarbons	92.67%	94.74%
2, 4-Dichlorophenoxyacetic Acid, isooctyl ester	1.09%	
Bromacil (5-Bromo-3-sec-butyl-6-methyluracil)	.98%	

INERT INGREDIENTS

Total	5.26%	100.00%
-------	-------	---------

*2, 4-Dichlorophenoxyacetic acid equivalent 0.70%

P.A. REG NO. 48211-7

E.P.A. EST. NO. 48211-MO-01

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink a large amount of milk or water. Do not induce vomiting because of aspiration hazard. CALL A PHYSICIAN IMMEDIATELY.
IF IN EYES: Flush with plenty of water. See a physician immediately.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANUFACTURED BY

INTERCON CHEMICAL COMPANY

3647 BELL AVENUE

ST. LOUIS, MISSOURI 63108

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INSTRUCTIONS

This product is a liquid, non-selective, persistent, general herbicide designed for use where control of all vegetation is desired. It is recommended for use in areas such as fence rows, parking lots, around buildings, loading ramps, storage yards, tank farms, along pipelines, industrial plant sites and other similar areas where grasses and weeds interfere with drainage, create a fire hazard or cause unsightly appearance. Use this product undiluted.

This liquid produces rapid top kill of all succulent vegetation. Translocation and root absorption of component herbicides produce extensive root kill of weeds and provide long term residual control.

This liquid weed killer is composed of 5-bromo-3-sec-butyl-6-methyluracil (bromacil) and a low volatile 2, 4-D ester in a phyto-toxic oil. The oil carrier combines the properties of low volatility with rapid penetration and translocation in the plant. The insolubility of the herbicide in water assures full effect regardless of rainfall after application or stages of growth at the time of application.

Recommendations for Use: For annual weeds and grasses such as crabgrass, foxtail, barnyard grass, lambsquarter and pigweed use 1 to 2 gals. per 1,000 sq. ft. (40 to 80 gal. per acre).

Perennial weeds and grasses such as smooth brome, quackgrass, Canada bluegrass, broomsedge, aster, dandelion, goldenrod, plantain, wild carrot and purpletop use 2 to 4 gals. per 1,000 sq. ft. (80 to 160 gals. per acre).

For other hard-to-kill perennial weeds and grasses such as Johnsongrass, saltgrass, Bermuda grass, horselail, bouncing bet and bracken fern use 3 to 5 gals. per 1,000 sq. ft. (120 to 200 gals. per acre).

This liquid may be applied at any time of the year except when the ground is frozen. Best results are obtained after predominant weeds have emerged and developed to a point where they present a problem. The product should be applied as is. No agitation or dilution is necessary and any equipment from sprinkler can to complicated sprayer may be used. Equipment should be calibrated so as to assure application of the recommended amount of material.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Apply only as specified on the label.

Do not apply this liquid to areas where the roots of desirable plant such as trees or ornamentals will come into contact with it as injury might result. Do not use on lawns, driveways, walks or similar areas. Avoid spray drift to susceptible plants, as this product may injure cotton, beans, peas, etc. Do not contaminate domestic water or irrigation water and keep from contact with fertilizers, insecticides, fungicides and seeds. Vapors from this product may injure susceptible plants in the immediate vicinity. Coarse sprays are less likely to drift.

Do not apply where weather conditions favor drift from areas treated

NET CONTENTS: GAL.

227