

**PRECAUTIONARY STATEMENTS**  
Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing.

**CAUTION**

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**  
A. Operators and other handlers must wear: Chemical-resistant gloves (Category A waterproof, such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, and Viton) Long-sleeved shirt and long pants, Shoes plus socks.

**USER SAFETY REQUIREMENTS**  
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**  
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**ENVIRONMENTAL HAZARDS**  
This concentrate is toxic to fish and wildlife and aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL AND CHEMICAL HAZARDS**  
Combustible. Do not use or store the product near heat or open flame.

**STORAGE AND DISPOSAL**  
-DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL.  
-DO NOT STORE CONTAINER ON ITS SIDE.  
Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.  
Container Disposal: Do not reuse empty container. If container is 1 gallon or more: Rinse thoroughly before discarding in trash. If container is 5 gallons or more: A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or, if allowed by local authorities, by burning. If burned, stay out of smoke.

**NET CONTENTS: 5 GALLONS(18.9L)**

227

# stomp-out 98™

## LIQUID WEED KILLER CONTAINS DRIFT REDUCER

**ACTIVE INGREDIENT:**  
2,4-Dichlorophenoxyacetic Acid, 2-Ethylhexyl ester\* ..... 1.09%  
Bromacil (5-Bromo-3-sec-butyl-6-methyluracil) ..... 0.98%  
**INERT INGREDIENTS** (contains petroleum distillates) ..... 97.93%  
**TOTAL** ..... 100.00%  
\*2,4-Dichlorophenoxyacetic Acid equivalent 0.70%  
Contains Petroleum Distillate  
0.07 lbs. Bromacil per Gallon  
EPA REG. NO. 48211-7

EPA EST. NO. 48211-MO-01

KEEP OUT OF REACH OF CHILDREN

### CAUTION

**FIRST AID**

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by poison control center or doctor.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

In case of emergency call toll free (Telephone Number). Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Note to Physician: This product may pose an aspiration pneumonia hazard. Contains petroleum distillate.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

# INTERCON™

St. Louis, MO

48211-7

2/11/2000

Page 122

AC SEPT 7  
FEB 11 2000

Under the Federal Insecticide,  
Fungicide and Rodenticide Act,  
this pesticide is registered under  
EPA Reg. No. 48211-7

### WARRANTY STATEMENT

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under normal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of such use. READ DIRECTIONS CAREFULLY BEFORE USING THIS PRODUCT.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of ground water supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. A probe and pump must be used for transferring this pesticide if container is 5 gallons or more. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination. When mixing, loading or applying this product or repairing or cleaning equipment used with this product, wear eye protection (face shield), chemical resistant gloves, long-sleeved shirt, long pants, socks and shoes. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

**ENTRY RESTRICTIONS:** Do not enter or allow others to enter the treated area until spray have dried.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading, or applying this product. Wash hands, face and arms with soap and water before eating, smoking or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### GENERAL INSTRUCTIONS AND INFORMATION

This product is a liquid, non-selective, persistent, general herbicide designed for use where control of all vegetation is desired. It is recommended for non-crop areas such as fence rows, parking lots, around buildings, loading ramps, storage yards, tank farms, along pipelines, industrial plant sites and other similar areas where grasses and weeds interfere with traffic, create a fire hazard or cause unsightly appearance. Not to be used in any recreational area or in or around homes. Use this product undiluted.

This liquid produces rapid top kill of all succulent vegetation. Translocation and root absorption of component herbicides produce extensive root kill of weeds and provide long term residual control.

This liquid weed killer is composed of 5-bromo-3-sec-butyl-6-methyluracil (bromacil) and a low volatile 2,4-D ester in a phytotoxic oil. The oil carrier combines the properties of low volatility with rapid penetration and translocation of the plant. The insolubility of the herbicide in water assures full effect regardless of rainfall after application or stages of growth at the time of application.

**Recommendations For Use.** For annual weeds and grasses such as crabgrass, foxtail, barnyard grass, lambsquarters and pigweed use 1 to 2 gallons per 1000 sq. ft. (40 to 80 gallons per acre).

Perennial weeds and grasses such as smooth brome, quackgrass, Canada bluegrass, broomsedge, aster, dandelion, goldenrod, plantain, wild carrot and purpletop use 2 to 4 gallons per 1000 sq. ft. (80 to 160 gallons per acre).

This liquid may be applied at any time of the year except when the ground is frozen. Best results are obtained after predominant weeds have emerged and developed to a point where they present a problem. This product should be applied as is. No agitation or dilution is necessary and any equipment from sprinkler can to complicated sprayer may be used. Equipment should be calibrated so as to assure application of the recommended amount of material.

### GENERAL PRECAUTIONS AND RESTRICTIONS

Not to be used in any recreational areas or in or around homes.

Do not enter or allow others to enter the treated areas until sprays have dried.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not apply this liquid to areas where the roots of desirable plants such as trees or ornamentals will come into contact with it as injury might result. Do not use on lawns, driveways, walks or similar areas. Avoid spray drift to susceptible plants, as this product may injure cotton, beans, peas, etc. Do not contaminate domestic water or irrigation water and keep from contact with fertilizers, insecticides, fungicides and seeds. Vapors from this product may injure susceptible plants in the immediate vicinity. Coarse sprays are less likely to drift. Do not apply where weather conditions favor drift from areas treated.

As per the Registration Eligibility Document (RED) the timing of applications and a maximum number of applications must be specified. If more than one application is allowed, the retreatment interval(s) must also be specified, the maximum rate may not exceed 12 lb. a/A per year.

292