PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Statement of Practical Treatment

IF SWALLOWED. Drink promptly a large quantity of milk, egg whites or gelatin solution, or if these are not available, drink large quantities of water. Call a Physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard

NOTE TO PHYSICIAN. There is no specific antidote, if ingested, do not induce emesis and take care to avoid aspiration of stomach contents during gastric lavage. Give a saline laxative and supportive therapy

IF IN EYES. Flush with plenty of water for at least 15 minutes and get medical atten-

IF ON SKIN. Wash with plenty of soap and water. Get medical attention if irritation persists

IF INHALED. Remove to fresh air. Apply artificial respiration if indicated

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to any body of water Do not contaminate water used for irrigation or domestic purposes by cleaning of equipment or disposal of wastes

PHYSICAL OR CHEMICAL HAZARDS

Do not use pour spill or store near heat, sparks or open flame

STORAGE AND DISPOSAL

- -- DO NOT CONTAMINATE WATER FOOD OR FEED BY STORAGE OR DISPUSAL
- -- DO NOT STORE CONTAINER ON ITS SIDE
- AVOID CREASING OR IMPACTING OF CONTAINER SIDE WALLS

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, co. tact your State Pesticide or Environmental Control Agency, or the hazar dous waste representative at the nearest EPA Regional Office for guidance

Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landful, in cinerated or if allowed by local authorities, by burning. If burned, stay out of smoke

Ill container is 1 gallon or less, use this container disposal, statement. Do not reuse empty container. Hinse thoroughly before discarding in trash to

STORAGE: Store at temperatures above 32°F

BELT AVAILABLE COPY

STOMP-OUT OME-CON

NON-SELECTIVE VEGETATION KILLER 1 1985EMULSIFIABLE CONCENTRATE

weed control on non-cropland areas.

ended by the pecucide ADTERMIGREDIENTS:

Prometon 2.4 bis (isopropyramino) 6 methoxy s triazine

3 73

Petroleum Derivative

31 04 15 13

INERT INGREDIENTS:

100 GC TOTAL

FOR INDUSTRIAL, INSTITUTIONAL AND COMMERCIAL USE ONLY

For Sale for Use and Storage by Service Persons Only

EPA Reg. No. 48211-12

EPA Est. No. 48211 · MO · (

KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, st and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs a domestic water supplies

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

INTERCON CHEMICAL COMPANY

3647 BELL AVENUE

ST. LOUIS, MISSOURI 63

This emulsifiable herbicide concentrate provides effective non-selective weed and vegetation control on non-cropland areas such as parking lots, guard rails, tence rows, railroad sidings, highway medians, rights of way, pipelines, drainage ditch banks and around buildings or industrial sites where bare ground is desired. A wide variety of annual and perennial weeds and grasses are controlled on the above sites.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Uniformly spray 1 gallon of herbicide concentrate pre-mixed in 10 gallons of water over 1000 square feet of soil surface. Thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is active and succulent. Where vegetation is tall and dense, use 1½ gallons of this herbicide in 10 gallons of water per 1000 square feet. For control of hard-to-kill perennial weeds and grasses such as johnsongrass, bindweed and wild carrot, use 3 to 4½ gallons per 1000 square feet. Although this herbicide has considerable activity through foliar contact, much of its activity is through the roots and, therefore, adequate rainfall to move the chemical into the root zone is necessary.

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface

Care must be taken to keep this herbicide away from desirable flower beds, tawns and shrubs. Do not apply over roots of valuable trees or woody or namental plants. Only apply herbicide outside of the drip line of trees. Avoid spray drift to desirable plants.

WARRANTY

NOTE—Seller makes no warranty expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instruction.

NET CONTENTS

GAL