

FBI 1981-1-1

**CENTER PANEL
LONZA FORMULATION S-18**

**HWS 128
Disinfectant-Cleaner-Sanitizer-Fungicide
Mildewstat-Virucide*-Deodorizer
for Hospitals, Institutional and Industrial Use**

Effective in hard water up to 400 ppm hardness (calculated as CaCO3) in the presence of 5% serum contamination

Active Ingredients

- Octyl decyl dimethyl ammonium chloride 3.255%
- Dioctyl dimethyl ammonium chloride 1.302%
- Didecyl dimethyl ammonium chloride 1.953%
- Alkyl (C14, 50%; C12, 40%; C16, 10%)
dimethyl benzyl ammonium chloride 4.340%

Inert Ingredients 89.150%
Total..... 100.000%

EPA Reg. No. 48211-34 EPA Est. No. 48211-MO-01

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
Statement of Practical Treatment**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents
INTERCON CHEMICAL CO. 3647 BELL AVE ST. LOUIS, MO 63108

ACCEPTED
MAR 22 1991
Under the Federal Insecticide,
Fungicide, and Herbicide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 48211-34

11

(

(

(LEFT PANEL)

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. This disinfectant has been formulated to aid in the reduction of cross-contamination in these areas.

This product is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed.

This disinfectant is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, This disinfectant will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food.

Storage and Disposal

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store container on its side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle). Wrap container and put in trash.



RIGHT PANEL


Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is a proven one-step disinfectant-cleaner-sanitizer-fungicide-mildewstat-virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination.

Apply this disinfectant to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, bathtubs, urinals, toilet bowls, fixtures, tile, porcelain, bedframes and hampers with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - to disinfect hard, non-porous surfaces, add 1 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. The activity of this disinfectant has been evaluated in the presence of 5% serum and 400 ppm hard water by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella choleraesuis
Escherichia coli
Streptococcus pyogenes
Klebsiella pneumoniae
Enterobacter aerogenes
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae
Brevibacterium ammoniagenes
Salmonella typhi
Serratia marcescens
Pseudomonas cepacia



*VIRUCIDAL PERFORMANCE -

At 1 oz. per gallon use-level, this disinfectant was evaluated in the presence of 5% serum and 400 ppm hard water for a contact time of 10 minutes at room temperature (20-25°C) against the following viruses found on inanimate hard non-porous environmental surfaces:

HIV-1 (AIDS virus)
Influenza A/Brazil
Herpes Simplex Types 1 and 2
Vaccinia

***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other**

settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."

"CONTACT TIME: Leave surface wet for 10 minutes with 1 oz. per gallon use-solution."

CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

Fungicidal Control -

This product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities at 1 oz./gallon.

Mold and Mildew Control. At 1 oz./gallon, this disinfectant will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

SANITIZING-NON-FOOD CONTACT Surfaces (such as floors, walls, tables, etc.). At 1 oz. per 5.5 gallon use-level, this product is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

PELIGRO:

SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

