

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

STORAGE AND DISPOSAL

—DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

—DO NOT STORE CONTAINER ON ITS SIDE.

—AVOID CREASING OR IMPACTING OF CONTAINER SIDE WALLS.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

If container is 1 gallon size, use this container disposal statement: Do not reuse empty bottle. Wrap container and put in trash.

leemeen

LEMON DISINFECTANT

Cleaner • Sanitizer • Fungicide • Deodorant

ACTIVE INGREDIENT:

n-Alkyl (50% C ₁₂ ; 40% C ₁₄ ; 10% C ₁₆)	
dimethyl benzyl ammonium chloride	1.50%

INERT INGREDIENTS:	98.50%
---------------------------	--------

TOTAL	100.00%
--------------	----------------

FOR INDUSTRIAL AND COMMERCIAL USE ONLY

EPA Reg. No. 48211-39

EPA Est. No. 48211-MO-

**KEEP OUT OF REACH OF CHILDREN
DANGER**

CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed. Avoid contamination of food.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

JAN 31 1991

MANUFACTURED BY:

INTERCON CHEMICAL COMPANY

3647 BELL AVENUE, ST. LOUIS, MISSOURI 631

as amended, for the pesticide
registered under
EPA Reg. No. 48211-39

THIS DISINFECTANT is an effective anti-bacterial cleaner designed for use in industrial and commercial cleaning. When used as directed, this product will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, and other areas where obnoxious odors may develop. This product may be used as a general purpose anti-bacterial-anti-fungal detergent in restaurants, hospitals, nursing homes, public schools, food processing plants and in other places where efficient cleaning and anti-microbial action is desired.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CLEANING: Lightly soiled areas — surfaces to be cleaned should be mopped or scrubbed with a solution containing 3 ounces of this disinfectant per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas — mop or scrub soiled surface with a solution containing 5 to 6 ounces of this disinfectant per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION: To disinfect walls, floors and other hard non-porous surfaces in schools, restaurants, restrooms and other public areas, mop or brush with a fresh solution containing 3½ ounces of this disinfectant per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Do not reuse used solution. To disinfect hard non-porous surfaces in locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop or brush with a fresh solution containing 2 ounces of this disinfectant per gallon of water so as to maintain thoroughly wetted surface for ten minutes. This solution will destroy *Trichophyton mentagrophytes*, a causative agent of athlete's foot. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Do not reuse used solution.

DIRECTIONS FOR USE (Continued)

HOSPITAL DISINFECTION: To disinfect walls, floors, furniture and other hard non-porous surfaces in hospitals and nursing homes, mop or brush with a fresh solution containing 5½ ounces of this disinfectant per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 5-6 ounces of this germicide per gallon of water and then rinsed with a fresh solution containing 5-6 ounces of this germicide per gallon of water before disinfection. Do not reuse used solution. This product has not been tested for effectiveness against *Mycobacterium tuberculosis* and must not be relied upon when tuberculocidal activity is intended by the user.

DEODORIZATION: Prior to deodorization of bathroom areas, garbage pails, diaper pails, food storage areas, kennel areas and other areas where obnoxious odors may develop, remove all garbage, refuse, food and/or animals. Pre-clean surfaces using pressurized water where possible before deodorization. To deodorize, mop or brush surfaces thoroughly with a solution containing 5½ ounces of this disinfectant per gallon of water.

SANITIZATION: To sanitize walls, floors and other hard non-porous, non-food contact surfaces in the presence of a moderate amount of organic soil, mop or brush with a solution containing ¼ ounce of this product per gallon of water so as to maintain thoroughly wetted surface for five minutes. Those surfaces that are heavily soiled must be pre-cleaned prior to sanitization (follow directions for cleaning).

MOLD AND MILDEW CONTROL: To control mold and mildew on previously cleaned glass, metal, plastic, tile and other hard non-porous surfaces, mop or brush with a fresh solution containing 5½ ounces of this disinfectant per gallon of water so as to thoroughly wet all surfaces. Allow to dry on surface. Repeat application weekly or when growth is visible. **DO NOT REUSE USED SOLUTION.**

NET CONTENTS:

GAL.

D1163-A