

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. DO NOT contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label directions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL: DO NOT reuse empty container. Wrap small containers in newspaper and discard with trash. Offer large containers for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Food Handling Establishments — Places other than private residences in which exposed food is held, processed, prepared or served. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals and schools:

Limited to Crack and Crevice Treatment Only:

Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where roaches, ants, silverfish, spiders and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Ready-To-Use Powdered Insecticide

FOR COMMERCIAL OR INDUSTRIAL USE ONLY. KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED. This product is a finely divided powder which combines the flushing and killing powers of pyrethrins and piperonyl butoxide with the dehydrative principle of thermally attrited hydrogel. It is relatively odorless and non-staining and may be used in accordance with directions in homes, restaurants, stores, hotels, offices, plants, warehouses, truck trailers and railroad cars. When used as directed, it is highly effective in controlling ants, cockroaches, silverfish, bed bugs, fleas, lice, ticks and dry wood termites.

termites.
ACTIVE INGREDIENTS:

Pyrethrins ______1.0%
Piperonyl Butoxide, Technical _____10.0%
INERT INGREDIENTS:
Amorphous Silica Gel _____40.0%

Petroleum Distillate ______49.0%¹

TOTAL 100.00%

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds.

EPA Reg. No. 48211-48

EPA Est. No. 48211-4MO-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

Avoid inhalation. Avoid contact with eyes. In case of eye contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists. Avoid contamination of food or food processing surfaces. Containers larger than one pound may not be used in or stored in food handling establishments. Keep all aquariums covered during treatments. For prolonged or commercial exposure wear a dust mask or respirator. Wash hands after using and before eating or smoking.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

INTERCON CHEMICAL COMPANY

3647 BELL AVENUE ST. LOUIS, MISSOURI - 63108

DIRECTIONS FOR USE (Continued)

NON-FOOD AREAS: Homes, institutions, hospitals, office buildings, hotels, motels, theaters, schools, truck trailers and railroad cars. To control such running and crawling insect life as ants, cockroaches, silverfish, crickets, and fleas in animal quarters, distribute product at the rate of 2 ounces per 100 square feet surface area. Treat on, around and behind moldings, shelving, baseboards, pipe openings, cracks, crevices, and other areas where insects may hide. For severe infestations, apply product behind cabinets and walls, in crawl spaces and attics, at the rate of 16 ounces per 1000 square feet of surface area. Repeat treatment as necessary.

FLEAS: Dogs and Cats: Liberally apply powder to the animal rubbing thoroughly to the skin. Begin with the neck and include the under body, legs, feet and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at the rate of one ounce per 50 square feet. Heavily infested lawns, basements and crawl spaces should be dusted at the rate of 16 ounces per 1000 square feet. Repeat as necessary.

BEES AND WASPS: Using conventional dusting equipment for structures, apply at the rate of 1 lb. per 1000 square feet. Repeat treatment as necessary.

BED BUGS: Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattresses should be dusted, especially tufts, folds and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

DRY WOOD TERMITES: These termites are restricted to certain parts of the country and should not be confused with Subterranear termites. Use an electric or hand operated rotary duster to distribute product through an entry e.g., crawl hole into the attic and the crawl space of the building. Rate of application is recommended at one (1) pound per 1000 square feet of floor area. All wood surfaces must be covered. All vents and louvres on the windward side are to be closed.

SEWER TREATMENTS: American and Oriental cockroach infestations in sanitary sewers may be treated with approximately 6 ounces of product per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck-mounted ventilating equipment; 6 ounces of product is introduced into the ventilating air to be dispersed quickly and thoroughly through the system.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR MANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTION 3 GIVEN HEREWITH.

NET CONTENTS:

POUNDS

2281

Insecticide, Other Than Agricultural, Solid,