PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

- -DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
- -DO NOT STORE CONTAINER ON ITS SIDE.
- -AVOID CREASING OR IMPACTING OF CONTAINER SIDE WALLS.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Do not empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.



A WATER TREATMENT MICROBIOCIDE FOR RECIRCULATING COMMERCIAL AND INDUSTRIAL WATER COCLING TOWERS

ACTIVE INGREDIENTS:

Disodium cyanodithioimidocarbonale Potassium N-methyldithiocapamate	4.90% 6.76%
INEHT INGREDIENTS	88.34%
TOTAL	100.00%

This product contains 1.03 lb. of active ingredients per gailon

EPA Reg No. 48211-66 EPA Est No. 48211-MO-01 KEEP OUT OF REACH OF CHILDREN WARNING

Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:

INTERCON CHEMICAL COMPANY
3647 BELL AVENUE • ST. LOUIS, MISSOURI 63108

DIRECTIONS FOR USE

It is violation of Federal Law to use this product in a manner inconsistent with its labeling. See far left panel for STORAGE and DISPOSAL information.

This product is used to control algae and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 5.1 to 10.2 fluid ounces of this product per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of this product per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

ACCEPTED

NET CONTENTS: 1 GAL. (3.785 Liters)

233

Function and L. oft, as amended, for the projected under 15211-66
EPA Reg. No. 45211-66

MAR 2 2 1991