

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

STATEMENT OF PRACTICAL TREATMENT

CAUTION

IF SWALLOWED: Call a physician or Poison Control Center immediately.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL - Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL - Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or by incineration if allowed by state and local authorities. If burned, stay away from smoke.

WARRANTY STATEMENT

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

NOTICE

Because of the many varying conditions affecting use and application, such as location, seasonal weather, soil composition and type of vegetation, manufacturer warns buyer that these and other conditions may impair or vary the results or effects of the use of this product. In any event, complete elimination of weeds is not guaranteed.

stomp-out granular™

A GRANULAR NON-SELECTIVE WEED AND GRASS KILLER

Active Ingredient:

Bromacil (5-Bromo-3-sec-butyl-6-methyluracil.....	1.5%
Inert Ingredients.....	98.5%
TOTAL.....	100.0%

EPA Reg. No. 48211-73

EPA Est. No. 48211-MO-01

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed or inhaled. Avoid breathing dust. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. This product may cause skin sensitization reactions in some people.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:

INTERCON CHEMICAL COMPANY
1100 CENTRAL INDUSTRIAL DR. • ST. LOUIS, MO 63110

PM 25

48211-73

08/10/99

page 1 of 2

It is advisable to consult your State Extension Service or Agricultural Experiment Station Weed Specialists on specific problems.

APPLY DRY. FOR GENERAL VEGETATION AND PERENNIAL GRASSES ON NONCROPPED LAND AND INDUSTRIAL SITES.

IMPORTANT

This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated to avoid its contact with lawns, trees, shrubs, crops or other desirable plants which are not intended to be destroyed or injured. Not to be used in any recreational areas or in around homes. This includes precautions in treating areas which may be underlaid by roots of adjacent valuable growths. Careless application of this material or washing by water runoff to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Do not drain or flush equipment on or near such areas. Do not apply when wind speed favors drift, when system connections or fittings leak, when nozzles do not provide uniform distribution. Use of low trajectory angle sprinklers or drop nozzles will decrease the likelihood of drift.

ENTRY RESTRICTIONS: Do not enter or allow others to enter the treated area until dusts have settled.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- chemical-resistant gloves, and
- shoes plus socks

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

USE SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

USE DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is specifically designed for quick knock-down and control of general mixed vegetation and such perennial grasses as Johnson Grass, Dallis Grass, and Bermuda Grass on noncropped land and industrial sites. This product may provide season-long control of seedlings on treated areas. Soil type, rainfall, and length of growing season will influence control. Apply on parking lots, storage yards, fence lines, highway and railroad sites, and other similar areas.

APPLICATION: For all uses, uniform application is essential. Applications become effective as soil treatments following rainfall or irrigation. Conventional herbicide spreaders may be used for application.

GENERAL VEGETATION CONTROL: For DRY granular treatment, apply 1/2 to 1.8 pounds per 100 square feet. The lighter rates should be used only at a time of weed emergence on moist soil or when precipitation is anticipated while weeds are still young. The higher rates may be necessary to insure thorough coverage of heavy vegetation or to provoke extended residual control.

PERENNIAL WEED CONTROL: Persistent perennial weeds are most effectively treated when nearing maturity or during dormant stages in the Fall. Spring applications may also be made under moderate rainfall conditions. Summer applications are recommended only where rainfall is dependable for leaching herbicide into the soil. Apply 1 to 1.8 pounds per 100 square feet. In deep-rooted perennials such as Bindweed, Canada Thistle, Bermuda Grass and Quack Grass the heavier rates may be required.

ACCEPTED
AUG 10 1999
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 45639-86

NET CONTENTS: 50 LBS.

981218 **222**

2 of 2