




**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes irreversible eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield or safety glasses and rubber gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

Distributed by: Enviro System Control (904) 260-8910
1210-B Blanding Blvd
Orlando, Florida 32075

EPA REG. NO. **NPA 557 MD.**

NET CONTENTS: 2 1/2 Gallons

DATE PACKAGED:

NOT FOR USE AFTER:

**ENVIRO SYSTEM
CONTROL**



**CHLORINATING
SOLUTION**

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE 9%
INERT INGREDIENTS: 91%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with plenty of water for at least 15 minutes. Get Medical Attention. If swallowed, drink large quantities of milk, egg whites, gelatin solution or if not available, drink large quantities of water. Avoid Alcohol. Do not give vinegar or other acids. Get prompt Medical Attention. Do not induce vomiting. Note to Physician: probable mucosal damage may contraindicate the use of gastric lavage.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start up, superchlorinate with one (1) pint (16 oz) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 3 ppm available chlorine by weight.

FOR POOL MAINTENANCE:

A: Adjust pool water pH to 7.6 - 7.8 range and maintain.
B: Add manually or by a feeder device to pool hypochlorite solution at a rate to maintain an available chlorine residual of 0.8 to 1.0 ppm. One half pint of the active of sodium hypochlorite solution for each 5000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.8 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to measure chlorine and chlorine residual are in the proper range.

WATER PURIFICATION:

Sodium hypochlorite solution may be used to chlorinate water supplies at a rate of 0.4 to 1.0 ppm per 100,000 gallons of water. Run through a solution feeder and determine the available chlorine residual approximately 30 minutes after treatment with 0.4 ppm test kit. Repeat treatment as necessary to maintain an available chlorine residual of at least 0.2 ppm. An available chlorine residual of at least 0.2 ppm as determined by test kit indicates an effective dosage.

LAUNDRY BLEACHING:

Combine 1 part sodium hypochlorite solution with 9 parts water to make a 1% bleach solution. Use 2 parts of the diluted solution to each 100 pounds of laundry.

BLEACH PLANT AND SOFTENING:

Soften some items before bleaching with chlorine. Separate items and other equipment may be sanitized by treating with a solution prepared by adding 3 1/2 teaspoons of sodium hypochlorite solution per 10 gallons of water. Bleach such as hanging linens, table cloths, and cars should be rinsed with a solution prepared by adding 2 1/2 pints of sodium hypochlorite solution per 100 gallons of water. After bleaching the equipment should be rinsed thoroughly with water.

NOTE: The product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of chlorine.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal of rinsate from cleaning of equipment.

STORAGE: Store in a cool, dry place away from direct sunlight.

PESTICIDE DISPOSAL: In case of spill, flood area with large quantities of water. Product or rinsate that cannot be used should be diluted with water and disposed of in a sanitary sewer.

CONTAINER DISPOSAL: Rinse empty container thoroughly with water and either return to the manufacturer or recycler by placing in a trash collection, or burning in an approved land fill.