

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Michael Kellogg Agent for Regal Chemical Company Pyris Regulatory Consulting, Inc. 4110 136th St. N.W. Gig Harbor, WA 98332

SEP 2 5 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 98-10

Dear Mr. Kellogg:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated July 20, 2009 for:

EPA Registration 48234-2

Regal RonStar Plus

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

2/12

Please read instructions on	reverse before compl	form.		Form Approve	d. BNo.	2070-0060	Approval expires 2-28-95
\$EPA	Environmental	United States I Protection ington, DC 20460		✓	Registra Amendr Other		OPP Identifier Number
		Application	for Pesticio	le - Section			
1. Company/Product Numbe 48234-2	JF.		2. EPA P J. Mille	Product Manager		3. Pro	posed Classification None Restricted
4. Company/Product (Name Regal Chemical Company/R			PM#	23			
5. Name and Address of Ap Regal Chemical Compa c/o Pyxis Regulatory Co 4110 136th St. NW Gig Harbor, WA 98332	iny	de)	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				mposition and labeling
<u> </u>			Section - I	**********			
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition Notification of label change pregulations at 40 CFR 156.11 Formula for this product. I use amended label is not consist and I may be subject to enforce the second of the subject to enforce the subject the subject to enforce the subject to enforce the subject to enforce th	below. nel page(s) if necessary per PR Notice 2007-4. T 0, 156.140, 156.144, 156 nderstand that it is a violent with the requirement	Ty. (For section I a This notification is of 66.146, and 156.15 Delation of 18 U.S.C. ats of 40 CFR 156.1	consistent with the 56. No other chang . Sec. 1001 to willf 10, 156.140, 156.1	ges have been ma fully make any fals 144, 156.146, and	neted cation. Delow. Notice 2007-4 and add to the label se statement to	SEI	Confidential Statement of ther understand that if the
			Section - II	<u></u>			
1. Material This Product Wil	i Be Packaged in:		•••••	<u> </u>		•	·
Child-Resistant Packaging Yes √ No	Unit Packaging Yes No		Water Soluble Pa Yes ✓ No If "Yes"	ackaging No. per	2. Type of	Container Metal Plastic Glass Paper	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per 1	Package wgt	container		Other (S	pecify)
3. Location of Net Contents ✓ Label C	Information Container	4. Size(s) Retail	On Label		el Direction		
6. Manner in Which Label is		Lithograph Paper glud Stenciled		Other			g product
			Section - IV	/			
1. Contact Point (Complete	items directly below fo	or identification o	of individual to be	contacted, if ne	cessary, to pre	ocess this	application.)
Name Michael Kellogg						•	No. (Include Area Code)
I certify that the state I ecknowledge that an both under applicable	ments I have made on ly knowlinglly false or r law.	Certification this form and all misleading statem	attachments the	reto ere true, eco ishable by fine or	curate and con	nple(a.	6. Date Application Received (Stamped)
2. Signature Nuclean Alle	Japy		Title .gent			(((((((((((((((((((((((((((((((((((((((
4. Typed Name		5. [5. Date				(, , , , ,
Michael Kellogg			7/20/	39			((

PYXI REGULATORY CONSULTING IC.

4110 136 St. NW Gig Harbor, WA 98332 Phone: 253-853-7369 Fax: 253-853-5516 www.PyxisRC.com

July 20, 2009

COURIER DELIVERY

Joanne Miller (PM 23)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

and gr

RE:

Regal Chemical Company - Regal RonStar Plus (EPA Reg. No. 48234-2) Revision to Container Disposal Instructions per PRN 2007-4

Dear Ms. Miller,

On behalf of Regal Chemical Company please find the enclosed label notification revising the container disposal instructions for Regal RonStar Plus per PRN 2007-4. In addition to changes to the container disposal instructions, we have also corrected a typographical error appearing in the first sentence at the top of the front panel. The sentence "FOR SALE FOR USE AND USE BY PROFESSIONAL APPLICATORS ONLY" has been revised to read, "FOR SALE TO AND USE BY PROFESSIONAL APPLICATORS ONLY".

In support of this notification submission, we submit the following documents:

- 1. Completed Application for Registration (EPA Form 8570-1)
- 2. One (1) copy of the Regal RonStar Plus labeling with changes tracked
- 3. One (1) copy of the Regal RonStar Plus labeling with changes incorporated
- 4. Certification with Respect to Label Integrity
- 5. One (1) copy of the Regal RonStar Plus labeling on CD
- 6. Letter of Authorization

Please feel free to contact me by phone (253) 853-7369 or by email at Mike@PyxisRC.com if you have any questions or need any additional information.

Sincerely,

Michael Kellogg

Enclosures

cc: Will King; Regal Chemical Company

NOT FOR USE ON HOME LAWNS. FOR SALE <u>TO FOR USE</u> AND USE BY PROFESSIONAL APPLICATORS ONLY. NOT FOR SALE TO OR USE BY HOMEOWNERS/CONSUMERS.

PREEMERGENT HERBICIDE FOR TURF AND ORNAMENTALS
Selective, preemergent herbicide for the control of annual grasses and broadleaf weeds in turf and woody ornamental shrubs, vines and trees.

NOTIFICATION

REGAL RONSTAR PLUS

SEP 2 5 2009

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

	FIRST AID	
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
HOT LINE NUMBER		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-621-5208 for emergency medical treatment information.

EPA REG NO. 48234-2

EPA EST NO. 48234-GA-1

Regal Chemical Company PO Box 900 Alpharetta, GA 30239

Net Weight:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks, and
- Chemical-resistant gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticides get inside. Then wash body thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Regal Ronstar Plus[®] should not be used in areas where irrigation or rainfall results in direct or indirect (via ditches and canals) contamination of surface waters through dissolved runoff or erosion of soil particles to which oxadiazon is absorbed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance to its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow entry into treated areas during the restricted entry interval (REI) 12 hours.

PPE required for early entry to treated areas, that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- Coveralls,
- Shoes plus socks, and
- Chemical-resistant gloves made of any waterproof material

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Do not store in or around the home.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or

at an approved waste disposal facility.

Container Disposal: <u>Nonrefillable container.</u> <u>Do not reuse or refill this container.</u> Completely empty bag into application equipment. Then <u>offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by <u>State state</u> and local authorities, by burning. If burned, stay out of smoke.</u>

GENERAL INFORMATION

Regal Ronstar Plus is a selective, preemergent herbicide for the control of many annual grasses and broadleaf weeds in turf and on a wide variety of woody ornamental shrubs, vines and trees. Regal Ronstar Plus controls weeds by killing the young weed seedlings as they come in contact with the herbicide during germination. Apply Regal Ronstar Plus with a properly calibrated granular applicator that will apply the granules uniformly (uniform application is essential for satisfactory weed control). Calibrate the applicator prior to use, according to the manufacturer's directions, and check frequently during the application to be certain that the equipment is working properly. Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.

Restrictions:

- Not for use on home lawns
- Do not apply this product through any type of irrigation system.
- Do not apply aerially.
- Do not apply more than 300 pounds of product per acre per year (equivalent to 6 pounds ai/A/year) except in areas of heavy weed infestation.
- In areas of heavy weed infestation, do not apply more than 375 pounds of product per year (equivalent to 7.5 pounds ai/A/year).
- Do not apply more than 200 pounds of product per acre (equivalent to 4 pounds ai/A) in a single application.

TURF

For use in established perennial Bluegrass, Bentgrass, Bermudagrass, Buffalograss, Perennial Ryegrass, St. Augustinegrass, Seashore Paspalum, Tall Fescue and Zoysia turf; such as, fairways, parks, golf courses and lawns. Rake turf area free of leaves, mowing if necessary, so

granules reach soil surface. Measure area to be treated and uniformly apply required amount, using a fertilizer spreader. Cross-treating with one-half required amount in each direction will give best results. Do not apply to wet turf. For best results, water-in the product as soon as practical after application.

PREEMERGENT WEED CONTROL

Amount of Regal Ronstar				
Monda Cantuallad		lus	Directions	
Weeds Controlled	Per acre	Per 1000 sq.	Directions	
		ft		
Crabgrass (Digitaria spp.)	100-200	4 1/4 - 4 1/2	Apply late winter or early	
Goosegrass (Eleusine indica)	lbs.	lbs.	spring prior to seed	
Field Sandbur (Cenchus incertus)			germination.	
Annual Sedge (Cyperus compressus)	(Application made after	
	,		March or April may not	
			be fully effective.	
Annual Bluegrass (<i>Poa Annua spp.</i>)	100-200	2 1/4 – 4 1/2	Apply in late summer to	
(See note below)	lbs.	lbs.	early fall prior to seed	
			germination.	
Virginia Buttonweed (Diodia viriniana)	200 lbs.	41/2 lbs.	Apply in early spring	
Pigweed (Amaranthus spp.)			prior to seed	
Florida Pusley (Richardia scabra)		·	germination.	
Oxalis (Oxalis spp.)				
Stinging Nettle (Urtica dioica)				
Carpetgrass (Axonapus offinis)				

NOTE: In many areas, annual bluegrass exists as at least two biotypes or subspecies of *Poa annua*. The true annual biotype is *Poa annua* spp. *annua* which germinates every year from seed, while the biotype that behaves like a perennial is *Poa annua* spp. *reptans*. This perennial biotype can survive through the summer and established plants will not be controlled by this product. Consult the extension service or University weed specialists in your area for more information.

FALL APPLICATION FOR SPRING WEED CONTROL IN COOL SEASON TURF

Weeds Controlled	· 1	of Regal ar Plus	Directions
weeds Controlled	Per acre	Per 1000 sq. ft	- Directions
Crabgrass, Goosegrass, and other annual weeds	150-200 lbs.	3 3/8 - 4 1/2 lbs.	For use in Bluegrass, Bentgrass, Perennial Ryegrass and Tall Fescue turf. Make application in the fall after turf has become dormant. For late, fall applications, seeding into treated areas should be delayed until 4 months after green up.

ANNUAL BLUEGRASS CONTROL IN BERMUDAGRASS FAIRWAYS OVERSEEDED WITH PERENNIAL RYEGRASS ONLY

Weeds Controlled	Amount of Regal Ronstar Plus		Directions
- weeds Controlled	Per acre	Per 1000 sq. ft	Directions
Annual Bluegrass (<i>Poa Annua</i> spp.) and other annual weeds	100 lbs.	2 1/4 lbs	Apply in late summer to early fall prior to Poa annua spp. seed germination. Any Poa annua spp. established when this product is applied will not be controlled. Regal Ronstar Plus will only control the Poa annua spp. that is established from seed every year. Regal Ronstar Plus should be applied no closer than 60 days prior to overseeding. NOTE: Do not use where Poa trivialis is present in overseed mix.

NOTE: In many areas, annual bluegrass exists as at least two biotypes or subspecies of *Poa annua*. The true annual biotype is *Poa annua* spp. *annua* which germinates every year from seed, while the biotype that behaves like a perennial is *Poa annua* spp. *reptans*. This perennial biotype can survive through the summer and established plants will not be controlled by this product. Consult the extension service or University weed specialists in your area for more information.

ANNUAL WEED CONTROL DURING BERMUDAGRASS, ZOYSIAGRASS, SEASHORE PASPALUM AND TROPIC LALO (*PASPALUM HIERONYMII*) ESTABLISHMENT FROM SPRIGS

Weeds Controlled	1	of Regal ar Plus	Directions
weeds Controlled	Per acre	Per 1000 sq. ft	Directions
Crabgrass, Goosegrass, and other annual weeds	100-150 lbs.	2 1/4 - 3 3/8 lbs.	For Bermudagrass, make application immediately prior to or immediately after sprigging. For Seashore Paspalum, make application 10 to 14 days after sprigging. Applications made close to the time of sprigging may cause objectionable Seashore Paspalum injury. Disturbance of the soil surface after Regal Ronstar Plus application may disrupt the herbicide barrier and reduce effectiveness. Irrigate immediately after application for best results.

For St. Augustinegrass and Bentgrass turf, do not exceed the rate of 150 pounds per acre (3 pounds active ingredient) of Regal Ronstar Plus.

Do not apply to Bentgrass turf mowed at less than 3/8 inch.

Regal Ronstar Plus may cause discoloration of Bentgrass, Bermudagrass and St. Augustinegrass. This discoloration is temporary and normally outgrown within 2 to 3 weeks.

Avoid contact with flowers and shrubs except as recommended elsewhere on this label. Do not apply Regal Ronstar Plus to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment except as noted above. Do not apply to Dichondra or Centipedegrass. Regal Ronstar Plus should not be used on putting greens or tees because of the varying cultural practices used.

When making applications to Tropic Lalo, applications must be made 0-12 days after sprigging. Do not use in areas where endangered Hawaiian Goose or nene (*Branta sandvicensis*), Hawaiian Duck (*Anas wyvilliana*), Hawaiian Stilt (*Himantopus mexicanus knudseni*), and Hawaiian Moorhen (*Gallinula chloropus sandvicensis*) may feed.

WOODY ORNAMENTAL SHRUBS, VINES, TREES AND CONIFER NURSERY APPLICATION It is impossible to test every species and variety of ornamental or nursery plants. Plant tolerance to Regal Ronstar Plus has been found to be acceptable in the specified genera and species. Neither the manufacturer nor the seller has determined whether or not Regal Ronstar Plus can safely be used on plants not specified on this label. The professional user should determine if Regal Ronstar Plus can be used safely prior to use.

Apply Regal Ronstar Plus anytime during the year, prior to weed seed germination, for weed control. Regal Ronstar Plus can be applied to both newly transplanted and established ornamentals. Application can be made to actively growing or dormant ornamentals. Rainfall or overhead irrigation after application of Regal Ronstar Plus will improve weed control activity. Regal Ronstar Plus should not be mixed into the soil. Cultivating or disturbing the soil may reduce the weed control activity of Regal Ronstar Plus. Do not apply to wet foliage or under conditions in which granules will collect on leaves. Do not apply in greenhouses as plant injury may result from co-distillation of Regal Ronstar Plus active ingredient onto leaf surfaces in condensation.

Amount To Use

Ground Application — Apply Regal Ronstar Plus broadcast to ornamentals at 100 to 200 pounds of product per acre (or 2 1/4 to 4 11/2 pounds per 1,000 sq. ft.) depending on the weeds to be controlled, as listed on the following page. Remove existing weed growth before application.

ANNUAL BROADLEAF WEEDS

Bittercress **Bristly Oxtongue** Carpetweed Cheeseweed Common Groundsel Common Purslane *Evening Primrose Fiddleneck Fireweed *Galinsoga Garden Spurge Golden Ragwort Lambsquarters ** Liverwort Niruri Pennsylvania Smartweed **Prostrate Spurge Petty Spurge Redroot Pigweed Shepherdspurse Sensitive Plant Sow Thistle Speedwell Spiny Amaranth Spotted Catsear *Swinecress Yellow Woodsorrel (Oxalis)

ANNUAL GRASSES

Annual Bluegrass	Annual Sedge	*Barnyardgrass
Bristly Foxtail	Crabgrass	Fall Panicum
Green Foxtail	Goosegrass	**Jungle Ricegrass

^{*}Use 150 to 200 pounds (3.0 to 4.0 pounds of active ingredient) per acre for less susceptible weeds.

^{**}Use 200 pounds (4.0 pounds of active ingredient) per acre for less susceptible weeds.

**Panama Paspalum

Ripgut Bromegrass

Wild Oats

*Use 150 to 200 pounds (3.0 to 4.0 pounds of active ingredient) per acre for less susceptible weeds.

**Use 200 pounds (4.0 pounds of active ingredient) per acre for less susceptible weeds.

CROP TOLERANCE

Regal Ronstar Plus is recommended for use on a wide variety of ornamental species and ground covers in container, field grown and landscape planting situations. Regal Ronstar Plus may be used at the recommended rates on the following species.

ESTABLISHED ORNAMENTALS AND GROUND COVERS

Abutilon
Allamanda, Common
Arborvitae
Baby's Breath
Banyan,Weeping
Bearbery
Blanket, Flower
Boxwood, Common
Bugleflower
Candytuft
Ceanothus
Cistus
Lemon
Tangelo
Cuban Shaddock

Cleyera
Cotoneaster
Chrysanthemum
Dahlia
Dieffenbachia
Dogwood, Kousa
Escallonia

Euonymus, Spreading Falsecypress, Hinoki Forsythia

Ginko Heath, Spring emlock, Canada Holly

Ivv. Algerian

Jasmine, Primrose Juniper Lamb's Ear Larch, European Leucothoe, Coast

Lilac
Magnolia
Metallic Plant
Money Tree
Myrtle
Ochana
Orthosiphon

Acacia Andromeda Ash, Green Bald Cypress Barberry Beech, European

Blazing, Star
Bouganvillea
Callistemon
Carissa
Cedar, Red
Citrus, Ornamental*:

Lime
Tangerine
Valencia
Coreopsis
Crabapple*
Cypress

Daphne, Fragrant Dogwood, Common

Douglas fir Eucalyptus Euonymus,

Falsecypress, Japenese Gardenia Gladiolas

Heather, Scotch Hibiscus Ice Plant Ivy, English Jasmine, Star Justica

Justica
Lantana, Trailing
Laurel, English
Leucothoe, Drooping
Littleleaf Linden
Mahonia, Grape Holly

Mexican Orange Murraea Nandina Ohai Osmanthus Agapanthus Aralia Azalea

Bamboo, Feathery Beafsteak plant Birch, Paper Boxwood, Japanese

Brassaia. DwarfBuddleia

Camellia, Sasanqua Carnation Cedar,Atlas Grapefruit Mandarin

Temple
Washington Navel
Coromandel
Crapemyrtle
Cypress, Leyland
Deutzia, Slender
Dogwood, Redosier

Elm

Euryops, Gray Leaved Wintercreeper ⁹ Flowering Quince Gazania, Trailing Golden Raintree Heliotropium Honeysuckle Ilima

Jasmine, Orange Jasmine, Showy Kwanzan Cherry

Lapalapa
Leopards - Bane
Lily of the Nile
Loquat*
Maple
Mock Orange
Myoporum
Oak
Oleander
Pachysandra

Palm, Bamboo Palm, Macarthue Palm, Parlor Palm, Sugar Periwinkle, Common Pine

Podocarpus Yew Potentilla Pyracantha Rhododendron

Sargent Cherry Serviceberry, Saskatoon* St. Johnswort, Golden

Strawberry Tree Syzygium Wedelia

Woadwaxen, Common

Yew

Palm, Fishtail Palm, Manac Palm, Rattan Paperbark Tree Photinia, Frasier's Pa

Pittosporum, Japanese Pomegranite* Privet

Raphiolepis Rose

Scotch Broom Spruce St. Johnswort, Sumac, Staghorn

Trailing African Daisy Wisteria, Chinese Wooly Thyme Palm, Licuala Palm, Manila Palm, Sealing Wax Peony

Poinciana Plum, Natal Poplar

Protea species Redwood, Dawn Russian Olive Sedum Statice Gokdencup Sweet William

Viburnum Witchazel, Common

Xylosma

NEWLY TRANSPLANTED ORNAMENTALS AND GROUND COVERS

Blanket Flower
Carnation
Dogwood, Flowering
Gazania, Trailing
Ivy, English
Ice Plant
Metallic Plant

Ice Plant Metallic Plant Periwinkle, Large Privet

Trailing African Daisy

Yew

Brassaia, Dwarf Cedar, Red Elm Hackberry

Hemlock, Canada Juniper Oak

Pine Protea Species

Wedelia

Camellia Coromandel Forsythia

Ivy, Algerian Holly

Leopards - Bane Periwinkle, Common

Poplar Spruce

Wisteria, Chinese

*For use only on plants that will not bear edible fruit within one year of Regal Ronstar Plus herbicide application.

FOREST NURSERY APPLICATION

Seedlings of the following Species can be treated with Regal Ronstar Plus herbicide when at least 4 weeks old: Pine – Loblolly, Eastern White, Slash

SENSITIVE VARIETIES

Under certain growing conditions, the plant varieties listed below may be sensitive to Regal Ronstar Plus herbicide. Growers should evaluate usage on a small scale prior to large scale applications.

PLANT SPECIES

Plant Species	Varieties
Andromeda	Snowdrift,Temple Bell
Azalea	Pink Champagne, Hershey, (Rhododendron spp),
	Leuchtenfuer, Memoire John Hearrens, Hino-
	Crimson, White Grandeur, Everest, Girard Roberta
Cotoneaster	Eichholz, Himalayan, Shangri-la (Cotoneaster spp)
Crapemyrtle	Petite Red Imp, Seminole Bush
Heath, Spring	Mediterranean Pink
Hemlock, Canada	Pendula

Plant Species	Varieties
Hibiscus	Red Heart
Rhododendron	Daphnoides, Nova Zembla, Rhododendron spp), Catawba Album
Spruce, Norway	Pumila
Spruce,White	Densata
Viburnum	Davidii

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal conditions. This warranty does not extend to use of this product contrary to label use directions, or under conditions not reasonably foreseeable to seller; buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no warranties; expressed or implied.

Ronstar® is a registered trademark of the Bayer CropScience.

EPA 2008112520090720