48234-10

## 88-02-2007

	EPA Reg. Number: Date of Iss	uance:
	48234-10 2 AL	jg 2007
A PROTECTOR	Term of Issuance:	
	Unconditional	
0.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs	Name of Pesticide Product:	
Registration Division (7505P)	Regal 0-0 Herbic:	ide
1200 Pennsylvania Ave., N.W.		
Washington, D.C. 20460		
NOTICE OF PESTICIDE:		
Registration		
<u>X</u> Reregistration		,
(under FIFRA, as amended)		
fote: Changes in labeling differing in substance from that accepted in connec		
Note: Changes in labeling differing in substance from that accepted in connec accepted by the Registration Division prior to use of the label in commerce.		
accepted by the Registration Division prior to use of the label in commerce. the above EPA registration number. On the basis of information furnished by the registrant, the above named pest	In any correspondence on this product always,	réfer to
Note: Changes in labeling differing in substance from that accepted in connect accepted by the Registration Division prior to use of the label in commerce. the above EPA registration number. On the basis of information furnished by the registrant, the above named pest Federal Insecticide, Fungicide and Rodenticide Act.	In any correspondence on this product always,	rdfer to
Note: Changes in labeling differing in substance from that accepted in connect accepted by the Registration Division prior to use of the label in commerce. the above ERA registration number. On the basis of information furnished by the registrant, the above named pest Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation	In any correspondence on this product always icide is hereby registered/reregistered under of this product by the Agency. In order to p	refer to
Note: Changes in labeling differing in substance from that accepted in connect accepted by the Registration Division prior to use of the label in commerce. the above EPA registration number. On the basis of information furnished by the registrant, the above named pest Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation health and the environment, the Administrator, on his motion, may at any time accordance with the Act. The acceptance of any name in connection with the r	In any correspondence on this product always icide is hereby registered/reregistered under of this product by the Agency. In order to p suspend or cancel the registration of a pesti- egistration of a product under this Act is not	the rotect cide in
Note: Changes in labeling differing in substance from that accepted in connect accepted by the Registration Division prior to use of the label in commerce. the above EPA registration number. On the basis of information furnished by the registrant, the above named pest Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation health and the environment, the Administrator, on his motion, may at any time accordance with the Act. The acceptance of any name in connection with the r	In any correspondence on this product always icide is hereby registered/reregistered under of this product by the Agency. In order to p suspend or cancel the registration of a pesti- egistration of a product under this Act is not	the rotect cide in
Note: Changes in labeling differing in substance from that accepted in connect accepted by the Registration Division prior to use of the label in commerce. the above EPA registration number. On the basis of information furnished by the registrant, the above named pest Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation health and the environment, the Administrator, on his motion, may at any time accordance with the Act. The acceptance of any name in connection with the r construed as giving the registrant a right to exclusive use of the name or to This product is reregistered in accordance with FIFR agree in writing to:	In any correspondence on this product always icide is hereby registered/reregistered under of this product by the Agency. In order to p suspend or cancel the registration of a pesti- egistration of a product under this Act is not its use if it has been covered by others.	the rotect cide in to be
Note: Changes in labeling differing in substance from that accepted in connect accepted by the Registration Division prior to use of the label in commerce. the above EPA registration number. On the basis of information furnished by the registrant, the above named pest Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation health and the environment, the Administrator, on his motion, may at any time accordance with the Act. The acceptance of any name in connection with the r construed as giving the registrant a right to exclusive use of the name or to This product is reregistered in accordance with FIFR	In any correspondence on this product always icide is hereby registered/reregistered under of this product by the Agency. In order to p suspend or cancel the registration of a pesti- egistration of a product under this Act is not its use if it has been covered by others. A section 4(g)(2)(C) provided ye ic Animals statements to "Harm"	the rotect cide in to be OU
Note: Changes in labeling differing in substance from that accepted in connect accepted by the Registration Division prior to use of the label in commerce. the above EPA registration number. On the basis of information furnished by the registrant, the above named pest Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation health and the environment, the Administrator, on his motion, may at any time accordance with the Act. The acceptance of any name in connection with the r construed as giving the registrant a right to exclusive use of the name or to This product is reregistered in accordance with FIFR agree in writing to: 1. Change the Hazards to Humans and Domesti absorbed through skin. Causes moderate eye	In any correspondence on this product always icide is hereby registered/reregistered under of this product by the Agency. In order to p suspend or cancel the registration of a pesti- egistration of a product under this Act is not its use if it has been covered by others. A section 4(g)(2)(C) provided ye ic Animals statements to "Harm e irritation. Avoid contact with e	the rotect cide in to be OU ful if eyes,

3. Per the Oxyfluorofen RED add below the PPE heading "Some materials that are chemical resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart." Change the glove statement to "Chemical-resistant gloves".

4.	To the User Safety Requirements add "Discard clothing and other absorbent
	materials that have been drenched or heavily contaminated with this product's
	concentrate. Do not reuse them.".

- 5. Add a Non-Agricultural Use Requirements Box and "Non-Agricultural Use Requirements The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter the treated area until dusts have settled.".
- 6. To the Directions for Use add "Not for use on home lawns".
- 7. For container grown ornamentals change "Do not apply more than three applications of 100 lbs per acre per season (total of 6 lbs of oxadiazon and 6 lbs of of oxyfluorfen) to "Do not apply more than three applications of 100 lbs of product per acre per season (total of 3 lbs of oxadiazon and 6 lbs of oxyfluorfen per acre per year)".
- 8. To the Environmental Hazards add "or rinseate" after "washwaters".
- To the Storage and Disposal section change "Storage" to "Pesticide Storage". Move "Do not contaminate water, fertilizer, other pesticides, food or feed by storage or disposal" to directly under the heading "Storage and Disposal". Place the Storage and Disposal section within a box.
- 10. To the Notice of Warranty change "The exclusive remedy" to "To the extent consistent with applicable law, the exclusive remedy".

Signature of Approving Official:	Date:		
Joanne D. Miller	\$	A 1	
Learner (22)	, a	AUG	2007
Joanne Miller, Product Manager (23)			
Herbicide Branch, Registration Division (7505P)			

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions please call Erik Kraft at 703-308-9358.

Regal 0-0 Herbicide®

For sale to and use by professional applicators only. Not for sale to or use by homeowners/consumers.

For pre-emergent control of weeds in commercial nurseries and ornamental landscapes. Especially suited for use in container, field grown and landscape ornamentals, and foliage crops.

## KEEP OUT OF REACH OF CHILDREN CAUTION

## ACCEPTED with COMMENTS In EPA Letter Dated:

2 AUG 2007 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

48234-10

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
If inhaled:	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
lf on skin or	Take off contaminated clothing.
clothing:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing
	eye.
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed:	Call a poison control center or doctor immediately for treatment advice.
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	HOT LINE NUMBER
	ct container or label with you when calling a poison control center or doctor, or going for
treatment. You	may also contact 1-800-621-5208 for emergency medical treatment information.

EPA REG. NO. 48234-10

## EPA EST. NO. 48234-GA-1

## Regal Chemical Company Alpharetta, GA 30004

Net. Weight 50 Pounds

# 4/7

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes eye and skin irritation. Avoid contamination of feed and food-stuffs. Keep opened containers away from children and animals. Harmful if swallowed, or absorbed through skin or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant footwear plus socks
- · Chemical-resistant gloves made of any waterproof material
- · Chemical-resistant apron for mixers and loaders

## USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

## USER SAFETY RECOMMENDATIONS:

-Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. -Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

-Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## ENGINEERING CONTROLS:

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

## **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic invertebrates and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. See Directions for Use for additional restrictions. Do not contaminate water when disposing of equipment wash water.

## **GENERAL INFORMATION**

Regal O-O Herbicide® is a unique combination of active ingredients for a dry granule application giving the user a broader spectrum of weed control and ornamental plant tolerance. Regal O-O Herbicide is not registered for use on any edible food crops. It has demonstrated effective utility on many ornamental plants as a preemergent herbicide, but if its use is not known on any given species - test applications under user conditions are recommended to demonstrate plant safety.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.



## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling, and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI). The REI is 24 hours for all crops except for the following:

- -Conifer seedlings: The REI is three days.
- -Conifer trees: The REI is six days.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

For use on container and field grown ornamentals. Regal O-O Herbicide has been thoroughly researched, however, testing has not been conducted on all species or cultivars, or under all growing conditions. In some instances efficacy may vary.

This herbicide is a pre-emergent product, so it should be applied at recommended rate, prior to susceptible weed seed germination, with a suitable spreader which will assure accurate even particle distribution. Do not disturb soil surface once the product has been applied, as uniform placement is disrupted and herbicide effectiveness is thereby reduced. Applications should be made to weed free surfaces. Do not apply herbicide granules to wet foliage as phytotoxicity can result. For best results, water-in the product as soon as practical after application.

Apply 2.3 lbs of product per 1000 sq. ft., or 100 lbs per acre. For continued weed control, repeat applications are recommended at 3-4 month intervals.

## Container grown ornamentals:

<u>DO NOT</u> apply more than three applications of 100 Lbs. per acre per season (total of 6 lbs of oxadiazon and 6 lbs of oxyfluorfen).

## **Conifer Seedlings:**

DO NOT apply more than 100 Lbs. per acre per season (total of 1 lbs of oxadiazon and 2 lbs of oxyfluorfen).

## Regal O-O Herbicide has shown excellent results when used on the following:

 Abelia	*Euonymus	Pittosporum	
Acacia	Forsythia	*Potentilla	
Acer	Gardenia	Prunus	
Araucaria	*Hydrangea	Pyracantha	
*Azalea (Rhododendron)	Hypericum	Quercus	
Berberis	*ilex	Rhaphiolepis	
Betula	Jasminum	*Rhododendron	
Buxus	Juniperus	Santolina	
Callistemon	Ligustrum	Schefflera	
Camellia	Lonicera	Spiraea	
Cercis	Magnolia	Syringa	
Chamaecyparis	Mahonia	Taxus	
Chamaedorea	Nerium	Thuja	
Cornus	Pachysandra	Viburnum	
Cotoneaster	Photinia	Weigela	
Cupressus	Picea	Xylosma	
Cytisus	Pieris	-	
Escallonia	Pinus		
	·		

Container &/or Field Grown (General)

## \*Certain species of these genera may be sensitive to this herbicide. Use test plots to determine sensitive cultivars, if not known.

Pre-emergence control of the following weeds has been demonstrated when using Regal O-O Herbicide at recommended rate, timing and proper techniques and conditions. Many other weed species may also be controlled.

Weed grasses:

Annual bluegrass	(Poa annua)
Barnyardgrass	(Echinochloa crusgalli)
Crabgrass	(Digitaria sanguinalis)
Goosegrass	(Eleusine indica)
Sprangletop	(Leptochloa uninervia)

Broadleaf Weeds:

Bittercress Common Chickweed Cudweed Dandelion Fireweed Fleabane Groundsel Horseweed Oxalis Pearlwort Pepperweed Pigweed Shepherdspurse Sowthistle (Euphorbia hirta) Spurge, Garden (Euphorbia humistrata) Spurge, Prostrate Spurge, Spotted (Euphorbia maculata)

) (Cardamine pensylvanica) (Stellaria media) (Gnaphalium obfusifolium) (Taraxacum officinale)

(Epilobium angustifolium) (Erigeron strigosus) (Senecio vulgaris), (Conyza canadensis) (Oxalis stricta) (Segina procumbens) (Lepidium virginicum) (Amaranthus retroflexus) (capsella burse-pastoris) (Sonchus arvensis)

## PRECAUTIONS AND LIMITATIONS

Do Not apply to wet or moist foliage.

**Do Not** apply to plant types whose leaves funnel the herbicide granules to the leaf base, for removal of granules is difficult and can result in foliage injury.

**Do Not** apply in wind conditions that will affect product distribution. Uneven distribution will result in erratic weed control.

**Do Not** apply over plants that are producing flush new growth. Tender, new leaves are especially sensitive and injury may result.

**Do Not** use on any varieties or cultivars unless user is familiar with the results on specific plant materials under his growing conditions.

#### STORAGE AND DISPOSAL

**STORE** in a clean, dry place. Do not contaminate water, fertilizer, other pesticides, food or feed by storage or disposal.

**PESTICIDE DISPOSAL**: Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law. Wastes of Regal O-O Herbicide should be disposed of by use according to label instructions. If needed, contact local Environmental Control Agency, or Hazardous Waste representatives for recommendations. **CONTAINER DISPOSAL**: Completely empty bag contents into application equipment. Dispose of empty bag in a sanitary landfill or by incineration, or, if permitted by local and state authorities, by burning. If burned, stay out of smoke.

#### NOTICE TO USER

Plant tolerance to O-O Herbicide has been found to be acceptable on all ornamentals that it has been tested on. Due to the large number of species and varieties of ornamentals and nursery plants, it is impossible to test every one for tolerance to O-O Herbicide. Neither the manufacturer nor seller has determined whether or not O-O Herbicide can be used safely on ornamental plants not specified on this label. The professional user should determine if O-O Herbicide can be used safely prior to commercial use. In a small area test the recommended rates on a small number of plants for phytotoxicity prior to widespread use.

#### NOTICE OF WARRANTY

NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS, OR IMPLIED, CONCERNING THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE. The exclusive remedy of the user or Buyer, and the limit of liability of Regal Chemical Company or any other Seller, for any and all losses, injuries or damages resulting from the use of handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing, signed by a duly authorized representative of Regal Chemical Company.