

48234-14

8/27/2009

10911



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Michael Kellogg
Regal Chemical Company
c/o Pyxis Regulatory Consulting, Inc.
4110 136th St. NW
Gig Harbor, WA 98332

AUG 27 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Mr. Kellogg:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated July 21, 2009 for:

EPA Registration 48234-14

Regal RonStar Plus 1

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2011

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0080, Approval expires 2-28-95

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 48234-14	2. EPA Product Manager J. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Regal Chemical Company/Regal RonStar Plus 1	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Regal Chemical Company c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. NW Gig Harbor, WA 98332 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION Product Name AUG 27 2009	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Michael Kellogg	Title Agent	Telephone No. (Include Area Code) (253) 853-7369
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent	
4. Typed Name Michael Kellogg	5. Date 7/21/09	

4 of 11

NOT FOR USE ON HOME LAWNS. FOR SALE TO AND USE BY PROFESSIONAL APPLICATORS ONLY. NOT FOR SALE TO OR USE BY HOMEOWNERS/CONSUMERS.

PREEMERGENT HERBICIDE FOR TURF AND ORNAMENTALS

Selective, preemergent herbicide for the control of annual grasses and broadleaf weeds in turf and woody ornamental shrubs, vines and trees.

REGAL RONSTAR PLUS I

ACTIVE INGREDIENT:

Oxadiazon [2-tert-butyl-4-(2, 4-dichloro-5-isopropoxyphenyl)-delta-1, 3, 4-oxadiazolin-5-one].....	1.0%
OTHER INGREDIENTS:.....	99.0%
TOTAL:.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center, or doctor, or going for treatment. You may also contact 1-800-621-5208 for emergency medical treatment information.	

EPA REG NO. 48234-14

EPA EST NO. 48234-GA-1

Regal Chemical Company
PO Box 900
Alpharetta, GA 30239

5 of 11

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks, and
- Chemical-resistant gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticides get inside. Then wash body thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Regal Ronstar Plus I® should not be used in areas where irrigation or rainfall results in direct or indirect (via ditches and canals) contamination of surface waters through dissolved runoff or erosion of soil particles to which oxadiazon is absorbed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance to its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow entry into treated areas during the restricted entry interval (REI) 12 hours.

PPE required for early entry to treated areas, that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or

water is coveralls, shoes plus socks, and chemical-resistant gloves made of any waterproof material.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store in or around the home.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State-state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

Regal Ronstar Plus I is a selective, preemergent herbicide for the control of many annual grasses and broadleaf weeds in turf and on a wide variety of woody ornamental Shrubs, vines and trees. Regal Ronstar Plus I controls weeds by killing the young weed seedlings as they come in contact with the herbicide during germination. Apply Regal Ronstar Plus I with a properly calibrated granular applicator that will apply the granules uniformly (uniform application is essential for satisfactory weed control). Calibrate the applicator prior to use, according to the manufacturer's directions, and check frequently during the application to be certain that the equipment is working properly. Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.

Restrictions:

- **Not for use on home lawns**
- **Do not apply this product through any type of irrigation system.**
- **Do not apply aerially.**
- **Do not apply more than 600 pounds of product per acre per year (equivalent to 6 pounds ai/A/year) except in areas of heavy weed infestation.**
- **In areas of heavy weed infestation, do not apply more than 750 pounds of product per year (equivalent to 7.5 pounds ai/A/year).**
- **Do not apply more than 400 pounds of product per acre (equivalent to 4 pounds ai/A) in a single application.**

TURF

For use in established perennial Bluegrass, Bentgrass, Bermudagrass, Buffalograss, Perennial Ryegrass, St. Augustinegrass, Seashore Paspalum, Tall Fescue and Zoysia turf; such as, fairways, parks, golf courses and lawns. Rake turf area free of leaves, mowing if necessary, so

Top 11

granules reach soil surface. Measure area to be treated and uniformly apply required amount, using a fertilizer spreader. Cross-treating with one-half required amount in each direction will give best results. Do not apply to wet turf. For best results, water-in the product as soon as practical after application.

PREEMERGENT WEED CONTROL

Weeds Controlled	Amount of Regal Ronstar Plus I		Directions
	Per acre	Per 1000 sq. ft	
Crabgrass (<i>Digitaria spp.</i>) Goosegrass (<i>Eleusine indica</i>) Field Sandbur (<i>Cenchrus incertus</i>) Annual Sedge (<i>Cyperus compressus</i>)	200-400 lbs.	4 1/2 - 9 lbs.	Apply late winter or early spring prior to seed germination. Application made after March or April may not be fully effective.
Annual Bluegrass (<i>Poa Annua spp.</i>)	400 lbs.	9 lbs.	Apply in late summer to early fall prior to seed germination.
Virginia Buttonweed (<i>Diodia virginiana</i>) Pigweed (<i>Amaranthus spp.</i>) Florida Pusley (<i>Richardia scabra</i>) Oxalis (<i>Oxalis spp.</i>) Stinging Nettle (<i>Urtica dioica</i>) Carpetgrass (<i>Axonopus officinis</i>)	400 lbs.	9 lbs.	Apply in early spring prior to seed germination.

FALL APPLICATION FOR SPRING WEED CONTROL IN COOL SEASON TURF

Weeds Controlled	Amount of Regal Ronstar Plus I		Directions
	Per acre	Per 1000 sq. ft	
Crabgrass, Goosegrass, and other annual weeds	300-400 lbs.	6 3/4 - 9 lbs.	For use in Bluegrass, Bentgrass, Perennial Ryegrass and Tall Fescue turf. Make application in the fall after turf has become dormant. For late, fall applications, seeding into treated areas should be delayed until 4 months after green up.

ANNUAL BLUEGRASS CONTROL IN BERMUDAGRASS FAIRWAYS OVERSEEDED WITH PERENNIAL RYEGRASS ONLY

Weeds Controlled	Amount of Regal Ronstar Plus I		Directions
	Per acre	Per 1000 sq. ft	
Annual Bluegrass (<i>Poa Annua spp.</i>) and other annual weeds	200 lbs.	4 1/2 lbs	Apply in late summer to early fall prior to <i>Poa annua</i> spp. seed germination. Any <i>Poa annua</i> spp. established when this product is applied will not be controlled. Regal Ronstar Plus I will only control the <i>Poa annua</i> spp. that is established from seed every year. Regal Ronstar Plus I should be applied no closer than 60 days prior to overseeding. NOTE: Do not use where <i>Poa trivialis</i> is present in overseed mix.

80911

NOTE: In many areas, annual bluegrass exists as at least two biotypes or subspecies of *Poa annua*. The true annual biotype is *Poa annua* spp. annua which germinates every year from seed, while the biotype that behaves like a perennial is *Poa annua* spp. reptans. This perennial biotype can survive through the summer and established plants will not be controlled by this product. Consult the extension service or University weed specialists in your area for more information.

ANNUAL WEED CONTROL DURING BERMUDAGRASS, ZOYSIAGRASS, SEASHORE PASPALUM AND TROPIC LALO (*PASPALUM HIERONYMII*) ESTABLISHMENT FROM SPRIGS

Weeds Controlled	Amount of Regal Ronstar Plus I		Directions
	Per acre	Per 1000 sq. ft	
Crabgrass, Goosegrass, and other annual weeds	200-300 lbs.	4 ½ - 6 ¾ lbs.	For Bermudagrass, make application immediately prior to or immediately after sprigging. For Seashore Paspalum, make application 10 to 14 days after sprigging. Applications made close to the time of sprigging may cause objectionable Seashore Paspalum injury. Disturbance of the soil surface after Regal Ronstar Plus I application may disrupt the herbicide barrier and reduce effectiveness. Irrigate immediately after application for best results.

For St. Augustinegrass and Bentgrass turf, do not exceed the rate of 300 pounds per acre (3 pounds active ingredient) of Regal Ronstar Plus I.

Do not apply to Bentgrass turf mowed at less than 3/8 inch.

Regal Ronstar Plus I may cause discoloration of Bentgrass, Bermudagrass and St. Augustinegrass. This discoloration is temporary and normally outgrown within 2 to 3 weeks.

Avoid contact with flowers and shrubs except as recommended elsewhere on this label. Do not apply Regal Ronstar Plus I to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment except as noted above. Do not apply to Dichondra or Centipedegrass. Regal Ronstar Plus I should not be used on putting greens or tees because of the varying cultural practices used.

When making applications to Tropic Lalo, applications must be made 0-12 days after sprigging. Do not use in areas where endangered Hawaiian Goose or nene (*Branta sandvicensis*), Hawaiian Duck (*Anas wyvilliana*), Hawaiian Stilt (*Himantopus mexicanus knudseni*), and Hawaiian Moorhen (*Gallinula chloropus sandvicensis*) may feed.

WOODY ORNAMENTAL SHRUBS, VINES, TREES AND CONIFER NURSERY APPLICATION

It is impossible to test every species and variety of ornamental or nursery plants. Plant tolerance to Regal Ronstar Plus I has been found to be acceptable in the specified genera and species.

90911

Neither the manufacturer nor the seller has determined whether or not Regal Ronstar Plus I can safely be used on plants not specified on this label. The professional user should determine if Regal Ronstar Plus I can be used safely prior to use.

Apply Regal Ronstar Plus I anytime during the year, prior to weed seed germination, for weed control. Regal Ronstar Plus I can be applied to both newly transplanted and established ornamentals. Application can be made to actively growing or dormant ornamentals. Rainfall or overhead irrigation after application of Regal Ronstar Plus I will improve weed control activity. Regal Ronstar Plus I should not be mixed into the soil. Cultivating or disturbing the soil may reduce the weed control activity of Regal Ronstar Plus I. Do not apply to wet foliage or under conditions in which granules will collect on leaves. Do not apply in greenhouses as plant injury may result from co-distillation of Regal Ronstar Plus I active ingredient onto leaf surfaces in condensation.

Amount To Use

Ground Application — Apply Regal Ronstar Plus I broadcast to ornamentals at 200 to 400 pounds of product per acre (or 4 1/2 to 9 pounds per 1,000 sq. ft.) depending on the weeds to be controlled, as listed on the following page. Remove existing weed growth before application.

ANNUAL BROADLEAF WEEDS

Bittercress	Bristly Oxtongue	Carpetweed
Cheeseweed	Common Groundsel	Common Purslane
*Evening Primrose	Fiddleneck	Fireweed
*Galinsoga	Garden Spurge	Golden Ragwort
Lambsquarters	** Liverwort	Niruri
Pennsylvania Smartweed	Petty Spurge	**Prostrate Spurge
Redroot Pigweed	Shepherdspurse	Sensitive Plant
Sow Thistle	Speedwell	Spiny Amaranth
Spotted Catsear	*Swinecress	Yellow Woodsorrel (Oxalis)

*Use 300 to 400 pounds (3.0 to 4.0 pounds of active ingredient) per acre for less susceptible weeds.

**Use 400 pounds (4.0 pounds of active ingredient) per acre for less susceptible weeds.

ANNUAL GRASSES

Annual Bluegrass	Annual Sedge	*Barnyardgrass
Bristly Foxtail	Crabgrass	Fall Panicum
Green Foxtail	Goosegrass	**Jungle Ricegrass
**Panama Paspalum	Ripgut Bromegrass	Wild Oats

*Use 300 to 400 pounds (3.0 to 4.0 pounds of active ingredient) per acre for less susceptible weeds.

**Use 400 pounds (4.0 pounds of active ingredient) per acre for less susceptible weeds.

CROP TOLERANCE

Regal Ronstar Plus I is recommended for use on a wide variety of ornamental species and ground covers in container, field grown and landscape planting situations. Regal Ronstar Plus I may be used at the recommended rates on the following species.

ESTABLISHED ORNAMENTALS AND GROUND COVERS

Abutilon	Acacia	Agapanthus
Allamanda, Common	Andromeda	Aralia
Arborvitae	Ash, Green	Azalea
Baby's Breath	Bald Cypress	Bamboo, Feathery

Banyan, Weeping	Barberry	Beafsteak plant
Bearberry	Beech, European	Birch, Paper
Blanket, Flower	Blazing, Star	Boxwood, Japanese
Boxwood, Common	Bouganvillea	Brassaia, Dwarf Buddleia
Bugleflower	Callistemon	Camellia, Sasanqua
Candytuft	Carissa	Carnation
Ceanothus	Cedar, Red	Cedar, Atlas
Cistus	Citrus, Ornamental*	Grapefruit
Lemon	Lime	Mandarin
Tangelo	Tangerine	Temple
Cuban Shaddock	Valencia	Washington Navel
Cleyera	Coreopsis	Coromandel
Cotoneaster	Crabapple*	Crapemyrtle
Chrysanthemum	Cypress	Cypress, Leyland
Dahlia	Daphne, Fragrant	Deutzia, Slender
Dieffenbachia	Dogwood, Common	Dogwood, Redosier
Dogwood, Kousa	Douglas fir	Elm
Escallonia	Eucalyptus	Euryops, Gray Leaved
Euonymus, Spreading	Euonymus,	Wintercreeper
Falsecypress, Hinoki	Falsecypress, Japanese	Flowering Quince
Forsythia	Gardenia	Gazania, Trailing
Ginko	Gladiolas	Golden Raintree
Heath, Spring	Heather, Scotch	Heliotropium
emlock, Canada	Hibiscus	Honeysuckle
Holly	Ice Plant	Ilima
Ivy, Algerian	Ivy, English	Jasmine, Orange
Jasmine, Primrose	Jasmine, Star	Jasmine, Showy
Juniper	Justica	Kwanzan Cherry
Lamb's Ear	Lantana, Trailing	Lapalapa
Larch, European	Laurel, English	Leopards - Bane
Leucothoe, Coast	Leucothoe, Drooping	Lily of the Nile
Lilac	Littleleaf Linden	Loquat*
Magnolia	Mahonia, Grape Holly	Maple
Metallic Plant	Mexican Orange	Mock Orange
Money Tree	Murraea	Myoporum
Myrtle	Nandina	Oak
Ochana	Ohai	Oleander
Orthosiphon	Osmanthus	Pachysandra
Palm, Bamboo	Palm, Fishtail	Palm, Licuala
Palm, Macarthur	Palm, Manac	Palm, Manila
Palm, Parlor	Palm, Rattan	Palm, Sealing Wax
Palm, Sugar	Paperbark Tree	Peony
Periwinkle, Common	Photinia, Frasier's	Poinciana
Pine	Pittosporum, Japanese	Plum, Natal
Podocarpus, Yew	Pomegranite*	Poplar
Potentilla	Privet	Protea species
Pyracantha	Raphiolepis	Redwood, Dawn
Rhododendron	Rose	Russian Olive
Sargent Cherry	Scotch Broom	Sedum
Serviceberry, Saskatoon*	Spruce	Statice
St. Johnswort, Golden	St. Johnswort,	Gokdencup
Strawberry Tree	Sumac, Staghorn	Sweet William
Syzygium	Trailing African Daisy	Viburnum
Wedelia	Wisteria, Chinese	Witchazel, Common
Woadwaxen, Common	Wooly Thyme	Xylosma
Yew		

110711

NEWLY TRANSPLANTED ORNAMENTALS AND GROUND COVERS

Blanket Flower	Brassaia, Dwarf	Camellia
Carnation	Cedar, Red	Coromandel
Dogwood, Flowering	Elm	Forsythia
Gazania, Trailing	Hackberry	Ivy, Algerian
Ivy, English	Hemlock, Canada	Holly
Ice Plant	Juniper	Leopards - Bane
Metallic Plant	Oak	Periwinkle, Common
Periwinkle, Large	Pine	Poplar
Privet	Protea Species	Spruce
Trailing African Daisy	Wedelia	Wisteria
Yew		

*For use only on plants that will not bear edible fruit within one year of Regal Ronstar Plus I herbicide application.

FOREST NURSERY APPLICATION

Seedlings of the following Species can be treated with Regal Ronstar Plus I herbicide when at least 4 weeks old: Pine – Loblolly, Eastern White, Slash

SENSITIVE VARIETIES

Under certain growing conditions, the plant varieties listed below may be sensitive to Regal Ronstar Plus I herbicide. Growers should evaluate usage on a small scale prior to large scale applications.

PLANT SPECIES

Plant Species	Varieties
Andromeda	Snowdrift, Temple Bell
Azalea	Pink Champagne, Hershey, (Rhododendron spp), Leuchtenfuer, Memoire John Hearrens, Hino-Crimson, White Grandeur, Everest, Girard Roberta
Cotoneaster	Eichholz, Himalayan, Shangri-la (Cotoneaster spp)
Crapemyrtle	Petite Red Imp, Seminole Bush
Heath, Spring	Mediterranean Pink
Hemlock, Canada	Pendula
Hibiscus	Red Heart
Rhododendron	Daphnoides, Nova Zembla, Rhododendron spp), Catawba Album
Spruce, Norway	Pumila
Spruce, White	Densata
Viburnum	Davidii

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal conditions. This warranty does not extend to use of this product contrary to label use directions, or under conditions not reasonably foreseeable to seller; buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no warranties; expressed or implied.

Ronstar® is a registered trademark of the Bayer CropScience.

EPA 2009031920090721