

PRODUCT NO. 1007

EPA REG. NO. 48242-4
EPA EST. NO. 48242-TX-01

PM 32
48242-4


IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR USE: Before using, adjust stabilizer to 40-60 ppm with RAM STABILIZER. Maintain one (1) 3" TABLETS per 10,000 gallons by placing either into your swimming pool floating dispenser or directly into skimmer basket. Use more or less TABLETS in order to maintain a free chlorine residual of 1.0 to 1.5 ppm. This product can be used in any dispenser or automatic chlorinator that uses chlorine concentrate 1" TABLETS, 3" Tablets or sticks. DO NOT MIX with any other kind of chlorine as an explosion may occur. DO NOT THROW TABLETS directly into or on a vinyl or fiberglass pool as bleaching may result. See below for superchlorination.

START UP: When starting up a reopened or freshly filled pool or spa make sure the filtration system is clean and operating properly. Then adjust and maintain the pH in the range of 7.4-7.6 using RAM pH MINUS or RAM pH PLUS as indicated by a reliable test kit. Adjust and maintain total alkalinity 80-125 ppm (spas 140-180 ppm). Next day stabilize between 40-60 ppm using RAM STABILIZER at about 1 lb. per 5,000 gallons (Not required for spas). Bring chlorine reading up to 3.5 to 5 ppm by superchlorination. Next day apply this concentrate chlorine as directed. Do not use pool (or spa) until the chlorine residual has dropped below 3.0 ppm.

SUPERCHLORINATION: Use 1 lb. SHOCK per 10,000 gallons, every 10 to 14 days by broadcasting the pool (Gunite only). DO NOT put into skimmers as other chemicals may be present. This procedure may be necessary more often if algae appears, eye burns, chlorine odors, heavy rains, higher bather loads or hotter pool water are present.

Reentry into treated swimming pool/spas is prohibited above levels of 3 ppm of chlorine.



**A
STABILIZED
CHLORINATING
CONCENTRATE**

**SUPER CHLORINATING
TABLETS FOR WATER
DISINFECTION**

**COMPLETELY SOLUBLE, NO MINERAL
BUILD-UP -24 HOUR ROUND THE
CLOCK CHLORINE RESIDUAL**

**LEAVES NO RESIDUE; CONTAINS NO SCALE
FORMING LIME; IS NOT BURNED OFF BY THE
SUN; DOES NOT UPSET THE pH OF YOUR POOL**

SEE SIDE PANEL FOR FIRST AID
AND PRECAUTIONARY STATEMENTS:

**DANGER
KEEP OUT OF
REACH OF CHILDREN**

Active Ingredient: Trichloro-s-Triazinetrione...99%
Inert Ingredients.....1%
Approximately 90% Available Chlorine

NET-CONTENTS: 39.38-LBS.
Approximately 90 Tablets by Count

1/13/98
P9 182

ACCEPTED
JAN 13 1998
Under The Federal Insecticide, Fungicide and
Herbicide Act, as amended, for the
active registered under
EPA No. 48242-4



Manufactured by:
RAM CHEMICAL & SUPPLY, INC.
9830 Clay Road
Houston, Texas 77080

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND

DOMESTIC ANIMALS: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT:

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants or any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amount of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.