

DRAFT LABEL - February 15, 1991


BIOBAN® CS-40L

Microbiocide

Active Ingredients:

4,4-Dimethyloxazolidine.....	36.85%
Inert Ingredients:.....	63.15%
TOTAL	100.00%

**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
DANGER!**



**CAUSES EYE DAMAGE AND SKIN IRRITATION.
HARMFUL IF INHALED OR SWALLOWED.
FLAMMABLE LIQUID.**

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Do not use or store near heat or open flame.

Environmental Hazards

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.

**KEEP OUT OF REACH OF CHILDREN
DANGER!**

Statement of Practical Treatment


IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. Discard contaminated shoes.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, or gelatin solution; or if these are not available, drink large quantities of water; avoid alcohol. Call a physician immediately.

BEST AVAILABLE COPY

Draft Label - 2/15/91
BIOBAN CS-40L
Page 2



Note to Physician

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

EPA Reg. No. 48301-12
EPA Est. No. 48301-LA-1

ANGUS Chemical Company
2211 Sanders Road
Northbrook, IL 60062

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Use in Oilfield Water Systems

For controlling aerobic slime-forming bacteria (*Pseudomonas* sp.) or iron-oxidizing bacteria (*Gallionella* sp.) and anaerobic sulfate-reducing bacteria (*Desulfovibrio desulfuricans*) in oilfield water systems, such as subsurface injection water, add 10-300 ppm BIOBAN CS-40L depending on the severity of the contamination. Additions should be made with a metering pump at the free-water knockouts before or after the injection pumps and injection well headers.

BEST AVAILABLE COPY

202

Draft Label - 2/15/91
BIOBAN CS-40L
Page 3

Continuous-feed method: If the system is noticeably fouled, add 40-300 ppm BIOBAN CS-40L (3.4-25.6 gal per 2000 barrels of water) continuously until the desired degree of control is achieved. Subsequently, treat with 10-300 ppm BIOBAN CS-40L (0.86-25.6 gal per 2000 barrels of water) continuously as needed to maintain control.

Intermittent or slug method: If the system is noticeably fouled, or to maintain control of the system, add 40-300 ppm BIOBAN CS-40L (3.4-25.6 gal per 2000 barrels of water) intermittently for 2-8 hours per day from 1-4 days per week, depending on the severity of contamination.

ACCEPTED
FEE 24.00
U.S. DEPARTMENT OF AGRICULTURE
EPA Reg. No. 418301-12