

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with skin. Wash hands after using. Avoid contact with eyes. In case of contact flush with plenty of water. Avoid breathing the spray mist. Keep children and domestic animals off treated areas until this material has been washed into the soil.

ENVIRONMENTAL HAZARDS

Do not feed treated foliage to livestock or graze treated areas. Do not spray or allow drift onto vegetables, ornamentals or other desirable plants. Do not apply when weather conditions favor drift from target areas. Do not apply directly to water. Do not contaminate water used for domestic consumption, irrigation, or aquaculture or for irrigation purposes.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: This product is recommended for selective "Post-Emergent" weed control in Lawns and Ornamental Turf and Non-Crop areas as listed. Apply when temperatures are warm (70° F +) and weeds are actively growing.

Mixing: Fill the spray tank 1/2 full and then thoroughly dissolve this product into the spray solution, then fill tank to proper level. Do not store solution in tank over night. Clean application equipment after using by flushing with water. (See "Storage & Disposal" Statement).


How To Apply: Use a hand pump sprayer, a garden type pressure sprayer, or sprinkler can. Do not use a sprayer that is used for the application of insecticides or fungicides due to possible contamination. Thoroughly wet all target weeds. Avoid wetting desirable turf grass where possible. A fan type nozzle will give best results. Apply on a calm day to avoid spray drift to susceptible plants.

HOW TO USE: Hose-end Sprayer: Use a hose-end sprayer designed for treating lawns. Measure the recommended amount of chemical into bottle on sprayer and add water into bottle to desired level.

Young Plants or 80° Weather		Older Plants or 75° Weather		Fill Bottle To	Area To Be Treated
Tbs	Fl Oz	Tbs	Fl Oz	Gallons	Sq Ft
2	1	3	1 1/2	1	250
8	4	12	6	4	1,000
10	5	15	7 1/2	5	1,250
20	10	30	15	10	2,500
32	16	48	24	16	4,000

HOW TO USE: Pressure Sprayer

Young Crabgrass or 80° Weather		Crabgrass with Seed Heads or 75° Weather		Amount of Water in Sprayer	Area To Be Treated
Tbs	Fl Oz	Tbs	Fl Oz	Gallons	Sq Ft
2	1	3	1 1/2	1	250
4	2	6	3	2	500
6	3	9	4 1/2	3	750



**MAJESTIC
GREEN**

ROYAL MSMA

CONTROLS CRABGRASS, DALLIS GRASS, SANDBUR and for Grassy Weeds such as Johnson Grass and Certain Broadleaf Weeds such as Cocklebur and Other Weeds as Listed.

ACTIVE INGREDIENT

*Monosodium acid metharsylate

16.6%

INERT INGREDIENTS

83.4%

TOTAL 100.0%

*Total Arsenic (as elemental) all in water soluble form: 7.68%
This product contains 1.6 pounds M.S.M.A. per gallon.

CAUTION:

Keep Out of Reach of Children

STATEMENTS OF PRACTICAL TREATMENT

If Swallowed: Call a Physician or Poison Control Center immediately. Induce vomiting by giving 1 or 2 glasses of water and touching back of throat with fingers. Do not induce vomiting or give anything to an unconscious person. **If In Eyes:** Flush with plenty of water and call a physician immediately.

If on Skin: Remove contaminated clothing. Wash immediately with soap and water. Call a physician immediately.

See Side Panels for Additional Caution Statements

One Pint Will Cover 4,000 Sq. Ft.


One Quart Will Cover 8,000 Sq. Ft.

EPA Reg. No: 48391 -

EPA Est. No: 10107 - NB1

NET CONTENTS ONE PINT

Manufactured For
Majestic Green Products Inc.
P.O. Box 1654
Manhattan, KS 66502



ROYAL MSMA

is effective for controlling DALLISGRASS, JOHNSONGRASS, GOOSEGRASS, WATERGRASS, LOVEGRASS, BARNYARDGRASS, LEVONGRASS, CRABGRASS, NUTSEDGE, SANDBUR, CHICK-WEED, WITCHGRASS, CARPETGRASS, CENTIPEDE, ST. AUGUSTINE, COCKLEBUR, NUTGRASS, RAGWEED, PUNCTUREVINE, GREEN and YELLOW FOXTAIL and BAHIA GRASS.

NON-CROP AREAS

This product is useful in the maintenance of drainage ditches, rights-of-way, fence rows, storage yards and similar areas to control weeds as listed hereon. **MIXING RATE:** Add 4 fluid ounces in a minimum of 3 gallons of water and apply to 1,000 sq. ft. This is equal to 1 1/2 gallons of this product per acre. Make sure to wet plants thoroughly. Plan on a second treatment for best control.

CRABGRASS: Young crabgrass seedlings require less chemical than older plants. Determine the average stage of growth of crabgrass to be treated and make dilutions as given in the table on the right side panel. If a hose-end sprayer is used, be sure it is a fan type sprayer. If a pressure sprayer is used, do not use high pressure since fine droplets could be formed which might drift to sensitive plants. Where crabgrass is confined to patches, a pressure sprayer is preferred. On new lawns, do not treat until after three mowings. Be sure soil is moist and lawn healthy before treating. During droughts water grass well several days in advance and restore turf to healthy green color with fertilizer before treating. Keep lawn mowed about 1 1/2 to 2 inches during treatment. Flush sprayer through with plain water after using. Lawn may discolor from treatment, but if directions are followed, turf grasses will quickly return to normal. Repeat applications may be necessary if new crabgrass growth appears.

ROYAL MSMA will control crabgrass, nutgrass, dallisgrass, and sandbur in bluegrass or zoysia lawns. Treat only infested area since some temporary yellowing of the lawn grass may occur.

NUTGRASS: Nutgrass grows from seed and small nut-like tubers on the roots and unless controlled will spread rapidly. Look for grass like, but triangular yellowish green leaves growing upright above the normal lawn grass. Make application promptly to prevent seed and tuber formation.

WHEN TO APPLY: ROYAL MSMA may be applied anytime when temperatures are above 75° F. Apply early because young plants are easier to kill. If lawn has been infested in past years, a flush of new growth may follow the first application. Repeat treatments as needed.

NOTE: Do not use on St. Augustine, Centipede, or Bahia grasses.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, growth habit, with other chemicals, and condition of application requirements will vary, Seller makes no claims other than those stated on this label.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE MAR 18 1983
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION REEVALUATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	TERM OF ISSUANCE	
NAME OF PESTICIDE PRODUCT		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE MAR 18 1983