PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed or inhaled. Do not get into eyes, on tender parts of body or clothing. In case of contact wash thoroughly with soap and water. If it gets into eyes wash out eyes at once with plenty of water. Avoid breathing dust.

ENVIRONMENTAL HAZARDS

This product is toxic to Fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Keep this package away from excessive heat. Avoid storage near steam pipes and radiators.

DIRECTORS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE AND DISPOSAL

STORAGE - Keep this package away from excessive heat. Avoid storage near steam pipes and radiators.

DISPOSAL - Do not reuse empty container. Bury in approved landfill area or incinerate. Do not breathe fumes.
CONSUMER PACKING - Wrap container and place in trash collection.

GENERAL INSTRUCTIONS

[illegible]

MAJESTIC GREEN

1% ROTENONE DUST

A General Purpose Insecticidal Dust For Gardens

ACTIVE INGREDIENTS:

Rotenone	1.0%
Other Cube Resins	2.0%
INERT INGREDIENTS	97.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash thoroughly with soap & water.

IF IN EYES: Wash out with plenty of water

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT 1 LB.
EPA Reg. No: 48391 -
EPA Est. No: 10107 - N[illegible]

Manufactured for
Majestic Green Products Inc
P.O. Box 1064
Manhattan, KS 6650[illegible]

DIRECTIONS FOR USE (CONT'D)

BEANS

To control twelve spotted beetles, thrips, flea beetle, apply when insects appear and repeat as necessary.

CORN (Sweet)

To control European Corn Borer, apply when insects are predominately in the larvae stage. Repeat 7 - 10 day intervals.

CUCUMBERS, MELONS, SQUASH, PUMPKINS

To control striped and twelve spotted cucumber beetles: Apply when insects appear and continue applications weekly until danger of insect injury is past. Re-dust after rains and continue with regular application of 1% ROTENONE DUST as often as necessary.

TOMATOES

To control potato flea beetles and Colorado potato beetles and small tomato Hornworms: Begin application 2 to 3 days after plants are set in the field. To control tomato worms apply when worms are still small. Continue dusting 1% ROTENONE DUST as often as necessary.

POTATOES AND EGG PLANTS

To control Colorado beetles and potato flea beetles: Begin application when insects make appearance. Repeat at 5 to 7 day intervals as necessary when danger of insect injury is past. Continue regular applications of 1% ROTENONE DUST as often as necessary.

CABBAGE

Imported Cabbage Worms: Apply 1% ROTENONE DUST when worms appear. Repeat dusting as often as necessary.

ASPARAGUS

Asparagus Beetle and Spotted Asparagus Beetle: The spears should be dusted with 1% ROTENONE DUST and when possible apply when the insects are predominately in the larvae state. Repeat dusting as often as necessary.

ROSE BUSHES

Sugar in Rose Bushes: Dust bushes thoroughly while wet with dew. Repeat dusting in a few days if necessary.

NO [illegible] WARRANTY

[illegible]

ACCEPTED

NOV 24 1982

[illegible]
EPA Reg. No. 48391-7