

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

STATEMENT OF PRACTICAL TREATMENT

Danger: Corrosive. causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. May be fatal if swallowed. Avoid breathing vapors. If in eyes, flush with plenty of water and get medical attention. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists. If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

Environmental Hazard:

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by the cleaning of equipment or disposal of wastes. Apply this product only as directed on label.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide Disposal:

Pesticide, spray mixture, or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Container Disposal:

Metal: Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary land fill or by other approved State and local procedures.

Plastic: Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary land fill or by incineration if permitted by State and local authorities.

IMPORTANT

Do not apply on or near desirable trees or plants or in locations where chemicals may be washed or moved in contact with their roots.


Avoid drift of spray (coarse sprays are less likely to drift) onto vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants.

Do not contaminate domestic or irrigation waters.

Do not pour solution used to clean sprayer near desirable plants or where it may contaminate water.

Do not store in direct contact with fertilizer, seeds, insecticides, or fungicides.

Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bent-grass or clovers are present. Newly seeded lawns may be treated after they have been mowed the second time. To re-seed small areas on treated lawns, wait at least 3 weeks after spraying. A good rain or deep watering should occur during this period.



**MAJESTIC
GREEN**

**ROYAL PRO TURF
WEED KILLER**

**For Professional Turf
Maintenance Operators Only**

(Contains 0.33 Pounds Dicamba And
3.17 Pounds 2, 4-D Per Gallon)

ACTIVE INGREDIENTS:

Dimethylamine Salt of dicamba
(3, 6-dichloro-o-anisic acid)* 4.17%

Dimethylamine Salts of related acids 0.67%

Dimethylamine Salt of 2, 4-
dichlorophenoxyacetic acid** 40.15%

INERT INGREDIENTS 55.01%

TOTAL 100.00%

*Equivalent to 3.46 lbs. 3, 6-dichloro-o-anisic
acid (dicamba) or 0.33 pounds per gallon.

**Equivalent to 33.34% 2, 4-dichlorophenoxy-
acetic acid or 3.17 pounds per gallon.

** Isomer specific by AOAC Method 6 D01-5
(12th ed.)

DIRECTIONS (CONT'D)

For use on lawns, turf, not pastures, and fairways,
aprons, tees and rough.

USE	WEEDS	DOSAGE	APPLICATION
On lawns, turf (not pastures) and golf fair- ways, aprons, tees and rough.	climaculon crabgrass curly dock common chick- weed mexican chick- weed st. bent dog fennel sheep sorrel clover knives chicory henbit ragweed pigweed knotweed ground ivy (creeping charlie) wild onion burdock wild garlic poison oak poison ivy	Apply 2 pints to 3 pints DICAMBA + 2.4-D per acre or 4 to 6 teaspoons per 1000 square feet (equivalent to 11 lb. Dicamba + 1.08 lb. 2, 4-D to 14 lb. Dicam- ba + 1.40 lbs. 2, 4-D per acre)	Apply as a spot treatment using water at 1 to 2 gal. of water per 1000 sq. ft. and 40 to 250 gal. of water per acre. If good control is not obtained, weeds may be controlled more effectively when treated in the fall or early winter. Make a second ap- plication in spring. A fall to kill certain hard to kill weeds such as poison ivy, poison oak and english daisy. Weeds that start growing in the fall such as henbit may be controlled more effectively with a fall application.
	english daisy spurge purslane pepperweed lawn burweed hawkweed spurry carpetweed	Apply 3 pints DICAMBA + 2, 4-D per acre or 6 teaspoons per 1000 square ft. (Equivalent to 14 lb. Dicamba + 1.40 lbs. 2, 4-D per acre)	

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE LEFT PANEL FOR
ADDITIONAL CAUTIONS

EPA Reg. No. 48391-

EPA Est. No. 10107-NB

Manufactured For
Majestic Green Products Inc.
P.O. Box 1064
Manhattan, KS 66502

WARRANTY

Majestic Green warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

ACCEPTED
MAR 18 1983
EPA Reg. No. 48391-16

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-367) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE MAR 18 1983
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act</i>		
NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
☐ ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE MAR 18 1983

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (25-767)

Enclosure