

Cross-contamination is of major housekeeping concern in public aquariums, zoos and the pet industry, SaniPet has been formulated to aid in the reduction of cross-contamination in these areas

SaniPet is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, and will prevent the growth of mold and mildew and their odors when used as directed

SaniPet is an effective one-step sanitizer-cleaner for use on non-food contact surfaces

When used as directed SaniPet will disinfect surfaces

places where bacterial growth can cause mal odors

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Causes eye irritation and skin damage. Avoid contact with eyes. Wash thoroughly with soap and water. If swallowed, induce vomiting and seek medical attention.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED. DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL

PESTICIDE SPRAY MIXTURES CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS. MUST BE DISPOSED OF ACCORDING TO FEDERAL OR APPROVED STATE PROCEDURES UNDER SUBTITLE C OF THE RESOURCE CONSERVATION AND RECOVERY ACT.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) THEN OFFER FOR RECYCLING OR RECONDITIONING OR DISPOSE OF IN A SANITARY LANDFILL OR BY INCINERATION IF ALLOWED BY STATE AND LOCAL AUTHORITIES.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

SANIPET

Disinfectant-Cleaner-Sanitizer-Fungicide

Mildewicide and Deodorizer for Aquarium and Animal Quarters, Kennels and Cages.

Effective in hard water up to 400 ppm hardness (calculated as CaCO₃) in the presence of 5% serum contamination

Active Ingredients	
1,2-Dichloroethane	1.2%
Diethyl dimethyl ammonium chloride	0.6%
Diethyl dimethyl ammonium chloride	0.6%
Allyl (C ₃ H ₅) ₂ N ⁺ Cl ⁻ 40% C ₁₀ H ₁₇ N	
Diethyl benzyl ammonium chloride	1.6%
Inert ingredients	96.0%
	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

For mildew and mold on hard surfaces, allow to dry, then brush with a stiff brush. For eyes, call a physician. Rinse and wash contaminated clothing before reuse.

If swallowed, induce vomiting with a large quantity of milk or water. If gelatinous, but no emesis is obtainable, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

EPA Establishment No.

Net Contents

MANUFACTURED BY:

AquaScience Research Corp., Inc.
North Kansas City, Missouri 64116

Directions for Use:

GENERAL CLASSIFICATION:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SaniPet is a proven one-step disinfectant-cleaner-sanitizer-mildewicide-virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination.

Apply SaniPet to walls, floors and other hard (inanimate) non-porous surfaces such as countertops, sinks, tile, porcelain, and with a cloth mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas a preliminary cleaning is required. Prepare a fresh solution if, or when, the solution becomes visibly dirty.

Disinfection: Disinfect hard non-porous surfaces with 1/2 cup per gallon of water. Treated surfaces must remain wet for 10 minutes. The activity of SaniPet has been evaluated in the presence of 5% serum and 400 ppm hardness water by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms.

ACCEPTED with COMMENTS
in EPA Letter Dated:

DEC 23 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

48459-1

Mold and Mildew Control: At 2 oz per gallon SaniPet will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.): At 1 oz per 2 gallons use level.

SaniPet is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.


21074-

- 1 -

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-7) Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (15-767)

Enclosure