

ACCEPTED
with COMMENTS
In EPA Letter D-11-1

AB 12

NOV 10 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

48516-3

ACTIVE INGREDIENTS:

Disodium cyanodithioimidocarbonate 4.90 %
Potassium N-methyldithiocarbamate 6.76 %

INERT INGREDIENTS 88.34 %

TOTAL 100.00 %

This product contains 1.03 lb. of active ingredients per gallon and weighs
8.88 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin,
or on clothing. Wear goggles or face shield and rubber gloves when handling.
Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, im-
mediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes,
call a physician. Remove and wash contaminated clothing before reuse. If
swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of
water and induce vomiting by touching back of throat with finger. Do not induce
vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not
discharge into lakes, streams, ponds, or public waters unless in accordance with
an NPDES permit. For guidance contact your Regional Office of the EPA.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner incon-
sistent with its labeling.

AB 12 is used to control algae and bacteria
in recirculating commercial and industrial water cooling towers. Prior to its use,
systems must be cleaned to remove algal growth, microbiological slimes, and
other deposits. An initial slug addition of 5.1 to 10.2 fluid ounces of
AB 12 per 1000 gallons of water is recom-
mended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of
AB 12 per 1000 gallons of water should be employed
every 1 to 5 days, or as needed. The frequency of addition depends upon the
relative amount of bleedoff and the severity of the microbiological problem. Slug
additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or
disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be
used or chemically reprocessed should be disposed of in a landfill approved for
pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL:

METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or
disposal in an approved landfill or bury in a safe place. Containers over 30
gallons should be resealed before offering for reconditioning.

PLASTIC: Containers under 30 gallons must not be reused but should be triple
rinsed and disposed of in an incinerator or landfill approved for pesticide con-
tainers or buried in a safe place. Containers over 30 gallons are to be resealed
and offered for reconditioning or triple rinsed (or equivalent) and offered for
recycling, reconditioning, or disposal in an approved landfill or buried in a safe
place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved
alternative procedures.

Manufactured by

Southern Testing & Engineering

P. O. Box 513

Orlando, FL 32833

EPA REG. NO.

EPA EST. NO.

NET CONTENTS