

32nz





# POLY-50 ALGAECIDE

(WIDE SPECTRUM)

### **ACTIVE INGREDIENTS:**

Polyoxyethylene(dimethyliminlo)ethylene (dimethyliminio)ethylene dichlorlde......50% INERT INGREDIENTS:.....50% TOTAL ......100%

This product contains 4.67 lb. of active ingredient per gallon and weighs 9.35 lb. per gallon.

> EPA REG. NO. 48520-16 EPA EST. NO. 48520-CT-002

## CAUTION

**KEEP OUT OF REACH OF CHILDREN** 

SEE FIRST AID AND OTHER PRECAUTIONS ON BACK PANEL

**NET CONTENTS: 32 FL. OZ. (1 QUART)** 

### PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful II swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or cigihing. Wash thoroughly with soon and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor for treatment. IF IN EYES: Held eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth it possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZAROS: This pesticide is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination Systems (NPDES), permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For quidence contact your State Water Board or Regional Office of the EPA.

24 Hour Emergency Hottine for Technical Assistance and MSDS 1-800-451-8346 STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep container closed when not in use. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. Map up spills with clear water. All pesticides should be kept out of reach of children and stored away from lood.

DISPOSAL: Do not rouse empty container. Wran container and place in trash

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling, POLY-50 is used to control the growth of aloze in swimming agols, exterior spas, which only, hat lubs, and decorative fountains. For maximum effectiveness pools, spas, whirlpools, hat tubs, and decorative fountains containing heavy growth of alone should be cleaned prior to using

For goals having just visible aloae growth add an initial dose of 13.5 to 21 fluid names of POLY-50 per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a treshly cleaned and filled pool add initially 7.4 to 13.5 fluid ounces of POLY-50 per 10,000 galions of water. Subsequent additions of 2.5 to 4.9 fluid ounces of POLY-50 per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance.

Spas, whirlpools, hot lubs, and decorative fountains having just visible algae growth require an initial dose of 1 to 2 fluid ounces of POLY-50 per 1000 gallons of water. For treatment of a treshly cleaned and filled spa, whirlpool, hot tub, or decorative fountain, add initially 0.7 to 1.3 fluid ounces of POLY-50 per 1000 gallons of water. Subsequent additions of 0.3 to 0.5 fluid ounces of POLY-50 should be made every 5 to 7 days after initial treatment for maintenance.

POLY-50 is compatible with those chemicals normally used to treat gools, spas, and decorative fountains and is effective at both acid and alkaline pH. POLY-50 can be used in pools, spas, and decorative fountains treated with chiorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix POLY-50 with concentrated dry or flouid chloring products. STORAGE AND DISPOSAL: 1. STORAGE INSTRUCTIONS: Store in original containers and place in a locked storage area. Keep from treezing. Do not contaminate water, food or feed by storage or disposal. 2. SPILL OR LEAK PROCEDURES: Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated, 3.PESTICIDE DISPOSAL: Securely wran original container in several layers of newspaper and discard in trash. 4. CONTAINER DISPOSAL: Do not reuse container (bottles, cans, jars). Rinse thoroughly before discarding in trash.

Packaged by: Phoenix Products Company Terryville, CT 06786 www.phoenixproductsco.com

