

DEC 16 1988

Betz Laboratories, Inc.
4636 Somerton Road
Trevose, PA 19047

Attention: Kevin C. Manning

Gentlemen:

Subject: EnChem 41-J12
EPA Registration No. 48525-4
Your Submission Dated February 4, 1988
EPA Received Date March 3, 1988

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- Submit five (5) copies of your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,

John H. Lee 
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosure

50348-J.L-Leavy-LL-9-FEDCO-11/22/88-1/5/89-EX-VO-CE
CONCURRENCES

SYMBOL								
SURNAME								
DATE								

ENCHEM 41-J1

MICROBIAL CONTROL AGENT

Active Ingredients:

Bis (trichloromethyl) sulfone.....17.0Z
Methylenbis (thiocyanate).....5.0Z
Inert Ingredients.....78.0Z
Total.....100.0Z

Inert ingredients include solubilizing and dispersing agents.

CONTENTS: LIQUID
POUNDS PER GALLON: 9.4 (70F)
EPA REG. NO.: 90525-1

EPA EST. NO.

DANGER KEEP OUT OF REACH OF CHILDREN. STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, wash immediately with plenty of soap and water. Contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for 15 minutes. Immediately contact physician.

In case of ingestion, immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact the National Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: METAL AND PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into applicable container. Dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

For the control of slime-forming bacteria, fungi, algae and sulfide producing bacteria in oil field water, polymer or micellar floods, water disposal systems or other oil field water systems.

This product may be added to the systems either continuously or intermittently as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the contamination.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD—INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 10 to 50 pounds (30 to 150 ppm) per 1000 barrels of water intermittently for 4 to 8 hours per day and from 1 to 4 times per week or as needed. Repeat until control is achieved. **SUBSEQUENT DOSE:** When microbial control is evident, add this product at the rate of 5 to 40 pounds (15 to 120 ppm) per 1000 barrels of water every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD—INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 10 to 50 pounds (30 to 150 ppm) per 1000 barrels of water in the system. Continue until control is achieved. **SUBSEQUENT DOSE:** Continuously feed this product to maintain dosage of 5 to 40 pounds (15 to 120 ppm) per 1000 barrels of water in the system.

BEST AVAILABLE COPY

Under
Fungic
amend
register

ENERGY CHEMICALS, INC.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER

HAZARDOUS IF SWALLOWED OR ABSORBED
THROUGH SKIN. CAUSES EYE BURNS AND SKIN
IRRITATIONS. DO NOT GET INTO EYES, ON SKIN
OR ON CLOTHING. DO NOT INHALE VAPOR OR
MIST. USE WITH ADEQUATE VENTILATION. WEAR
GLOVES, GOGGLES AND FACE SHIELD
WHEN HANDLING. IMMEDIATELY REMOVE AND WASH
CONTAMINATED CLOTHING BEFORE REUSE. WASH
THOROUGHLY AFTER HANDLING.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH AND AQUATIC LIFE.
DO NOT APPLY IN MARINE AND/OR ESTUARINE OR
FRESHWATER AREAS. DO NOT DISCHARGE EFFLUENT CONTAINING
THIS ACTIVE INGREDIENT INTO LAKES, STREAMS,
POND, ESTUARIES, OCEANS, OR PUBLIC WATERS UN-
LESS THIS PESTICIDE IS SPECIFICALLY IDENTI-
FIED AND ADDRESSED IN AN NPDES PERMIT. DO NOT
DISCHARGE EFFLUENT CONTAINING THIS PESTICIDE
TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFY-
ING THE SEWAGE TREATMENT PLANT AUTHORITY. FOR
GUIDANCE CONTACT YOUR STATE WATER BOARD OR
REGIONAL OFFICE OF THE EPA. APPLY THIS PES-
TICIDE ONLY AS SPECIFIED ON THIS LABEL.

BEST AVAILABLE COPY

NET WT. : LBS.

LOT NO.

FOR TECHNICAL USE. Technical advice regarding
specific site problems is available from SETZ.
1-800-555-5555

CARPINTERIA, CA 93011