ACCEPTED

with CONSTRUCT
Tower Treat B-100 Microberatio

BEST DOCUMENT AVAILABLE

り のにひり しょ	
Under the Pungish	۱۸,
	•
registered under Leaf me	ine. P

ACTIVE INGREDIENT: Poly(exyethylene (dimethyliminio) ethylene- (dimethyliminio) ethylene dichloride)	10.0	_%
INERT INGREDIENT		
This product contains 0.85 ib. of active ingredient per gallon 8.49 ib. per gallon.	and wei	ghe

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Tower Treat B-100 Microbiocide is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 6.13 to 15.32 fluid ounces of Tower Treat B-100 Microbiocide per 1000 gallons of water to provide a concentration of 48 to 120 parts per million of Tower Treat B-100 Microbiocide, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.53 to 15.32 fluid ounces of Tower Treat B=100 Mi crobiperide00 gallons of water (12 to 120 parts per million of Tower Treat B=100 Microbiociahould be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

Tower Treat B-100 Microbiocideused to control bacteria in industrial air-washing systems that maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 24.7 to 41.2 fluid ounces of Tower Treat "-100 Microbiocideper 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 16.9 to 41.2 fluid ounces of Tower Treat B-100 Microbiocide per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

STORAGE AND DISPOSAL

Direct contact nate water, food, or feed by storage or disposal

STORAGE to a not state more than four drums high it eating or damaged drums should be placed in overpack. It may find stop say Spilos should be absorbed in sawdust or sand and disposed of in a samitary landful. Keep container closed when real in use.

PESTICIDE DISPOSAL. Wastes resisting from the use of this product may be disposed of on site of at an ap or seed waste disposal facility.

CUNTAINER DISPOSAL

PLASTIC Triple raise for equivalents. There offer have a proportioned or puncture and dispotal of in a society finally lightly as we are the conditional authorities, by burning, if burned, stay out of provider.

METAL. Triple of an inequivacint. Their offer for recycling or reconditioning, or puncture and dispose of in a sanitary should be to be offer procedures, updroved by state and local authorities.

	Phoenix Laborator		ur ed by: ne.	
_	1-A Headley Place			 •
_	Fallsington, PA	19054		
EPA REG	i. NO		EPA EST. NO	
	NET CONTE	utc	•	

ST DOCUMENT AVAILABLE	. /	
		·
Registration is in no way to be construed as an indersement health and the environment, the Administrator, on his motic icide in accordance with the Act. The acceptance of any maket is not to be construed as giving the registrant a right to by others.	nt or approval of this product b on, may at any time suspend or ame in connection with the reg	y this Agency. In order to prote cancel the registration of a pe- istration of a product under thi
the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Re	egistration/Retevistration is te	turned herewith.
product always refer to the above U.S. EPA registration nur On the basis of information furnished by the registrant, the		eby Registered/Reregistered un
NOTE: Changes in labeling termula differing in substance submitted to and accepted by the Registration Division price	or to use of the label in comme	on with this registration must b
L	7	
	٦	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		
and Rodentierde Act, a exented;	. ,	
(Under the Federal Investigate I mercide.	NAME OF PESTICIDE PRODE	UC T
NOTICE OF PESTICIDE: (A set 2 set a 2 set		
(Under the Federal Investigate I may ale.		