

ACCEPTED
Pesticide Ingredients
National Pesticide Institute

JP 1127 1063

Pine-Sail 205 is a registered
brand name of the active ingredient
p-menthane-1,8-diol. It is a trade
registration of EPA Reg. No.

48640-5

**PINE-SAIL 205
DISINFECTING DEODORIZING CLEANER**

**KILLS HOUSEHOLD ODOR-CAUSING
GERMS
LEAVES FRESH, PEISTY AROMA OF PINE ALL THROUGH
THE HOUSE**

ACTIVE INGREDIENT:
Pine Oil13.0
INERT INGREDIENTS:87.0
Contains no phosphorous compounds

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS.

NET CONTENTS: 1 PINT (16 FL.OZS.)

ECRA CHEMICAL COMPANY 4802 BIRCHTREE LANE TEMPLE HILLS, MD 20748

EPA REG. NO. 48640-5

EPA EST. NO.

**PINE-SAIL 205
DISINFECTING DEODORIZING CLEANER**

Pine-Sail 205 has a fresh, feisty aroma of pine and is an effective disinfecting, deodorizing cleaner. It does the job on any washable hard surface where odor-causing germs flourish. Use it to refreshen the family laundry, deodorize diapers and retard the growth of unsightly, smelly mold and mildew. Without the need for hard rubbing or rinsing, it penetrates grime, grease, wax and films of dirt on floors, walls, tubs, toilets, shower stalls, kitchen sinks and other hard non-food contact surfaces throughout the household.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ROUTINE CLEANING, DISINFECTING AND DEODORIZING: To clean, disinfect and deodorize in one application, use 1/2 cup of Pine-Sail 205 per gallon of warm water. Apply to household surfaces with a cloth, sponge, mop or brush so as to thoroughly wet surface. Let stand for 10 minutes or until air dry. Use on walls, floors, countertops, cabinets, all chrome fixtures, tubs, sinks, shower stalls, hampers and diaper pails. **LAUNDRY:** For added cleaning power and deodorizing family laundry, use 1/2 cup Pine-Sail 205 with regular soap or detergent per laundry load. **DIAPERS:** As a deodorizer and pre-soak for diapers, rinse gross stools in toilet and soak in bucket containing 1/2 cup Pine-Sail 205 per gallon of water. **TOILET BOWLS:** To clean, disinfect and deodorizer, pour 1/2 cup Pine-Sail 205 in clear bowl water. Swab or brush entire inner bowl surfaces. Let stand for 10 minutes. Flush. **EXTRA TOUGH JOBS:** Use Pine-Sail 205 full strength for stains such as lipstick, scuff marks, tar, gum, oil and grease.

PRECAUTIONARY STATEMENTS-

Hazard to Human and Domestic Animals

WARNING: Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food

FIRST AID: In case of contact, flush eyes or skin with plenty of water. Call a physician if irritation persists. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk or water and call a physician.

STORAGE AND DISPOSAL- Store in a cool place.

Pesticide Disposal: Pour down sink or drain. Flush with water.

Container Disposal: Discard in regular trash collection.

Mr. James N. Woelkenberg
Glidden Coatings and Resins
Division SCM Corporation
900 Union Commerce Bldg.
Cleveland, OH 44115

JAN 24 1983

Dear Mr. Woelkenberg:

Subject: Antifouling Paint Label
Improvement Program
178-R-401 Red Vinyl Cote
No-Cop Anti-Fouling Coating
531-R-16-101
EPA Registration Number 200-57
178-S-404 Black Vinyl
Cote No-Cop Anti-Fouling
Coating 531-S-16-100
EPA Registration Number 200-59
178-R-401-S Red Vinyl-Cote
No-Cop Anti-Fouling Coating
DGL 3191
EPA Registration Number 200-61
178-W-401 White Vinyl-Cote
No-Cop Anti-Fouling Coating
531-W-16-100
EPA Registration Number 200-62
Your Submission Received on January 19, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Add to the Precautionary Statements Section the following:

While spraying and/or sanding boat surface, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.

b. Above the section "This material is toxic to fish" add the following heading:

Environmental Hazards.

c. **KEEP OUT OF REACH OF CHILDREN** must be in close proximity to the Signal Word **HAZARD** and separate from other label text. The preferred location is immediately above the Signal Word.

d. Delete "CAUTION" on the back panel.

e. Add to storage and disposal section the following:

PESTICIDE DISPOSAL

Pesticide, spray mixture, or residue that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL

Refer to the attached sheet.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 3(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Richard P. Mountfort *RP*
Product Manager (23)
Fungicide-Markicide Branch
Registration Division (TS-767)

Enclosure

TS-767:R. Mountfort:DCR-25201:WANG-0969A:ap:Raven:479-2013:1/20/83