

Reg # 48668-2
PM 17

**ppp FLEA-KILL POWER BOMB
TOTAL RELEASE ROOM FOGGER**

ACTIVE INGREDIENTS:

Resmethrin 15-(phenylmethyl-3-furanyl) methyl 2, 2 dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0.20% w/w
Allethrin (Allyl Homolog of Cinerin II)	0.60%
Piperonyl Butoxide, Technical	1.20%
Petroleum Distillate	8.63%
INERT INGREDIENTS:	89.37%
	100.00% w/w

* Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (±) trans.
 † U.S. Patent Nos. 3,465,007 and 3,542,928.
 ‡ Penick's 58P-1382® brand of resmethrin insecticide. Penick Corp.,
 1050 Wall Street West, Lyndhurst, N.J. 07071.
 § Equivalent to 0.96% (butylcarbitol) 15-propylpiperonyl ether and
 0.24% related compounds.

SHAKE WELL BEFORE USING

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: To the user: If you cannot read English, do not use this product until the label has been fully explained to you.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION Do not apply directly to food or feedstuffs. In the home all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover fish aquariums before spraying. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvent. Aspiration may be a hazard.
 If in eyes or on skin: Flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.



professional pet products

**Flea-Kill
Power Bomb
Total Release
Room Fogger**

To Kill Flea Adults and Flea Larvae, Ticks and Other Crawling and Flying Insects

SHAKE WELL BEFORE USING

One can treats an area up to 12,000 cubic feet. Use additional units where free flow of mist to infested areas is obstructed.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for Additional
Precautionary Statements and Statement
of Practical Treatment

EPA REG. NO. 48668-2 EPA EST. NO. 7056-TX-1

Distributed by:



Professional Pet Products, Inc.
Miami, Florida 33172
Net Weight: 12 oz.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

TO USE, hold can at arm's length, direct spray away from face, and depress tab until it clicks into locked position. Moving quickly, direct spray into areas which harbor insects such as under sinks, under and behind stoves and refrigerators, and other similar dark areas. Place can on level raised surface such as a stand or table with protective covering underneath to protect the surface. Exit immediately.

Prior to spraying, cover asphalt tile, waxed wood floors and waxed furniture which may come in contact with the fog. Newspapers can be used. Close outside doors and windows, and shut off fans and air conditioners.

TO KILL FLEAS (ADULTS AND LARVAE), TICKS (LONG STAR AND BROWN DOG), the flying insects listed below, ants, booklice, carpet beetles, centipedes, crickets, earwigs, silverfish, grasshoppers, millipedes, sowbugs (pillbugs), spiders and scorpions. **LEAVE AREA CLOSED FOR AT LEAST TWO HOURS.** To kill houseflies, fruit flies, mosquitoes, stable flies (don flies), gnats (midges), small flying moths, vinegar flies, wasps, hornets, bees, yellow jackets, leave area closed for 30 min. To kill cockroaches, as well as all of the above listed insects, leave the area closed for 4 hours. Upon return, ventilate the treated area for 30 min. **REPEAT TREATMENT IN TWO WEEKS, OR AS NECESSARY.**

FOR BEST RESULTS, open cabinet doors and drawers so that the fog may contact all areas where insects can hide and breed. If flea or tick infestation is suspected, destroy pet's bedding and treat pets with a product registered for animal application.

CONTAINER DISPOSAL Do not reuse empty container. Wrap container and place in trash collection.

FOR USE IN HOMES, DOG KENNELS AND HORSE STABLES. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD. ALSO FOR USE IN HOTELS, MOTELS, SEEDHOUSES, COMMERCIAL INDUSTRIAL OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK STORAGE ROOMS, MILK HANDLING AREAS OF MILK PLANTS, LCG PROCESSING PLANTS; ALSO IN BOATS, SHIP CABINS, CAMPERS, MOBILE HOMES, BUSES, AUTOMOBILES, TRUCKS AND BOXCARS.

WARRANTY STATEMENT Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Product No. 0170

ACCEPTED REV D883

SEP 9 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the purpose of registered under EPA Reg. No. 48668-2