

APR 22 1991

Mr. John Plant
Professional Pet Products, Inc.
1873 NW. 97th Avenue
Miami, FL 33172

Dear Mr. Plant:

Subject: Revised Label
PPP Flea & Tick Home & Kennel Power Spray
EPA Registration No. 48668-3
Your Submission Dated April 8
Your Label Submitted March 11, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

We will consider revisions to the text concerning flammability if future testing supports change.

Sincerely yours,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

62488:I:A-4:Mountfort:L10-10:KEVRIC:04/17/91:05/16/91:DD:WO:EK:DD

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

282

BEST AVAILABLE COPY

RECEIVED
with COMMENTS
APR 22 1991

**Flea & Tick
Home & Kennel
Power Spray**

To Kill Fleas, Ticks and Roaches

SHAKE WELL BEFORE USING

KEEP OUT OF REACH OF
CHILDREN
CAUTION

PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
CAUTION

Avoid contact with eyes, skin or clothing.
Harmful if swallowed, inhaled or absorbed
through the skin. Avoid breathing spray
mist. Cover or remove exposed foods.
Avoid contamination of cooking utensils
and food preparation surfaces. Cover fish
aquariums before spraying.
Do not use on edible crops.
FIRST AID: In case of contact, immediately
flush eyes and skin with plenty of water.
Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS:
Extremely Flammable. Contents under
pressure. Do not use near heat or open
flame. Exposure to temperature above
130°F. may cause bursting.



0 42955 00185 5

EPA EST. 7056-TX-1 EPA REG. NO. 48668-3

Manufactured for:
professional pet products,
Inc. Miami, Florida 33172



professional pet products

PPP

**Flea & Tick
Home & Kennel
Power Spray**

To Kill Fleas, Ticks
and Roaches

Active Ingredients:

*Resmethrin	0.200% w/w
d-trans Allethrin	0.150%
Inert Ingredients	99.650%
<hr/>	
*Cis/trans isomers ratio: max 30% (±) cis and min. 70% (±) trans.	100.00% w/w

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE OTHER PRECAUTIONS ON BACK PANEL

SHAKE WELL BEFORE USING
NET WEIGHT: 11.5 oz.

DIREC
It is a...
product
label...
Food...
cover...
surface
or thro...
using...
when...

STG
Keep in
CON
Replac
not inc

SHAK
Remov
away fr
INDOO
and ins

TO KI
ROAC
After r
thorou
reduc
animal
the su
at the
distan
inside
NECES
crevic
direct

WAR
Our re
are ba
The us
contro
expre
of suc
used
estab
assum
dama
comb

Prod