FERRETS PPP Flea & Tick Spray For Dogs, Cats, and In Animal Quarters	PPP CATE AND Fell	PET SHEAD ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGSAND CATO DO NOT USE ON DOGS OF CATS UNDER 12 WEEKS. Consult a velerinarian before using-this product on debilitated, aged,
Active ingredient: *Resmethrin 0.350%w/w inert ingredients: 99.650%w/w 100.000%w/w * CisArans isomers ratio: max, 30% (±) cis and min. 70% (±) trans.	Professional Pet CATS OF FA	Linedicated, pregnant or fursing animals DIRECTIONS FOR USE: It is a violation of Federal (as to use fus product in a manner inconsistent with its labeling TO KILL FLEAS & TICKS ON DOCS AND CATSPAppiy directly along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while
KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION: Causes eye Irritation. Do not get in eyes. Avoid prolonged contact with skin, Harmful II swallowed. Wash hands thorougbly after using. Avoid breathing vapor. Do not spray on humans. Do not spray where food or drink is exposed or being consumed. Remove birds and cover or remove lish bowls. Do not use, spray,	Flea & Tick	spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes or mouth of animal. Do not reapply product for three days. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas. Treat those areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. REPEAT AS NECESSARY. STORAGE & DISPOSAL: Store at temperature above 32° F. Do not
consumed. Remove birds and cover or remove lish bowls. Do not use, spray, split or store near heat or open flame. ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not contaminate water when disposing of equipment washwater. FIRST AID: IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Get medical attention. IF ON SKIN: Wash off with scap and water. Get medical attention if irritation persists. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild scap and rinse with large amounts of water. I signs continue, consult a veterinarian immediately.	WITH RESMETHRIN TO KILL FLEAS & TICKS ON DOGS AND CATS KEEP OUT OF REACH OF CHILDREN	reuse empty container, Wrap container and put in trash collection. WARRANTY STATEMENT: Our recommen- dations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its
Manufactured for Professional Pet Products, Inc. 1873 N.W. 97 Ave., Miami, FL 33172 • (305) 592-1992 EPA Reg. No. 48668-5 • EPA Est. No. 62478-FL-01(A), 36451-FL-01(B), 67572-GA-01(C), 50591-GA-01(D) Letter In Lot # Indicates establishment	<b>CAUTION</b> (See side panel for additional precautionary statement.) Net Contents: 16 fl. oz. (473 ml.)	misuse as such or in combination with other materials. Product No. A-140 Rev. 5/97
	CATS AND FERRETS	ACCEPTED MAY 21 1998 Under the Federal Insectiate, Functions, and Hadenticide Act, as amended, for the pesticide registered under NPA Reg. No. 4966 9-5
		NPA Rog. Bo. 49/

ACCEPTED MAY 21 1998

Under the Federal Insectioide. Fundicide, and Redenticide Act, as amended, for the positionde registered under BPA Rog. No. 48668-3

## **PPP Flea & Tick Spray**

For Dogs, Cats, and in Animal Quarters

### Active Ingredient:

★Resmethrin	. 0.350%w/w
Inert Ingredients:	99.650%w/w
	100.000%w/w
* Cis/trans isomers ratio: max. 30% (±) cis and min. 70%	6 (±) trans.

## **KEEP OUT OF REACH OF CHILDREN** CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION: Causes eye irritation. Do not get in eyes, Avoid prolonged contact with skin. Harmful if swallowed. Wash hands thoroughly after using. Avoid breathing vapor. Do not spray on humans. Do not spray where food or drink is exposed or being consumed. Remove birds and cover or remove fish bowls. Do not use, spray, spill or store near heat or open flame.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not contaminate water when disposing of equipment washwater.

FIRST AID: IF SWALLOWED: Do not Induce vomiting because of aspiration hazard. Get medical attention. IF ON SKIN: Wash off with soap and water. Get medical attention if irritation persists. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

### Manufactured for Professional Pet Products, Inc. 1873 N.W. 97 Ave., Miami, FL 33172 • (305) 592-1992

EPA Reg. No. 48668-5 • EPA Est. No. 62478-FL-01(A), 36451-FL-01(B), 67572-GA-01(C), 50591-GA-01(D) Letter in Lot # indicates establishment



# WITH RESMETHRIN TO KILL FLEAS & TICKS ON DOGS AND CATS

**KEEP OUT OF REACH OF CHILDREN** CAUTION

(See side pane) for additional precautionary statement.)

Net Contents: 16 fl. oz. (473 mL.)

**READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND** CATS, DO NOT USE ON DOGS OR CATS UNDER 12 WEEKS, Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO KILL FLEAS & TICKS ON DOGS AND CATS: Apply directly along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray In eyes or mouth of animal. Do not reapply product for three days,

To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas. Treat those areas at the rate of two seconds per linear foot while spraving at a distance of 12 to 18 inches. Also sprav entire inside surface of dog houses. REPEAT AS NECESSARY.

STORAGE & DISPOSAL: Store at temperature above 32° F. Do not reuse empty container. Wrap container and put in trash collection.

WARRANTY STATEMENT: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice, The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such or in combination with other materials.

ໃນ

48668

Product No. A-140

Rev. 5/97 .... +