

48766-1

# AR CCA TYPE C 50%

## CHROMATED COPPER ARSENATE FOR INDUSTRIAL USE ONLY

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

#### DANGER

- Corrosive. Causes irreversible eye damage, skin or mucous membrane irritation.
- Harmful or fatal if swallowed. Do not swallow liquid or inhale dust.
- Handle in well ventilated area. Open drum with care to vent any pressure.
- Do not get in eyes, on skin or on clothing.
- Wear goggles or face shield and rubber gloves.
- Wash thoroughly with soap and water after handling.

#### Environmental Hazards

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of wastes.

#### DIRECTIONS FOR USE

(It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.)

#### STORAGE AND DISPOSAL

**PROHIBITIONS.** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**SPILLS.** Cover liquid with enough lime to neutralize acid and form alkaline paste. Shovel into steel or polyethylene container for disposal. Do not flush into sewer or stream.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act.

**METAL DRUM DISPOSAL:** The empty container must be triple rinsed for equivalent and offered for recycling or reconditioning, or disposed of in a sanitary landfill, or by other approved State and local procedures.

<b>ACTIVE INGREDIENTS:</b>	
Chromic Acid ( $\text{CrO}_3$ )	23.60%
Copper Oxide ( $\text{CuO}$ )	9.40
Arsenic Pentoxide ( $\text{As}_2\text{O}_5$ )	17.00
<b>INERT INGREDIENTS:</b>	
	50.00
<b>TOTAL</b>	<b>100.00%</b>

Total Arsenic, all in water-soluble form expressed as metallic . . . . . 11.04

KEEP OUT OF REACH OF CHILDREN

**DANGER**  **POISON**

STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call physician at once. Dilute stomach contents by giving patient 2-4 glasses of milk or water, induce vomiting by finger in throat. Repeat until vomit is clear. Give 4 oz. of milk of magnesia followed by whites of 2 eggs beaten in a glass of water, or glass of milk. Keep patient calm and warm to avoid shock. (Never give anything by mouth to an unconscious person.)

**IF IN EYES OR ON SKIN:** Causes irreversible eye damage. Flush eyes or skin for 15 minutes with plenty of water, preferably warm. For eyes, be sure to wash under eyelids, call physician. After flushing, wash skin with soap thoroughly. Remove contaminated clothing at once. (Wash before reusing, discard contaminated shoes.) For severe or persistent skin irritation, consult physician promptly.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANUFACTURED BY:

THE APPLIED RESEARCH GROUP, INC.  
P. O. Box 5471  
Charlotte, NC 28225  
Telephone: (704) 333-9408

E.P.A. Establishment Number \_\_\_\_\_ Net Contents \_\_\_\_\_ lbs.  
E.P.A. Registration Number \_\_\_\_\_ \_\_\_\_\_ gals.



#### DIRECTIONS

THE APPLIED RESEARCH GROUP, INC. CHROMATED COPPER ARSENATE CONCENTRATE is for use after dilution, only in pressure vessel-equipped wood treating plants, for the preservation of wood. Dilute this 50% solution to concentrations prescribed in American Wood Preservers Association standards to achieve penetration and retention levels desired. Pressure treatment of wood with this product provides protection against termites, ascomycetes, white rot, brown rot and dry rot.

#### WARRANTY

The Applied Research Group, Inc. warrants this material to be of merchantable quality and such as will regularly pass in the trade for goods within the description and further warrants it to be fit for the normal purposes for which such goods are used. The Applied Research Group, Inc. assumes no responsibility for any personal injury, property damage or any other type of loss resulting from improper handling, storage or use of this material.

