



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP 21 1993

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mark R. Buettner
BRANDT CONSOLIDATED INC.
Box 277
Pleasant Plains, IL 62677

SUBJECT: Label Amendment Submission of 05/10/93 in Compliance
with PR Notice 93-7
EPA Reg. No. 48813-1
OIL-I-CIDE SPRAY OIL EMULSION-MITICIDE LIQUID

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (H-7504C)
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460-0001

BEST AVAILABLE COPY



Recycled/Recyclable
Printed on paper that contains
at least 75% recycled fiber


Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL)
Room 266A Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text" must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,



James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (H7505W)

BEST AVAILABLE COPY

399

BRANDT CONSOLIDATED INC
QIL-I-CIDE SPRAY OIL EMULSION
48813-1 05/10/93

Delete the following statement from the label: "Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions on an EPA chemical resistance category selection chart".

The lead-in statement to your PPE section is not in conformance with the WPS guidelines.

The Agricultural Use Requirements section must either be placed in a box or printed on the label in a contrasting color from the surrounding text.

BEST AVAILABLE COPY

499

**CLAW-EL DIVISION OF
BRANDT CONSOLIDATED**

SAF-T-OIL

**Spray Oil Emulsion
Insecticide**

Active Ingredients:

Petroleum Oil.....	80.0%
Inert Ingredients.....	20.0%
Total	100.0%

Petroleum Oil Minimum Unsulfonated Residue not less than 92%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Statement of Practical Treatment

- If swallowed: Do not induce vomiting.
- If on skin: Wash with soap and water.
- If in eyes: Flush with plenty of running water.
If irritation persists see a physician.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 48813-1
EPA Est. No. 48813-IL-1

Net Contents:

**Manufactured by:
Clawel Division of
Brandt Consolidated
Pleasant Plains, Illinois
(217) 626 1031**

ACCEPTED
with COMMENTS
In EPA Letter Dated

SEP 21 1993
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
48813-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION:

Harmful if swallowed. Avoid breathing of spray mists or vapors. Avoid contamination of food or foodstuffs.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on the EPA chemical resistance category selection chart.

Handlers who may be exposed to the diluce through application or other tasks must wear long-sleeved shirt and long pants, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

BEST AVAILABLE COPY

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls, waterproof gloves, shoes plus socks.

STORAGE AND DISPOSAL

STORAGE: Keep container well sealed. Protect from excessive heat.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE DIRECTIONS

MIXING DIRECTIONS - Add sufficient water to the mixing tank to allow proper agitation. Add the correct amount of Saf-T-Oil to the tank. Maintain agitation until solution is used. If other pesticides are to be added, do so after Saf-T-Oil has been thoroughly mixed.

COMPATIBILITY - Saf-T-Oil is compatible with most commonly used insecticides and fungicides. Do not use in combination with or immediately before or after spraying with dinitro compounds, fungicides such as Captan, Folpet, Dyrene, Karathane, Morestan or any other product containing sulfur. Also do not use with Sevin or dimethoate.

TIMING THE TREATMENT - You must determine the precise timing to fit local growth and climatic conditions.

PRECAUTIONS - Keep container tightly closed in storage. All horticultural oils interfere with or slow plant transpiration and respiration during periods of evaporation. Do not apply during periods of drought or when plants exhibit moisture stress.

ORNAMENTAL PLANTS - Oil might remove the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use with caution and reduced dosage for summer application on Japanese Red Maple, Amur Maple and Black Walnut. Use with caution and reduced dosage for dormant application on Sugar Maple and Redbud.

CITRUS - Oils applied after October may increase cold damage to trees, applied in August and September may affect solids content, retard color.

CONTROLS - A wide range of mite and insect pests in the egg stage such as: spider and eridphyd mites, armored and soft scales, mealy bugs, psyllids, whiteflies, aphids, leafrollers, leaf tiers, webworms, cankerworms, plant bugs, leafhoppers, and adelgids. Will kill other immature forms if spray covers the insect.

CONDITIONS OF SALE

Seller's guarantee shall be limited to contents and merchantability of the product and the terms of the label and subject thereto. The buyer assumes any risks to persons or property arising out of use or handling. Because the time, place, rate of applications and other conditions of use are beyond seller's control, seller's liability from storage, handling and use of this product is limited to replacement of product or refund of purchase price.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP	INSECT CONTROL AID	APPLICATION RATE GALLONS PER 100 GALLONS OF WATER	TIME OF APPLICATION (STAGE OF DEVELOPMENT)
APPLES	Apple Red Bug	2.5	Dormant
	European Fruit Lecanium Scale	2.5	Dormant
	Fruit Tree Leaf Poller	3.5	Dormant
	European Red Mite	2.5	Green Tip to Delayed Dormant
	San Jose Scale	2.5	Delayed Dormant
	Scurfy Scale	3.5	Delayed Dormant
		2.0	Summer
CHERRY	Fruit Tree Leaf Roller		
	Mites		
	Scale	3.5	Dormant
		2.0	Summer
GRAPES	Leaf Miners, Mites		
	Scale, Whiteflies	3.0	Dormant
		2.0	Summer
NECTARINES	Fruit Tree Leaf Roller		
	Mites, Scale	3.0	Dormant
		2.5	Green Tip
ORNAMENTALS	Plant Bugs	3.0	Dormant
		2.0	Summer
PEARS	Fruit Tree Leaf Roller		
	Pear Leaf Blister Mite, Pear Psylla	3.5	Dormant
		2.5	Late Dormant
PEACHES	Cottony Peach Scale	3.5	Dormant
PECANS	Obscure Scale	3.5	Dormant
POTATOES	Whiteflies, Mites		
	Leaf Miners	2 gal/acre	As Needed
SHADE TREES	Spider Mites, Scales		
	Certain Caterpillars	3.5	Dormant
		2.5	Summer
SHRUBS	Same As Trees	3.5	Dormant
		2.5	Summer
SWEET CORN	Earworms, Fall Army		Summer
FIELD CORN	Worms, Corn Root Worms	2.5	Spring-Early
SUGAR BEETS	Mites, Leaf Miner	2 gal/acre	As Needed
TOMATOES, PEPPERS, SQUASH, MELONS, CUCUMBERS, PUMPKINS, EGGPLANT, BEANS	Whiteflies, Mites Leaf Miners, Aphids, Certain Spiders	2 gal/acre	As Needed

CROP	INSECT CONTROL AID	APPLICATION RATE GALLONS PER 100 GALLONS OF WATER	TIME OF APPLICATION (STAGE OF DEVELOPMENT)
LETTUCE, CABBAGE, CELERY, CAULIFLOWER	Whiteflies, Mites Leaf Miners, Aphids	2 gal/acre	As Needed
IRIS, MUMS, LILY, RHODODENDRON, CARNATION, FUSCHIA	Whiteflies, Scale, Mites, Mealy Bugs, Aphids	2.5	As Needed
GLADIOLA, AZALEA, CAMELLIA	Whiteflies, Mites, Mealy Bugs, Aphids	2.5	As Needed
ROSE	Scale, Mites Leaf Miners, Aphids	2.5	As Needed
POINSETTIA	Mites, Mealy Bugs Leaf Miners, Aphids	2.5	As Needed
TOBACCO	Mites, Leaf Miners Whiteflies	2 gal/acre	As Needed
CITRUS	Scales, Glover, Chaff, Purple, Red, Yellow, Snow, Brown, Soft Scale, California Red Scale, Whiteflies, Greasy Spot, Sooty Mold	1.0 1.0	Post-bloom March-April Summer June-July 15