



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Antimicrobials Division (7510P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

48937-2

Date of Issuance:

7/19/22

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

ZTRES Protect 075

Name and Address of Registrant (include ZIP Code):

Tim Dixon  
 Piedmont Chemical Industries I, LLC  
 Electronic Transmittal: [tdixon@piedmontchemical.com]

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(B). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kathryn V. Montague  
 Senior Regulatory Advisor  
 Antimicrobials Division, 7510M  
 US EPA

Date:

7/19/22

2. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:

- a. 3-(Trihydroxysilyl)propyldimethyloctadecyl ammonium chloride GDCI-107403-1627

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, “EPA Reg. No. 48937-2.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Assurance.


If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/18/2021

If you have any questions, please contact Karen M. Leavy by phone at (202)-566-0668, or via email at [Leavy.Karen@epa.gov](mailto:Leavy.Karen@epa.gov).

Enclosure

Piedmont Chemical Industries I, LLC  
331 Burton Avenue  
High Point, NC 27262  
336-885-5131



# Ztrex Protect 075

MICROBIOSTATIC AGENT\*

**ACTIVE INGREDIENT:**

3-(Trihydroxysilyl)propyldimethyloctadecyl ammonium chloride ..... 0.75%

**OTHER INGREDIENTS:** ..... 99.25%

**TOTAL:** ..... 100.00%

## KEEP OUT OF REACH OF CHILDREN CAUTION

<b>FIRST AID</b>	
If in eyes:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<p><b>GENERAL INFORMATION:</b> Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For non-emergency information or general information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378, 8:00AM to 12:00PM Pacific Time, Mon-Fri (NPIC Web site: <a href="http://www.npic.orst.edu">www.npic.orst.edu</a>). <b>For medical emergencies</b>, call the Poison Control Center at 1-800-222-1222 or CHEMTREC at 1-800- 424-9300.</p>	

EPA Reg. No. 48937-E

EPA Est. No. 48937-NC-001

Net Contents: 5 gallon/55 gallon/275 gallon

{Batch} {Lot} No {Manufacturing Date}:  
{Made in the USA}

\* A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease causing bacteria.

**Note to Reviewer:** Text in { } is optional. Text separated by " / " indicates optional language of which at least one will appear on label. Text in ( ) will appear on the label. "This product" can be substituted with actual product name in the marketing and directions for use.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear such as safety glasses or goggles. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish in its liquid form. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. De-activation may be required during clean up if a spill occurs. De-activation of this product can be achieved by the addition of an anionic surfactant (such as soaps, sulfonates, sulfates) in quantities equivalent to the percentage of active ingredient (s) in this product.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### APPROVED COMMERCIAL AND INDUSTRIAL APPLICATIONS

Dry treated areas and articles such as clothing before use. Remove children and pests from treated area until completely dry. Clean surfaces prior to application.

Apply **Ztrex Protect 075** by brushing, dipping, soaking, or spraying techniques. Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply **Ztrex Protect 075** every three months (90 days) or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. One application inhibits odors, and fights odors caused by bacteria, staining and discoloration up to 90 days and provides an invisible barrier to inhibit growth of mold and mildew for up to 3 months.

**Ztrex Protect 075** when used as a concrete additive is added directly during concrete preparation. Use 40 fluid ounces per cubic feet of concrete. Addition of **Ztrex Protect 075** reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

**For Pump Spray Application:** Using pump sprayer, spray entire area 4"- 6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand for 3 minutes and wipe with dry cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying small, concealed area prior to application. **Ztrex Protect 075** treats approximately 200 square feet per gallon. When treating coarser substrates, more **Ztrex Protect 075** may be required due to absorption. A fan may be used to assist in drying carpeting.

**For Commercial Spray Application:** For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, pressure sprayer) apply and then let stand until dry or let stand for 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. **Ztrex Protect 075** treats approximately 200 square feet per gallon. When treating coarser substrates, more **Ztrex Protect 075** may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpeting.

**For Dipping/Soaking Application:** Use an appropriate size wash-basin or tub for dipping/soaking the item you are treating. Use enough **Ztrex Protect 075** to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperatures at temperatures to a maximum of 160° C (320° F), for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply **Ztrex Protect 075** every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. One application inhibits odors, and fights bacteria, which cause odor, staining and discoloration up to 90 days and provides an invisible barrier to inhibit growth of mold and mildew for up to 3 months.

Note: Any claims for paint use must be for the preservative of the paint in the can. **Ztrex Protect 075** is to be used as an in-can preservative for paints to control the growth of odor causing bacteria, bacteria which causes staining and discoloration, fungi (mold and mildew) and algae.

The active ingredient in **Ztrex Protect 075** is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent.

## Use Sites

**Ztrex Protect 075** can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity:

- Air filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems
- Air filters/materials
- Aquarium filter material
- Athletic facilities, lockers, locker rooms, benches, gym equipment, countertops of non-food contact surfaces, yoga mats, wrestling mats, exercise balls, synthetic grass
- Bed sheets, blankets, and bedspreads  
Beds, bed railings and bed frames
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cages, made of cement or concrete, metal bars
- Cellulose sponges used for no food contact surfaces
- Chairs and furniture made of composite materials, wood or metals
- Changing counters of non-food contact surfaces, and rooms, doorknobs, floors, laminate flooring
- Apply **Ztrex Protect 075** to cell phone glass and casing, remote call devices, TV remote control devices, stationary phones and handles, let dry and wipe clean any residue.
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewer structures; not to be used in treatment of storm drains
- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Film of PVA poly vinyl alcohol, polyvinyl acetate, polypropylene, PVC (poly vinyl chloride), used for packaging nonfood products
- Garbage cans, trash cans
- Glass
- Humidifier belts
- Interior and exterior of transportation vehicles; automobiles [cars], taxis, buses, trains, boats, ships, EMS vehicles and the cushions, seat covers, carpets contained therein.

- Institutional and Industrial delivery carts, made of synthetic substrates or textiles, laundry linen carts, scales, stools, wheel chair seats-backs and arm rests, gurneys and gurney covers of synthetic materials
- Lamp stands, light fixtures, light switches and plates,
- Mattress pads and ticking, mattress pads of vinyl, PVC, PVA, poly vinyl acetate or other synthetic materials
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- **Ztrex Protect 075** can be used in paints and coatings as an in can preservative for protection of paint film and coating film. Types of paints and coatings include: latex indoor/outdoor paints and stains, wood-stains, architectural paints, lacquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline, amino resins, textile coatings, extrusion coatings, architectural coatings and overlays, anti-corrosion coatings, fire resistant coatings, aliphatic coatings, vinyl-ester and polyester coatings, gel coatings, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof
- Polyurethane and cellulose foam for household, industrial, and institutional sponges for non-food contact surfaces and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties) used for non- food contact surfaces
- Refrigerators-exterior
- Roofing materials - defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Room tables for non-food contact surfaces, made of wood, composite materials and metals, cabinets made of wood, composite materials, metals, cages
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual shoes
- Shoe insoles
- Shower curtains, privacy curtains, of cotton, cotton blends of polyester, nylon or viscose, polypropylene and other synthetic fibers
- Shower stalls, walls, floors, ceilings
- Shopping cart handles, industrial push carts
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene/nylon/Lycra, and wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers used for non-food contact surfaces
- Toilet tank and seat covers, bathroom faucets and sinks
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops for non-food contact surfaces; the wiping cloths do not impart pesticide properties
- Women's hosiery

**Use Locations: Non-food contact**

Airplanes	Ambulances	Animal Clinics	Animal Laboratories
Athletic Facilities	Barber Shops	Bathrooms, Shower and Bath Areas	Boats
Buses	Camp Grounds	Campers	Cannabis Farms and Grow Houses
Cars	Churches	Clinics	Correctional Facilities
Colleges and Universities	Convenience Stores	Dairy Farms	Day Care Centers
Dental Offices	Emergency Vehicles	Exercise Facilities	Factories Farms
Farms	Fitness Centers	Healthcare Facilities	Hog Farms
Homes	Hospitals	Hotels	Institutions
International Space Station	Kennels	Locker Rooms	Medical Offices
Mobile Homes	Motels	Mushroom Farms	Nurseries
Nursing Homes	Office Buildings	Pet Animal Quarters	Pet Shops
Playground Areas	Poultry Farms and Grow Houses	Prisons	Public Facilities
Public Rest Rooms	Rental Cars and Vehicles	Restaurants Salons	Salons
Schools	Ships	Space Vehicles	Submarines
Subway Cars and Facilities	Tattoo Parlors	Taxis/Cabs	Transportation Terminals
Turkey Farms	Yoga Facilities	Zoos	

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR RESIDENTIAL APPLICATIONS**

Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

**Residential uses**

**Ztrex Protect 075** is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. **Ztrex Protect 075** can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

<b>USES: Non-Food Contact</b>	<b>PEST CONTROLLED</b>	<b>APPLICATION METHOD</b>
<p>Bedsheets, blankets, bedspreads, underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel, jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). <b>Ztrex Protect 075</b> can be applied to fabrics made of</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p><b>DIP/SOAK:</b> Use appropriately sized wash basin or tub for dipping/soaking the item are treating. Use enough Ztrex Protect 075 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Drying may be attained by dripping dry or wringing excess liquid from treated item. For larger items (e.g., bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-</p>

**Note to Reviewer:** Text in { } is optional. Text separated by " / " indicates optional language of which at least one will appear on label. Text in ( ) will appear on the label. "This product" can be substituted with actual product name in the marketing and directions for use.

<p>acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, and wool</p>		<p>dried at room temperature or at temperatures to a maximum of 160 °C (320 °F); (for example in a clothes dryer). If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p><b>SPRAY:</b> Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small, concealed area prior to application. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
<p>Air filters and air filter material for: Furnaces, air conditioners; Air purification systems; Automobiles; Re-circulating air handling systems; Vacuum cleaner filters; Aquariums</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae</p>	<p><b>SPRAY:</b> When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
<p>Carpeting</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew),</p>	<p><b>SPRAY:</b> Apply to clean carpet surface. Using a trigger pump sprayer or pressures sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the <b>Ztrex Protect 075</b> solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small, concealed area prior to application. <b>Ztrex Protect 075</b> treats approximately 200 square feet per gallon. When treating coarser substrates (e.g., wool carpeting), more <b>Ztrex Protect 075</b> may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
<p>Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery,</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p><b>SPRAY:</b> Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small, concealed area prior to application. When applying to mattress pads and</p>



<p>sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon or wool</p>		<p>ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains and mildew stains return.</p>
<p>Tents, tarpaulins, sails, ropes</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae</p>	<p><b>SPRAY:</b> Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small, concealed area prior to application. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p> <p><b>DIP/SOAK:</b> Use appropriately sized wash basin or tub for dipping/soaking the item you are treating. Use enough <b>Ztrex Protect 075</b> solution to completely submerge item. Keep item in solution for three minutes. Remove item and wring excess liquid. Test staining and color-fastness of fabric by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F); (for example in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
<p>Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Exterior walls (such as stone, concrete, brick)</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration fungi (mold and mildew), and algae</p>	<p><b>SPRAY:</b> Make sure the roof or wall is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface making sure the surface is completely covered. After applying the solution of <b>Ztrex Protect 075</b>, let stand until dry. <b>Ztrex Protect 075</b> treats approximately 200 square feet of roofing or wall per gallon. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
<p>Buffer pads (polishing and abrasive), Polyurethane and cellulose foam for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration fungi (mold and mildew)</p>	<p><b>SPRAY:</b> Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4" – 6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
<p>Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks,</p>	<p>Odor causing bacteria, bacteria which cause staining</p>	<p><b>SPRAY:</b> Using a trigger pump sprayer, spray the entire surface area 4" – 6" from the surface making sure the surface is completely covered. Let stand</p>

**Note to Reviewer:** Text in { } is optional. Text separated by " / " indicates optional language of which at least one will appear on label. Text in ( ) will appear on the label. "This product" can be substituted with actual product name in the marketing and directions for use.

washable walls, wall paper, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed porcelain, synthetic marble, plastic, vinyl	and discoloration fungi (mold and mildew)	until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply <b>Ztrex Protect 075</b> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
---	---	---

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage:** Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food, pet food, feed, seed, fertilizers, and veterinary supplies.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**[For homeowner use the statement will read: Pesticide disposal:** Wastes resulting from the use of this product may be disposed of on-site]

**Container Disposal (up to 5 gals.):** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Container Disposal (5 gals. and larger):** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**[For homeowner use statement will read: Container Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.]

For more information concerning the product safety, storage, and disposal please consult the **Ztrex Protect 075** SDS (Safety Data Sheet)

## WARRANTY AND DISCLAIMER INFORMATION

To the extent consistent with applicable law, Piedmont Chemical Industries I, LLC warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this label when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

## OPTIONAL MARKETING STATEMENTS

Mold, mildew, odor protector and inhibitor **Ztrex Protect 075** is an antimicrobial agent effective against odor causing bacteria.

**Ztrex Protect 075** is an antimicrobial agent effective against bacteria, which cause staining and discoloration.

**Ztrex Protect 075** is an antimicrobial agent effective against fungi (mold and mildew).

**Ztrex Protect 075** is an antimicrobial agent effective against algae.

**Ztrex Protect 075**, is an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.]

**Ztrex Protect 075** is bacteriostatic, fungistatic (mold and mildew), algaestatic.

**Ztrex Protect 075**, an antimicrobial agent, inhibits the growth of odor causing bacteria.

**Ztrex Protect 075** may be used on [screens] [touchscreen devices] [electronic devices][lenses].

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica<sup>®</sup>, stainless steel, synthetic marble.

Imparts microbiostatic properties

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria that cause staining and discoloration, and fungi (mold and mildew).

Unscented

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria that cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria that cause staining and discoloration, fungi (mold and mildew), and algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria that cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria that cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.