

Reg# 48941-8
PM 17 1 1/2

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not spray on turf or plants. This product is toxic to fish. Do not apply directly to water.

PHYSICAL AND CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** For containers one gallon and under. Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: For containers over one gallon. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For containers one gallon and under. Do not reuse empty container. Wrap container and put in trash.

For containers over one gallon. Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local Authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration if allowed by State and Local Authorities. If burning if burned, stay out of smoke.

For use indoors and outside premises of office, commercial, industrial, storage, and residential buildings, hotels, motels, homes, seed houses, packaging and processing plants, restaurants and supermarkets.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or if thoroughly cleaned before using. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled thoroughly with an effective cleaning compound and rinse with potable water. When using this product in these areas, apply only when facility is not in operation.

SL-673

DUAL SPRAY INSECTICIDE

ACTIVE INGREDIENTS:

* β -Resmethrin [(5-(phenylmethyl)-3-furyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate) 0.250%w/w
99.750%

** INERT INGREDIENTS 100.000%w/w

* Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans

** Contains Petroleum Distillate

U.S. Patent Nos. 3,465,607 and 3,542,928

#Penick's SBP-1392™ brand of resmethrin insecticide. Penick Corp.
1050 Wall Street West, Lyndhurst, NJ 07071

KEEP OUT OF REACH OF CHILDREN CAUTION

(See additional precautions on side panel)
STATEMENT OF PRACTICAL TREATMENT

In eyes — In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

On skin — Wash with soap and water immediately. Get medical attention if irritation persists.

If swallowed — Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician, since aspiration of this product is a potential hazard.

Contains Petroleum Distillate

Authorized for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.
EPA Reg. No. 48941-8 EPA Est. No. 48941-TX-01

MANUFACTURED BY
SUNBELT LABORATORIES
P O Box 31818
Houston, Texas 77231

NET CONTENTS _____ GALLONS

DIRECTIONS FOR USE (Continued)
Indoors to kill houseflies, mosquitoes, gnats, flying moths, fruitflies: Apply as a space spray. Close room or area to be treated. Shut off air conditioner and ventilation system. Seal all openings. Remove fish and pets. Apply undiluted as a fine mist spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least 5 feet from objects. Direct the fine spray mist toward the upper corners of the room at a rate of 5 fluid ounces per 5000 cu. ft. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

Indoors and outdoors to kill cockroaches, crickets, earwigs, sawbugs, silverfish, fleas, centipedes, millipedes: Apply as a contact spray. As a contact spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and under furniture. Spray these infested areas until thoroughly wet. Repeat as necessary.

Indoors and outdoors to kill wasps, hornets, yellow jackets: Application should be made in late evening when insects are at rest. Spray directly into hiding and breeding places, aiming spray at nest openings to stimulate. Contact as many insects as possible. Repeat as necessary.

Thermal Applications: This formulation is to be used only in only such portable thermal applicator equipment that can deliver spray particles within the aerosol size range.

Thermal Applications Indoors: For the control of house flies, mosquitoes and gnats in warehouses, restaurants and industrial institutions. Remove or cover exposed food and food handling surfaces. Remove or abate plant life. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated. Do not spray while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. Apply as a fog at the rate of 1-1.3 fl oz per 1000 cu ft (39 ml per 28.3 m³) of space. Direct nozzle of thermal applicator toward the upper corners of the room and away from people. Close off room for at least 1 hour. Do not remain in treated areas. Ventilate thoroughly before re-entry.

Thermal Applications Outdoors: For reduction in annoyance from house flies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, camp sites, driveways and horse stables and other similar areas. Applications: Hold thermal applicator at least 5 ft (1.5 m) from any plants, especially plants and shrubbery. Avoid wetting any plant foliage. Apply as a fog at the rate of 3-3.4 gal per acre (35 liters per hectare). Fog only when there is no breeze or the wind velocity is less than 2 mph (5 km/h). The ideal time is generally at dusk when wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combination with other materials.

BEST AVAILABLE COPY

ACCEPTED
JAN 7 1987
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 48941-8

100
100