

PMAS 48941-14 1/2
1 23 90

EPA PR

10390
DIRECTIONS FOR USE

Bare ground weed control around guardrails, airports, military installations, highway medians, pipelines, railroads, lumberyards, rights-of-way, buildings, storage areas, fences, pumps, machinery, fuel tanks, drainage ditch banks, recreational areas, roadways, or similar area.

SL-691

READY-TO-USE VEGETATION KILLER

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes eye irritation. Do not get into eyes. Avoid contact with skin or clothing. Harmful if swallowed, inhaled, or absorbed through the skin. Do not contaminate food or feed.

PRACTICAL TREATMENT: In case of eye contact, wash with water for at least 15 minutes and seek medical attention. In case of skin contact, wash with plenty of soap and water. Get medical attention if eye or skin irritation persists. If ingested, do not induce vomiting. Drink milk, egg whites or gelatin (if not available, drink plenty of water). If inhaled, remove victim to fresh air.

NOTE TO PHYSICIAN: There is no specific antidote. Do not induce emesis and take care to avoid aspiration of stomach contents. During treatment, give a saline laxative and supportive therapy.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of any body of water. Do not contaminate water used for drinking or domestic purposes. Do not contaminate water when disposing of equipment wash water or mix with this product, unless specified on this label.

PHYSICAL or CHEMICAL HAZARDS: Do not use near soil or structures near heat or open flame.

IMPORTANT: Read the entire Directions For Use and the Conditions of Sale and Warranty before using this product.

WARRANTY

Since weather and other conditions under which this product will be used vary, the seller makes no warranty, claim, or express or implied, concerning the use of this product. The user assumes all risk of use or handling not in accordance with directions or suggestions.

SL-691-14-1411-14
EPA Reg. No. 48941-14

ACTIVE INGREDIENTS	
Propiconazole (4.8% w/v) (sprayable emulsion)	1.5
2-methoxyethylamine	
INERT INGREDIENTS	98.5%
TOTAL	100%

*[contains petroleum distillates]
WARNING
KEEP OUT OF REACH OF CHILDREN

See Additional Precautionary Statements on Side Panel

SUNBELT LABORATORIES
P.O. Box 31316
HOUSTON, TEXAS 77231

NET CONTENTS 1 GALLON

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Uniformly spray 2-3 gals. per 1000 sq. ft. of soil surface undisturbed (100-120 gals. per acre). Thoroughly wet all foliage to insure contact action. Best results are obtained when applications during or after weed emergence while growth is succulent. Where vegetation is tall and dense, use 5 gals. per 1000 sq. ft. (200 gals. per acre). For control of hard-to-kill perennial weeds and grasses, such as johnsongrass, bindweed and wild carrot, use 8-12 gals. per 1000 sq. ft. Although this vegetation killer has considerable activity through foliar contact, much of its activity is through the roots and, therefore, adequate rainfall to move the chemical into the root zone is necessary.

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface.

Care must be taken to keep this herbicide away from desirable flowers, trees, lawns, and shrubs. Do not apply over roots of desirable trees or woody ornamental plants. Only apply herbicide outside the dripline of trees. Avoid spray drift to desirable plants.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Excess spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, state, or local procedures. Drums, 5-gal. or larger, and other containers for recycling or reuse and for disposal in a sanitary landfill or by other approved state and local procedures.

Not Registered in Florida. To be in accordance with Florida law, this state Product Guardian for Phase 2 Registration must file a five to Inert Change in Status.