U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH 567)
WASHINGTON, D.C. 20

NOTICE OF PESTICIDE: ☐ REGISTRATION ☐ REREGISTRATION

(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)

EPA REGISTRATION NO.

TERM OF ISSUANCE

DATE OF ISSUANCE 30 OCT 1984

NAME OF PRODUCT

NAME AND ADDRESS OF REGISTRANT *(Include ZIP code)*

NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

1900

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 50.0%

INERT INGREDIENTS 50.0%

This product contains 5.2 lb. of active ingredient per gallon and weighs 10.4 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN
WARNING

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT *In case of skin contact* wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. *If product gets in the eyes* flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. *If product is swallowed,* call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonsful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. *Never induce vomiting or give anything by mouth to an unconscious person.*

Note to physician Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

ACCEPTED with COMMENTS in EPA Letter Dated:

OCT 30 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 48969-3

Manufactured by:
FACETS
10 N. Main St
Chagrin Falls, OH 44022

EPA REG. NO. _____ EPA EST. NO _____

NET CONTENTS _____

DIRECTIONS FOR
GENERAL CLASSIFI

It is a violation of Federal law to use this produ
its labeling.

1900 is used in industrial and/or commercial recircu
dustrial air-washing systems to control microbiological
dustrial and/or commercial recirculating cooling towe
ed to remove algal growth, microbiological slime, and
slug addition of 2 to 3 fl. oz. of 1900 per 1000 gal. of w
based on total weight of water in the system. Repeat i
Make subsequent slug addition of 1 to 3 fl. oz. of 1900
1900) every 2 to 5 days or as needed. The frequency o
amount of bleedoff and the severity of the microbiolog
be made in the sump of recirculating cooling tower s

1900 is used in industrial air-washing systems which
components. Prior to its use, systems should be cle
other deposits. An initial slug dose of 4.7 to 6 fl. o
recommended. Repeat initial dosage until control is ev
3.5 to 6 fl. oz. of 1900 per 1000 gallons of water should
needed. The frequency of addition depends upon t
severity of the bacterial problem. Slug additions may
collection trays of the airwash system.

For the preservation of cutting fluids, 0.03 to 0.2%
the diluted cutting fluid, is recommended. In some ca
centrated fluids, and the amount of 1900 added then s
0.03 to 0.2% are obtained when the fluid is diluted
operations. For continued protection against bacte
diluted cutting fluid should be repeated every four wee
necessary if excessive contamination of a particular

STORAGE AND DIS

Do not contaminate water, food, or feed by storage or disposal.

STORAGE Do not expose to extreme temperatures. Do not stack drums. Drums should be placed in overpack drums for disposal. Spills should be in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL Pesticide wastes are toxic. Improper disposal is a violation of Federal Law. If these wastes cannot be disposed of by a State Pesticide or Environmental Agency, contact your Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.