U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDE PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

NOTICE OF PESTICIDE: REGISTRATION / REREGISTRATION

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended

EPA REGISTRATION NO.

DATE OF ISSUANCE 30 OCT 1984

TERM OF ISSUANCE

30 OCT 1984

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT *Include ZIP code*

NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

1910

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 25.0%

INERT INGREDIENTS 75.0%

This product contains 2.3 lb. of active ingredient per gallon and weighs 75.0 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN
WARNING

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT *In case of skin contact,* wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. *If product gets in the eyes* flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. *If product is swallowed,* call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonsful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. *Never induce vomiting or give anything by mouth to an unconscious person.*

Note to physician Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

ACCEPTED
with COMMENTS
In EPA Letter Dated

OCT 30 1984

Manufactured by
FACETS
10 N. Main St.
Chagrin Falls, OH 44022

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 48969-4

EPA REG. NO. _____ EPA EST. NO. _____

NET CONTENTS

DIRECTIONS FOR
GENERAL CLASSIFIC

It is a violation of Federal law to use this produc
its labeling

1910 is used in water cooling towers and industri
microbiological slime. Prior to the use of 1910 in water
cleaned to remove algal growth, microbiological slime,
initial slug addition of 4.5 to 6.8 fl. oz. of 1910 per 100
ppm of 1910, based on total weight of water in the syst
trol is evident. Make subsequent slug addition of 2.3 to
water (20 to 60 ppm 1910) every 2 to 5 days or as n
depends upon the relative amount of bleedoff and the
blem. Slug additions should be made in the sump of re

1910 is used in industrial air-washing systems which
components. Prior to its use, systems should be clea
other deposits. An initial slug dose of 10.6 to 13.6 fl. o
recommended. Repeat initial dosage until control is evi
7.9 to 13.6 fl. oz. of 1910 per 1000 gallons of water sho
or as needed. The frequency of addition depends upon
severity of the bacterial problem. Slug additions may
collection trays of the airwash system.

For the preservation of cutting fluids, 0.06 to 0.4% o
the diluted cutting fluid, is recommended. In some cas
centrated fluids, and the amount of 1910 added then sh
0.06 to 0.4% are obtained when the fluid is diluted w
operations. For continued protection against bacter
diluted cutting fluid should be repeated every four week
necessary if excessive contamination of a particular cu

STORAGE AND DIS

Do not contaminate water, food, or feed by storage or disposal.

STORAGE Do not expose to extreme temperatures. Do not stack mo
Drums should be placed in overpack drums for disposal. Spills should
in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL Pesticide wastes are toxic. Improper di
posal is a violation of Federal Law. If these wastes cannot be dispo
contact your State Pesticide or Environmental Control Agency, or the
Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC Triple rinse (or equivalent). Then offer for recycling or re
sanitary landfill, by incineration, or, if allowed by state and local
smoke.

METAL Triple rinse (or equivalent). Then offer for recycling or re
sanitary landfill, or by other procedures approved by state and lo