



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 2, 2020

Christina M. Swick
Authorized Representative for Kurita Water Industries, Ltd.
Kurita Water Industries, Ltd.
Nakano Central Park East 10-1
Nakano, 4-Chome, Nakano-ku
Tokyo, 164-0001 Japan

Subject: Notification per PRN 98-10 – Minor label revision
Product Name: KURITA MB-1000S
EPA Registration Number: 48990-7
Application Date: December 19, 2019
Decision Number 559651

Dear Ms. Swick:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Melanie Bolden at (703) 347-0165 or via email at Bolden.Melanie@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Melanie Bolden for".

Demson Fuller, Product Manager 32
Antimicrobials Division (7510P)
Regulatory Management Branch I
Office of Pesticide Programs

KURITA MB-1000S

ACTIVE INGREDIENT:

Sodium Hypochlorite12.5%
OTHER INGREDIENTS.....87.5%
TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER

NOTIFICATION

48990-7

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

04/02/2020

FIRST AID	
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week.	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through skin, inhaled or swallowed. Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Strong oxidizing agent. Using only for ballast water treatment according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas and other hazardous gases which is irritating to eyes, lungs and mucous membranes.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Kurita Water Industries, Ltd.
Nakano Central Park East 10-1
Nakano, 4-Chome, Nakano-ku
Tokyo, 164-0001 JAPAN

EPA Reg. No.:48990-
EPA Est. No.:

Batch Number:
Net Contents:

READ THE PRECAUTIONARY STATEMENTS BEFORE USE

DIRECTION FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Ballast Water Treatment for harmful non-indigenous aquatic organism control.

Load KURITA MB-1000S into the ballast water management system on board the ship. KURITA MB-1000S is injected into the ballast water tank with seawater intake to eliminate harmful non-indigenous and invasive aquatic organisms. The injection rate of KURITA MB-1000S must be monitored and regulated using a measuring device such as the TRO (Total Residual Oxidant) meter to ensure that it does not exceed 20 mg/L. After reaching ship's destination for loading cargo, the residual chlorine in the disinfected ballast water is detoxified and neutralized with sodium sulfite in KURITA MB-2000N **or equivalent product authorized by Kurita Water Industries Ltd.** Ballast water may not be discharged into receiving waters until the reading for total residue chlorine on the TRO meter shows less than the value established by the country, state or regional authority in which ballast water will be discharged.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water.

PESTICIDE DISPOSAL: Products or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer or other approved disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Manufacturer and seller warrant that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of manufacturer and seller. In no event shall manufacturer and seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.