

ACCEPTED
JAN 31 1985
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 49399-1

Best Copy

JAN 17 1985

BE SMUG—DE-BUG®

De-Bug AG

BAIT FOR GRASSHOPPERS



FOR LAWN, GARDEN & AGRICULTURAL CONTROL OF GRASSHOPPERS, CRICKETS AND CUTWORMS

| | |
|---|-------------|
| Active Ingredients | By Weight |
| Carbaryl (1-naphthyl methylcarbamate) | 2% |
| Inert Ingredients | 98% |
| Total | 100% |

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Broadcast application may be made with spreader, hand applicator, aircraft, or by hand. Use gloves and wash thoroughly following application. Treatment may be repeated as necessary.
 Apply ½ to 1 pound per 15,000 square feet of area for control of grasshoppers, crickets and cutworms.
 For Agriculture: Apply 1½ to 3 pounds per acre for control of grasshoppers, crickets and cutworms.

SEI Manufactured by Sidwell Enterprises, Inc. Parker, Colorado 80134

CAUTION
 KEEP OUT OF REACH OF CHILDREN AND ANIMALS
 See back panel for other Precautions

EPA Reg. No. 49399-1

NET WEIGHT 50 POUNDS

EPA Est. No. 49399-CO-01

Precautionary Statements
 HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

STATEMENT OF PRACTICAL TREATMENT
 If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.
 If On Skin: Wash thoroughly with soap and water.
 If In Eyes: Flush with plenty of water.

ENVIRONMENTAL HAZARDS
 This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal
 Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.
 Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

WARNING NOTICE
 The manufacturer warrants that the material contained herein conforms to the chemical description on the label for the purposes stated in the Directions for Use. When purchasing this product, the buyer assumes all risks of the handling and use which may result in damage or losses that are beyond the control of the seller, as in the event of incorrect method of application, incompatibility with other products used, or the presence on crop or soil of other substances. There is no other warranty made by the manufacturer as to fitness or merchantability. The limit of liability of the manufacturer or any seller for any losses, damages or injuries resulting from the use of this product will be the purchase price paid for this product by the buyer or user for the quantity involved. No verbal or written change to this warranty is valid. All buyers and users of this product are understood to have accepted all terms and conditions of this warranty.

GENERAL INFORMATION
 Read Entire Label. Use in strict accordance with Label directions and cautions.
IMPORTANT PRE-HARVEST INFORMATION.

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable carbaryl residues when carbaryl is used in accordance with label directions.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

| CROP | DAYS BETWEEN APPLICATION & HARVEST |
|--|------------------------------------|
| Beans, carrots, corn, cucumber, eggplants, melons, okra, peas, peppers, potatoes, squash, sweet corn, tomatoes | NONE |
| Asparagus, strawberries | 1 DAY |
| Alfalfa, broccoli, brussels sprouts, cabbage, cauliflower, head lettuce, garden beets (roots), horseradish, parsnips, radishes, rutabagas, turnips (roots) | 3 DAYS |
| Cotton | 7 DAYS |
| Cornards, endive (escarole), garden beets (tops), Kale, leaf lettuce, parsley, spinach, sugar beets, swiss chard, turnips (top) | 14 DAYS |

PM 04

49399-1

01/31/85

1/2

BE SMUG — DE-BUG®

DE-BUG

BAIT FOR GRASSHOPPERS



FOR LAWN, GARDEN & AGRICULTURAL CONTROL OF GRASSHOPPERS, CRICKETS AND CUTWORMS

Active Ingredients: Carbaryl (1-naphthyl methylcarbamate)
Inert Ingredients:

Net Weight 1 lb. 2 1/2

ACCEPTED
JAN 31 1985
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 49399-1

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Broadcast application with backpack sprayer, aircraft, or by hand. Use gloves and wash thoroughly following application. Treatment may be repeated as necessary.
Apply 1/2 to 1 pound per 15,000 square feet of area for control of grasshoppers, crickets and cutworms.
For Agriculture: Apply 1 1/2 to 3 pounds per acre for control of grasshoppers, crickets and cutworms.



Manufactured by Sidwell Enterprises, Inc. Parker, Colorado 80134

CAUTION
KEEP OUT OF REACH OF CHILDREN AND ANIMALS
See back panel for other Precautions

EPA Reg. No. 49399-1

NET WEIGHT 1 POUND

EPA Est. No. 49399-CO-01

Precautionary Statements HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is indicated.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.

If On Skin: Wash thoroughly with soap and water. If in Eyes: Flush with plenty of water.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and sedentary invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open containers are prohibited. Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or disposal in a sanitary landfill, or by incineration if allowed by State and local authorities.

WARNING NOTICE

The manufacturer warrants that the material contained herein conforms to the chemical description on the label for the purposes stated in the Directions for Use. When purchasing this product, the buyer assumes all risks of the handling and use which may result in damage or losses that are beyond the control of the seller, in the event of incorrect method of application, incompatibility with other products used, or the presence on crop or soil of other substances. There is no other warranty made by the manufacturer as to fitness or merchantability. The limit of liability of the manufacturer or any seller for any losses, damages or injuries resulting from the use of this product will be the purchase price paid for this product by the buyer or user for the quantity involved. No verbal or written change to this warranty is valid. All buyers and users of this product are understood to have accepted all terms and conditions of this warranty.

GENERAL INFORMATION

Read Entire Label. Use in strict accordance with label directions and Caution.

IMPORTANT PRE-HARVEST INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable carbaryl residues when carbaryl is used in accordance with label directions.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

| CROP | DAYS BETWEEN APPLICATION & HARVEST |
|---|------------------------------------|
| Beans, carrots, corn, cucumber, eggplants, melons, chili, peas, peppers, potatoes, squash, sweet corn, tomatoes | NONE |
| Asparagus, strawberries | 1 DAY |
| Artichoke, broccoli, brussels sprouts, cabbage, cauliflower, head lettuce, garden beans (fava), horseradish, parsley, radishes, rutabagas, turnips (root) | 3 DAYS |
| Celery | 7 DAYS |
| Collards, endive (escarole), garden beets (tops), kale, leaf lettuce, parsley, spinach, sugar beets, swiss chard, turnips (top) | 14 DAYS |

2/2