

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

NOTICE OF PESTICIDE: ☒ REGISTRATION
☐ REREISTRATION

(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended)

EPA REGISTRATION NO.

10270-1-0

DATE OF ISSUANCE

September 25, 1989

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

BEST AVAILABLE COPY

☒ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

September 25, 1989

4. Preharvest intervals (PHIs) for some crops should be revised as follows:

<u>Crop</u>	<u>PHI in Days</u>
Pears	3
Hay (grassland, pasture, rangeland, etc.)	14 (ground application)
Almond	28
Apricot	3
Citrus	5
Alfalfa	7

These PHIs should also be revised in the labeling for De-Bug 1 Bait (EPA Registration No. 49399-1), at the time of next the label printing.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

GENERAL: Broadcast application may be made with spreader, hand applicator, aircraft or by hand. Use gloves and wash thoroughly following application. Treatment may be repeated as necessary.

CROP AND RANGELAND: Apply 2 to 10 pounds per acre for control of grasshoppers, crickets and cutworms.

HOME AND GARDEN: Use 1/2 to 2 1/2 pounds per 10,000 square foot of area. Use the higher application rates when insect density is high and crops or garden are threatened.

FOR SUPPRESSION of grasshoppers and crickets, rates of 1/2 to 1-1/2 pounds per acre may be used.

IMPORTANT PRE-HARVEST INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable carbaryl residues when carbaryl is used in accordance with label directions. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

CROP AND DAYS BETWEEN APPLICATION & HARVEST

Beans, carrots, corn, cucumber, eggplants, melons, okra, peas, peppers, potatoes, squash, sweet corn, tomatoes,	NONE
Forest land, grassland, parks, pastures, rangeland, recreation areas, wasteland	NONE
Asparagus, strawberries, Orchards (such as: apple, almond, grapefruit, oranges, peaches, apricots, cherries, walnuts, lemons, limes, and tangerines)	1 DAY
Artichoke, broccoli, brussels sprouts, cabbage, cauliflower, head lettuce, garden beets (roots) horseradish, parsnips, radishes, rutabagas, turnips, (roots)	3 DAYS
Cotton	7 DAYS
Collards, endive (escarole), garden beets (tops), Kale, leaf lettuce, parsley, spinach, sugar beets, swiss chard, turnips (top)	14 DAYS
Wheat	21 DAYS

DE-BUG 5% CARBARYL BAIT

SELECTIVE INSECTICIDE

For Lawn, Garden & Agricultural ...
Control of Grasshoppers, Crickets ...
Army worms, Cutworms, Darkling ...
Ground Beetles, Mole Crickets,
Earwigs and Sow Bugs

Active Ingredients By Weight

Carbaryl (1-naphthyl methylcarbamate).....	5.0%
Inert Ingredients.....	95.0%
Total.....	100.0%

(Contains 1 pound carbaryl per 20 pounds of product)

Minimum Net Weight:: _____

EPA Est. No. 49399-C0-01

EPA Registration No. 49399-E

EBI Revision 880523

Made in the U.S.A by

Sidwell Enterprises, Inc.

A subsidiary of Evans BioControl, Inc.

895 Interlocken ~~PACKAGED~~
~~with COMMENTS~~
Broomfield, ~~Colorado~~ ~~USA~~

303-460-1780

25

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

49399-2

CAUTION

KEEP OUT OF REACH

STATEMENT OF PRACTICE

IF SWALLOWED: Drink 1 or 2 glasses of water to induce vomiting or touching fingers.
IF ON SKIN: Wash thoroughly with soap and water.
IF IN EYES: Flush with plenty of water.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Livestock

CAUTION: May be harmful if inhaled. Avoid breathing dust. Avoid contact with skin. Wash thoroughly after handling.
NOTE TO PHYSICIAN: Carbaryl is a reversible cholinesterase inhibitor. Atropine is the antidote.

ENVIRONMENTAL

This pesticide is extremely toxic to aquatic invertebrates. Do not apply to wetlands. Do not contaminate water, food, or feed with equipment or disposal of wastes.

GENERAL INFORMATION

Read Entire Label. Use in strict accordance with directions and cautions.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open containers must be stored in original container only, in cool, dry place, away from children and animals. Do not store at temperatures frequently exceeding 120°F.
Pesticide Disposal: Wastes from this product may be disposed of at a registered waste disposal facility.
Container Disposal: Complete label directions for disposal of application equipment. Then dispose of container by incineration, State and local authorities, by burning out of smoke.

NOTICE OF WARRANTY

The Seller warrants only that the goods are as described. This warranty is expressly made in writing or implied, including the warranty of fitness for use. In the event of a claim hereon, buyer shall have the burden of the goods sold upon giving notice. No claim shall be made for damages or for incidental or consequential damages.