

SANCO-PHENE

CLEANER DISINFECTANT DEODORANT

ACTIVE INGREDIENTS:

o-Dichlorophenol.....	4.00%
m-Dichlorophenol.....	3.00%
o-Tertiary amylphenol.....	1.50%

INERT INGREDIENTS.....51.50%

100.00%

•Effective cleaning and water softening agents. Sanco-Phene is a concentrated, phosphate free, germicidal cleaner intended for cleaning and disinfection. It is designed for cleaning floors, walls, door frames, furniture, and bathroom fixtures in a wiping, mopping, or scrubbing operation to wet surfaces thoroughly with the recommended use dilution.

It is free-rinsing and does not leave a film. Consequently, it is recommended for the cleaning of conductive flooring in operating rooms.


BEST AVAILABLE COPY

EPA Reg. No. 49403-5
EPA Est. No.

NET CONTENTS:

Not Reviewed. Registrant claims to be in accordance with Registration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

12/15/88



DANGER

KEEP OUT OF REACH OF CHILDREN

DANGER! HAZARD TO HUMANS: Corrosive. Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Careful if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use. If swallowed, drink promptly a large quantity of milk, eggwhite, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

STORAGE AND DISPOSAL

Physical or Chemical Hazards: Do not use or store near heat or open flame. Flammable liquid n.o.s. Store in original container, tightly closed and in a safe place. Do not contaminate water, food or feed by storage or disposal.


PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improve disposal of excess pesticide, spray mixture or mixture is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or incineration, or destruction and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

BEST AVAILABLE COPY



USE DIRECTIONS:

Use at 1000 solution (approx. 1 1/4 oz. per gallon of water). Sarcosine will provide 850 ppm phenols to this suggested use solution. This will provide disinfection against pathogenic organisms listed below, and consequently qualifies as a disinfectant for hospital use. For heavily soiled areas, use 2 1/2 oz. per gallon of water.

Staphylococcus aureus

Thirty replicates of three preparations — also thirty replicates each on duplicate samples after sixty-day shelf life A.D.A.C. Method


Salmonella Choleraesuis

Thirty replicates each of three preparations

Pseudomonas Aeruginosa

Thirty replicates each on three preparations.

Manufactured by



12/16/88

Reg # 49403-5

PM-32

173

3/26/90

Not Reviewed. Registrant claims to be in compliance with the requirements of the Federal Insecticide, Fungicide, and Rodenticide Act, 25 U.S.C. 136, and the corresponding regulations, 40 CFR 152.12, Active to Next Change in Status.

SANCO-PHENE

CLEANER DISINFECTANT DEODORANT

ACTIVE INGREDIENTS:

o-tolylisobutylcarbamoyl.....	4.00%
o-phenylphenol.....	3.00%
o-tolylisobutylphenol.....	1.50%

INERT INGREDIENTS:	91.50%
---------------------------------	--------


100.00%

*Contains cleaning and water softening agents. Sanco-Phene is a concentrated, phosphate free, germicidal cleaner intended for cleaning and disinfection. It is designed for cleaning floors, walls, bed frames, furniture, and bathroom fixtures in a wiping, mopping, or scrubbing operation to wet surfaces thoroughly with the recommended use dilution.

It is free-rinsing and does not leave a film. Consequently, it is recommended for the cleaning of conductive flooring in operating rooms.

EPA Reg. No. 49403-5
EPA Est. No.

NET CONTENTS:



12/16/88

DANGER

KEEP OUT OF REACH OF CHILDREN

DANGER! HAZARD TO HUMANS: Corrosive. Causes eye damage and severe skin irritation. Do not get on eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use. If swallowed, drink promptly a large quantity of milk, egg-white, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

STORAGE AND DISPOSAL


Physical or Chemical Hazards: Do not use or store near heat or open flame. Flammable liquid N.O.S. Store in original container, tightly closed and in a safe place. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Prohibit disposal of excess pesticide, spray mixture or mixture as a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or incineration, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTE TO PHYSICIAN

Probable mucosa damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



USE DIRECTIONS:

Use at 1000 solution (approx. 1 1/4 oz. per gallon of water). Baric-
Ther will provide 850 per phenols to this suggested use solution.
This will provide disinfection against pathogenic organisms
listed below, and consequently qualifies as a disinfectant for
hospital use. For heavily soiled areas, use 2 1/2 oz. per gallon
of water.

Staphylococcus aureus

Thirty replicates on three
preparations — also thirty
replicates each on duplicate
samples after sixty-day
shelf life A.C.A.C. method


Salmonella Choleraesuis

Thirty replicates each on
three preparations

Pseudomonas Aeruginosa

Thirty replicates each on
three preparations.

Manufactured by



12/16/88