

PM 32 49403-6

107-1

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate by wearing goggles and rubber gloves. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use at 1 oz. per gallon of water (1:128). Broad Band will provide 840 ppm phenols to this suggested use solution. Apply liquid with a mop, sponge, cloth, or bowl mop to thoroughly wet the surfaces. To assure product effectiveness, allow Hospital Broad Band to remain for 10 minutes and then air dry. This will provide disinfection against the following pathogenic organisms when used on hard, nonporous, inanimate surfaces:

*Mycobacterium tuberculosis (bovis)*  
*Pseudomonas aeruginosa*  
*Salmonella choleraesuis*  
*Staphylococcus aureus*

Hospital Broad Band disinfectant was tested according to the A.O.A.C. Use-Dilution Method, Official Methods of Analysis, 14th Edition, 1984, Chapter 4, DISINFECTANTS, 4.001-4.011 and 4.039-4.041, in the case of *Mycobacterium tuberculosis*.

Note: In areas of gross filth or heavy soil, it is necessary to thoroughly clean surfaces prior to application of Hospital Broad Band.

## HOSPITAL BROAD BAND CLEANER DISINFECTANT DEODORANT

TUBERCULOCIDAL · PSEUDOMONACIDAL · STAPHYLOCIDAL

Broad Band is a concentrated, phosphate free, germicidal cleaner intended for cleaning and disinfection. It is designed for cleaning floors, walls, bed frames, furniture, and bathroom fixtures. In addition, Hospital Broad Band can be used in the cleaning and disinfection of dental and surgical instruments.

It is free-rinsing and does not leave a film. Consequently, it is recommended for the cleaning of conductive flooring in operating rooms.

### ACTIVE INGREDIENTS:

o-Benzyl-p-chlorophenol ..... 5.00%  
 o-Phenylphenol ..... 4.25%  
 p-Tertiary amylphenol ..... 1.25%

INERT INGREDIENTS\* ..... 89.50%

100.00%

(\*Contains cleaning and water softening agents.)

## KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

## STATEMENT OF PRACTICAL TREATMENT

If on skin - wash with plenty of soap and water. Get medical attention.

If in eyes - immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

If swallowed - promptly drink large quantities of water. Never give anything by mouth to an unconscious person. Avoid alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 49403-6  
 EPA Est. No. 49403-EN-01

Net Contents:

### Hospital Use Directions:

Hospital Broad Band qualifies as a disinfectant for hospital use and is effective against *Mycobacterium tuberculosis* in 10 minutes at 20° C when used on hard, nonporous, inanimate surfaces. Thoroughly clean surface prior to application of product. Completely wet all surfaces with Hospital Broad Band, allowing to remain for 10 minutes. Air dry.

### For Instrument Disinfection:

All instruments and devices must be thoroughly cleaned to remove excess organic debris, rinsed and then rough dried. Clean and rinse the lumens of hollow instruments before filling with solution, before immersion. Allow instruments to remain in solution for 10 minutes. Air dry. A fresh solution should be prepared daily or more often if soil is evident.

## STORAGE AND DISPOSAL

**STORAGE:** Store in original container, tightly closed and in a safe place. Do not use or store near heat or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not contaminate water, food or feed by storage or disposal.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling, reconditioning, or incineration, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Manufactured By: **NIPA LABORATORIES, INC.**  
 3411 SILVERSIDE ROAD  
 WILMINGTON, DE 19810

**BEST AVAILABLE COPY**

