PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

ANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not et in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid reathing spray mist. Applicators and other handlers must wear: long-sleeve hirt and long pants, socks plus shoes, chemical resistant gloves and rotective evewear (googles, face shield, or safety glasses) when handling, Vash thoroughly with soap and water after handling and before eating. frinking, chewing gum, using tobacco, or using the toilet. Wash the outside of lloves before removing. Remove contaminated clothing and wash clothing refore reuse. Users should remove clothing immediately if pesticide gets nside. Then wash thoroughly and put on clean clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- socks and shoes
- goggies or face shield
- · chemical resistant gloves (such as barrier faminate, nitrile rubber, neoprene rubber or viton)

Follow manufacturers' instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- wash hands before eating, drinking, chewing gum, using tobacco, or using
- remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- •remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container, tightly closed and in a safe place. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray-mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA REG. NO. 49403-6 EPA EST. NO. 33979-SC-01

Manufactured by:



4000 Monroe Road Charlotte, NC 28205 USA (704) 822-2259





HOSPITAL BROAD BANL **CLEANER DISINFECTANT DEODORANT**

TUBERCULOCIDAL-PSEUDOMONACIDAL-STAPHYLOCIDAL

Hospital Broad Band is a concentrated, phosphate free permicidal cleaner intended for cleaning and disinfection.

Hospital Broad Band is free-rinsing and does not leave a film. Consequently, it is recommended for the cleaning of conductive flooring in operating rooms.

ACTIVE INGREDIENTS:

| o-Benzyl-p-chlorophenol | 5.00% |
|-------------------------|---------|
| o-Phenylphenol | 4.25% |
| p-Tertiary amylphenol | 1.25% |
| INERT INGRÉDIENTS* | |
| | 100.00% |

(* Contains cleaning and water softening agents)

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

FIRST AID If in eves: . Hold eye open and rinse slowly and gently with water for 15-20 minutes. •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice If on skin Take off contaminated clothing. or on Rinse skin immediately with plenty of water for 15-20 clothing: Call a poison control center or doctor for treatment advice. If inhaled: Move person to fresh air. olf person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. •Call poison control center or doctor immediately for treatment advice. swallowed: . Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency call toll free: 1-800 = 34-9300

person.

ceba le mucosal damque may contraindicate the se brigastric lavage in assures against circulatory bock respiratory deposition and convulsion may be

. Do not give anything by mouth to an unconscious

APR 1 0 2003

ACC Brisican

Under the Federal Insecticide, Funcious, and Rodenticide Act as amended, for the pesticide, registered under FPA Reg. No. 444

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is for use on the following hard, nonporous, inanimate environmental surfaces: animal cages, animal holding areas, appliances, banisters & railings, bathroom fixtures, bath tubs & shower stalls, bed frames and headboards, cabinets, chairs, counters & counter tops, desks, doors & walls, door knobs, farm equipment, finished woodwork, fixtures, floors, furniture, lockers, lighting, agricultural & farm equipment, medical & veterinary (A) equipment office equipment glazed porcelain processing & packaging equipment, refrigerators, shelves & racks, sinks, stovetops, tables, telephones, tile, toilets, transportation equipment, urinals, walls, whirlpools, glazed ceramic, metal, stainless steel 6 sealed wood, sealed stone, plastic, fiberglass, glass, tile, vinyl, and plastic.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact other persons. Only protected handlers must be in the area during application.

Food contact surfaces must be thoroughly rinsed after disinfection.

This product is not to be used as a terminal sterilant/ high level disinfectant on any surface or instrument that

(1) is introduced directly into the human body, either into or in 🛨 contact with the bloodstream or normally sterile areas of the body or. (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

This product may be used to preclean or decontaminate critical or () semi-critical medical devices prior to sterilization or high level disinfection.

Use at 1 oz, per gallon of water (1:128). Apply liquid with a mop, sponge, cloth, or bowl mop to thoroughly wet the surfaces. To assure product effectiveness, allow Hospital Broad Band to remain for 10 minutes and then air dry. This will provide disinfection against the following pathogenic organisms when used on hard, nonporous, inanimate, environmental surfaces:

Mycobacterium tuberculosis (bovis) Salmonella choleraesuis

Pseudomonas aeruginosa Staphylococcus aureus

Hospital Broad Band was tested according to the A.O.A.C. Use-Dilution Method, Official Method of Analysis, 14th Edition, 1984. Chapter 4, DISINFECTANTS, 4.001-4.011 and 4.039-4.041, in the case of Mycobacterium tuberculosis.

NOTE: In areas of gross filth or heavy soil, it is necessary to thoroughly clean surfaces prior to application of Hospital Broad Band.

Hospital Use Directions:

Hospital Broad Band qualifies as a disinfectant for hospital use and is effective against Myobacterium tuberculosis in 10 minutes at 20°C when used on hard, nonporous inanimate, environmental surfaces. Thoroughly clean surfaces prior to application of product Completely wet all surfaces with Hospital Broad Band, allowing to remain for 10 minutes. Air dry.

| CONTENTS: | |
|-----------|--|
|-----------|--|

February 5, 1975