e esta	-	81	21/96	PM 31	4940	13 - 14	25/12	
Mease read instructions on re	verse before completi		. / /6	, , , ,		•	75 / 1 2 pproval expires 05-31-98	
⊕EPA			Registration Amendment Other					
Application for Pesticide - Section I								
1. Company/Product Number 49403-14			2. EPA Product Manager Marion Johnson			3. Propo	Proposed Classification	
4. Company/Product (Name)	PM# 31	PM# 31 None Restricted						
5. Name and Address of Appl Nipa Har 3411 Si 104 Hag Wilmingt Check if this	(b)(i), m to: EPA R	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name						
Section - II								
Amendment - Explain Resubmission in respo		Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.						
Explanation: Use additional	ol negals) if necessary	/For section	Land Section II)		· · · · · · · · · · · · · · · · · · ·	···		
Notification of minor label changes per PR Notice 95-2 Section - III								
1. Material This Product Will	Pe Peekaged in:		Section - II				•	
Child-Resistant Packaging	Unit Packaging		Water Soluble Pa	ickaging .	2. Type of Con	tainer	,	
Yes*	Yes No	No. per	Yes No	No Plastic Glass				
* Certification must be submitted	Unit Packaging wgt.	container	Package wgt	container	Other (Specify)			
3. Location of Net Contents Information 4. Size(s) Ret Label Container			ail Container	ainer 5. Location of Label Directions On Label On Labeling accompanying product				
6. Manner in Which Label is /	aph Othere							
Section - IV								
1. Contact Point								
Name Kari E. Mavian, Lewis & Harrison 122 C St., NW, WDC 20001			1, , , , ,				one No. (Include Area Code) 2–393–3903	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or incomplete. (Stamped)								
2. Signature Silavan			3. Tide Agent				1	
· · · · · · · · · · · · · · · · · · ·			5. Date 8/21/96				,, ,	
Kari E. Mavian			0/21/	16		1		

NIPACIDE® X

INDUSTRIAL MICROBIOSTAT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Nipacide® X is an effective preservative in most aqueous compositions. Typical applications and the suggested range of concentrations on which trials can be based, are:

% Nipacide® X (based on

total wt. of product)

Product
Latices: Polymer latices based on acrylate, butadiene, PVA, styrene for various applications, e.g., wax, floor polishes. Synthetic/rubber latices

0.04-0.09 Inert I

Oil-in-water emulsions: "Spin finish" solutions for use in the textile industry. Cutting/rolling oils. Soluble oils* (metal and engineering industries).

0.04-0.18

"We suggest formulator limit the addition of Nipacide® X to 0.9% maximum in metal-working fluid concentrates. This will give a maximum recommended use level of 0.09% Nipacide® X in a 10:1 dilution of the concentrate and reduce the possibility of skin sensitization.

Emulsion paint: For preservation in the can.

0.04-0.25

Adhesives: Carboxy methyl cellulose (CMC) and derivatives, animal glues, adhesives based on golatin and latex

0.02-0.09

**Paper coating compositions: Rosin dispersions, Starch and casein based products

0.02-0.09

The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which microorganisms can gain access, the species involved, pH, temperature, and length of time for which protection is required.

**For use as a component of paper and paperboard in contact with aqueous and fatty foods. The active ingredient 1,2¹ Benzisothiazolin-3-one may be used in paper coating compositions at a level not to exceed 0.01 mg/in² (0.00016 mg/cm²) of finished paper and paperboard. For use as a component of paper and paperboard in contact with dry foods, the level of active ingredient in the paper coating must not exceed 0.02 mg/in² (0.0031 mg/cm²) of finished paper and paperboard.

For protection against bacterial attack, a concentration within the range 0.02-0.35 Nipacide® X is almost invariably sufficient.

The control of mold growth, particularly on paste product of high solids content, may occasionally demand dosages above 0.35%.

In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.09%.

A simple method of determining the effective dosage rate is to prepare samples of the product containing varying concentrations of Nipacide® X, e.g., 0.02, 0.04, 0.06, and 0.15%. These can then be stored at approx. 25°C for a period of time and compared with a control sample of product containing no preservative stored under similar conditions.

SLIME CONTROL

There are two methods of adding slimicides to paper mill systems: shock dosing and continuous dosing.

The preferred method of addition is by shock dosing since this ensures that a high concentration of Nipacide® X is present in the system for several hours. When a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at any time is low. This can lead to the development of resistant organisms, an effect that is less likely to occur when the shock dosing method is used.

It is not possible to give precise recommendations as to the quantity of Nipacide® X to add to control slime formation, find the magnitude of the problem varies greatly from mill to mill, depending on the fur_ish_employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) the rivay be added to the stock.

Directions for Use Continued on Side Panel

NIPA Hardwicke inc

Manufactured for:

3411 Silverside Rd Wilmington DF, 19810 (302) 478-1522

For industrial use only as a microbiostat preservative for aqueous compositions such as oil in water emulsions, latices, emulsion paints, water based adhesives, casein/rosin dispersions, and textille spin-finish solutions and for control of slime producing bacteria in paper making processes.

Active Ingredient:

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician immodiately.

IF SWALLOWED: Drink large quantities of water. Do not give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF ON SKIN: Wash with plenty of soap and water.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER

CORROSIVE. CAUSES EYE AND SKIN DAMAGE. HARMFUL OR FATAL IF SWALLOWED. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating or smoking, Remove contaminated olothing and wash before reuse.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish. Do not discharge effluent' containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System. (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Recional Office of the EPA.

Contents Made in Great Britain EPA Reg. No. 49403-14 EPA Est. No. 49403-EN-01

NOTH CATION

The following quantities of Nipacide® X are suggested for trial:

(a) Shock dosing: Between 80 and 300 g (2.8 - 11 oz. av.) of Nipacide® X for each ton of paper produced per day should be added as a single daily shock dose, the actual quantity used depending on the severity of the slime problem.

This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate.

(b) Continuous Addition: If this method is adopted, Nipacide® X should be added continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours.

Nipacide® X should be metered at the rate of 125-150g (4.4 - 5.3 oz. av.) for each ton of paper produced during the dosing period, preferably, this addition should be made to the recirculated backwater.

STORAGE AND DISPOSAL

STORAGE:Protect from frost. If frozen, allow to thaw and stir well before reuse.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous, Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

REGULATORY CLEARANCES

All components of Nipacide® X are cleard for use under the following U.S. Environmental Protection Agency and U.S. Food and Drug Administration registrations and clearances:

US EPA Registration Number: 49403-14 US FDA:

21 CFR 175.105 Components of adhesives
21 CFR 176.170 Components of paper and paperboard in contact with

aqueous and fatty foods
21 CFR 176.180 Components of paper and paperboard in contact with

dry food.
21 CFR 176.300 Slimicides (in the manufacture of paper and

Slimicides (in the manufacture of paper and paperboard that contact food).

FOR YOUR PROTECTION

The information and recommendations in this publication are, to the best of our knowledge, reliable. Suggestions made concerning uses or applications are only the opinion of NIPA Hardwicke Inc. and users should make their own tests to determine the suitability of these products for their own particular purposes. However, because of numerous factors affecting results, NIPA Hardwicke Inc. MAKES NO WARRANTY OF ANY KIND, EXPRESSED OR MIPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, other than that the material conforms to its applicable current Standard Specifications. Statements herein, therefore, should not be construed as representations or warranties. The responsibility of NIPA Hardwicke Inc. for claims arising out of breech of warranty, negligence, strict liability, or otherwise is limited to the purchase price of the material.

Statements concerning the use of the products or formulations described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed.

Net Weight: Batch No.:

282