

NIPACIDE BK
Metal Working Preservative

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling concentrate by wearing goggles or face shield and rubber gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating or smoking. Remove and wash contaminated clothing and before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning of equipment or disposal of equipment washwaters.

STORAGE AND DISPOSAL

STORAGE: Store in original container, tightly closed and in a safe place. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not contaminate water, food or feed by storage or disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or incineration, or puncture and dispose of in sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Nipacide BK is a highly active bacteriostat and fungistat for use as a metalworking fluid preservative.

ACTIVE INGREDIENTS:

Hexahydro-1,3,6-tris (2-hydroxyethyl)-s-triazine.....78.5%

INERT INGREDIENTS.....21.5%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 in case of emergency.	
NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.	

SEE SIDE PANEL FOR ADDITIONAL PRECATIONARY STATEMENTS

EPA Reg. No. 49403-16
EPA Est. No.

Manufactured by:

Clariant Corporation

4000 Monroe Road
Charlotte, NC 28205 (704) 822-2259

Net Weight:
Batch No.:

Nipacide BK is a long-lasting, broad-spectrum bacteriostat and fungistat for the preservation of soluble cutting oil, semi-synthetic and synthetic type metal working fluids hydraulic fluids and chemical coolants. When used as directed, the product prolongs fluid life, and reduces the incidence of slime and odor formation.

Nipacide BK is effective against aerobic, anaerobic and H₂S producing microorganisms and the odors they cause.

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Nipacide BK has been primarily designed for use as a preservative in emulsifiable or soluble cutting oils and synthetic chemical coolant formulations. It is readily incorporated into cutting oil formulations by addition to the concentrate, coupled with moderate agitation. Nipacide BK should be added to the concentrate to provide 1000-1500 ppm of product as is in the final emulsion.

DILUTION RATES: Add 0.10-0.15% of Nipacide BK (or 0.8-1.2 pints) per 100 gallons of diluted cutting fluid to use dilution.

For the make-up fluid, 1.10-0.15% of Nipacide BK should be added to the use dilution.

Nipacide BK in recommended use dilutions is noncorrosive to inanimate surfaces.



49403-16

3/12/2002

1/1