JUL **0 5** 2005

Clariant Corporation 4000 Monroe Road Charlotte, NC 28205

Attention: Christina M. Swick, Agent

Subject: Nipacide BK

EPA Registration No. 49403-16 Your Amendment Dated May 3, 2005

The amendment, submitted in connection with registration under the FIFRA sec. 3(c)(7)(A) to revise the product label, is acceptable, provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec.3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.
 - 2. Submit two (2) copies of final printed labeling before you release the product for shipment.

A stamped copy of the "accepted" labeling is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell Product Manager 33

Regulatory Management Branch 1 Antimicrobial Division (7510C)


Enclosure			CONCURRENCES					
SYMBOL		***************************************						
SURHAME)			•	1		[Į .	į
DATE)	************	********) · · · · · · · · · · · · · · · · · · ·			

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

11.5 Grandwar Parries Office: 1992 - 420-858/4087





DANGER. Corrosive. Causes irreversible eve damage. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with eyes, skin or clothing. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container, tightly closed and in a safe place. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or incineration. or puncture and dispose of in sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACTIVE INGREDIENTS:

Hexahydro-1,3,6-tris (2-hy	droxyethyl)-s-triazine	78.5%
INERT INGREDIENTS		
	TOTAL	. 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

Hold eye open and rinse slowly and
gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 in case of emergency.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECATIONARY **STATEMENTS**

EPA Reg. No. 49403-16 EPA Est. No.

Manufactured by:

Clariant Corporation

4000 Monroe Road Charlotte, NC 28205 (704) 822-2259

Batch No.:

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In Industrial Emulsions, Adhesives & Inks (Non-food Use):

To effectively control bacteria in resin, latex or other waterbased emulsions, for use in adhesives, inks, asphalt and other industrial applications, add 0.1 - 0.3% (1,000 - 3,000 ppm) of NIPACIDE BK at any convenient point during the manufacturing operation.

In Water-Based Metalworking Fluids:

To inhibit the growth of bacteria, add 0.04 - 0.2% (400 -2,000 ppm) of NIPACIDE BK directly to the use-diluted fluid. Not for use in non-aqueous concentrates.

In Oilfield Water Systems (Not for use in California):

For controlling aerobic slime-forming bacteria (Pseudomonas sp.) or iron-oxidizing bacteria (Gallionella sp.) and anaerobic sulfate-reducing bacteria (Desulfovibrio desulfuricans) in oilfield water systems, such as subsurface injection water, add 5 - 150 ppm NIPACIDE BK depending on the severity of the contamination. Additions should be made with a metering pump at the free water knockouts before or after the injection pumps and injection well

Continuous-feed method: If this system is noticeably fouled, add 20 - 150 ppm NIPACIDE BK (1.7 - 12.8 gal per 2000 barrels of water) continuously until the desired degree of control is achieved. Subsequently, treat with 5 - 150 ppm NIPACIDE BK (0.43 - 12.8 gal per 2000 barrels of water) continuously as needed to maintain control.

Intermittent or slug method: If the system is noticeably fouled or to maintain control of the system, add 20 - 150 ppm NIPACIDE BK (1.7 - 12.8 gal per 2000 barrels of water) intermittently for 2 - 8 hours per day on from 1 - 4 days per week, depending on the severity of contamination.

In Preserving Drilling Muds and Workover and Completion Fluids (Not for use in California):

Determine the volume of NIPACIDE BK necessary to provide a concentration of 500 - 1000 ppm by weight of NIPACIDE BK in the drilling mud system, workover and completion fluid. For example, 21 - 24 gallons of NIPACIDE BK per each 1000 barrels of drilling mud provides this concentration. As the system circulates, add NIPACIDE BK in a thin stream. Add additional NIPACIDE BK to the system to maintain the proper concentration as the total volume of the system increases.

With COMMENTS

in EPA Letter Dated:

JUL 0 5 2005

Under the Federal Insecticide, Net Weight: Fungicide, and Rodenticide Act as amended, for the perticide. registered under EPA Reg. No. 49403-16