
NIPACIDE COMO

For Use In The Formulation Of Preservatives And Fungistats



KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Call a physician immediately.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage and skin irritation.May be allergenic.Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Harmful or fatal if swallowed.

ENVIRONMENTAL HAZARD: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifiying the sewage treatment plant authority. For guidance, contact your State Water Control Board or Regional Office of the EPA.

BEST AVAILABLE COPY

PHYSICAL AND CHEMICAL HAZARDS This product is dangerous when heated to decomposition (235 C). Liberates highly toxic fumes of phosgene.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Each Formulator is responsible for obtaining its own EPA registration for its formulated product, and for providing EPA any required data.

STORAGE AND DISPOSAL

STOPAGE: Store in original container, tightly closed and in a safe place.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess besticide, sprsy mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL. Completely empty bag or liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags or liners in a sanitary landfill or by incineration if allowed by State and local authorities. Do not reuse drums. Puncture and dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

NIPACIDE IS A REGISTERED TRADEMARK OF NIPA LABORATORIES, INC.

NIPA LABORATORIES, INC. 104 Hagley Building 3411 Silverside Road Vilmington, Delavare 19810

NET CONTENTS:

EPA Reg. No. 49403-

EPA Est. No. 49403-EN-1

