

Reg # 49403-23

PM-32

121

OCIDE

HOSPITAL CLEANER-DISINFECTANT

VIRUCIDAL • FUNGICIDAL • TUBERCULOCIDAL • PSEUDOMONACIDAL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This is an extremely effective cleaner and disinfectant, recommended for general hospital use on hard, non-porous surfaces such as floors, walls, woodwork, and equipment in all departments.

For disinfection, use 1/2 oz. to each gallon of water. This product is effective in controlling *Staphylococcus aureus*, *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Mycobacterium tuberculosis var bovis (BCG)*, *Trichophyton mentagrophytes*.

Before disinfecting, remove heavy soil and thoroughly pre-clean surfaces. Apply solution, allow to remain wet for at least ten minutes. Mop or wipe up. For heavy duty cleaning, first remove loose soil. Use 2 oz per gallon of water, mop or wipe on; allow to soak several minutes, remove.

For rapid cleaning, use 4 oz per gallon of water in automatic scrubbing machines. Always rinse floors before applying polish or wax.

For daily maintenance of waxed floors, damp mop with solution of 1-1/2 oz. per gallon of water to remove most soils.

Recommended for use in hospitals, clinics, veterinary hospitals, rest homes, athletic departments, industrial plants - where a need exists to clean and disinfectant thoroughly

DIRECTIONS FOR USE AGAINST * HIV-1 (AIDS VIRUS)

Kills HIV-1 (AIDS Virus) on pre-cleaned environmental surfaces objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces objects with blood or body fluids, and in which the surfaces objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood and decontamination procedures.

CLEANING PROCEDURES: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant

CONTACT TIME: Effective against HIV-1 (AIDS Virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when diluted at 1:256 dilution in 400 ppm CaCO₃ hard water for a contact time of 10 (ten) minutes at room temperature (20-25 degrees C)

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal

ACTIVE INGREDIENTS:

Ortho-Benzyl-Para-Chlorophenol	10.10%
Ortho-Phenylphenol.....	4.90%
Para-Tertiary-Amylphenol.....	2.50%

INERT INGREDIENTS..... 82.50%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

Danger. Corrosive Causes eye and skin damage or skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Remove and wash contaminated clothing before reuse

STATEMENT OF PRACTICAL TREATMENT

If on skin Wash with plenty of soap and water. Get medical attention. If in eyes: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Call a physician. If swallowed: Drink promptly, large quantities of water. Call a physician. Do not give anything by mouth to an unconscious person. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA REG NO. 49403-23
EPA EST NO. 49403-EN-01

1 U.S. GALLON/3.8 LITERS

Manufactured By: Nipa Laboratories, Inc.
3411 Silverside Road
Wilmington, DE 19810

DIRECTIONS FOR USE IN POULTRY HOUSE AND FARM PREMISE:

Do not use in milking stalls, milking parlors, or milk houses.

1. Remove all poultry, animals, and feed from the premises.
2. Remove all trucks, coops, crates, water troughs and feed racks.
3. Remove all gross soil, litter, manure, droppings from animals and poultry from floors, walls and surfaces of barns, pens, stalls, chutes, hatches and other facilities and fixtures occupied or traversed by animals and poultry.
4. Empty all troughs, racks and other feeding and watering appliances.
5. Thoroughly clean and saturate all surfaces with a solution of 1/2 oz. of product disinfectant per gallon of water. Use high pressure sprayer or other suitable sprayer.
6. Allow disinfectant to remain in contact for at least ten minutes.
7. Immerse halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, scrapers used for removing litter and manure, in a solution of 1/2 oz. of product disinfectant per gallon water. Allow to remain in contact for 10 minutes.
8. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers, and mangers with a solution of product disinfectant at 1/2 oz. per gallon of water. Rinse with potable water before reuse.
9. Ventilate buildings, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set or dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - (Larger than 1 gal.) - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. (1 gal. and smaller) - Do not reuse empty container. Wrap container and put in trash.
DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

